

FloPlast

NAYLOR

Brett Martin

grimex

Polypipe

Building Products

FRÄNKISCHE

Fernico

Waterfit

A Thomas Dudley Company

PENOSIL

CLIMAFLEX®

KALSI GROUP

POLYDRAIN

PLASSON

PIPELIFE

E Tupling is an independently owned family business, established in 1966. We are a leading manufacturers distributor of building & plumbing products as well as underfloor heating systems & renewables .

Manufacturers long lead times and their stipulation of packed quantities can often restrict new sales opportunities for stockists. We provide convenient, easy and flexible access to a wide portfolio of leading brands to building and plumbing merchants across the United Kingdom.

We are passionate about providing expansive choice and value-added products to our merchant partners, through our friendly, unrivalled and seamless customer service. We are a modern and forward-thinking company, yet our traditional values and customer centric philosophy remains at the heart of everything we do.

We hold stock so you don't have to

A major stockist and supplier of a huge range of quality plumbing and building products to nationwide trade counters.

Your reliable plastic distribution partner

Offering choice, industry leading products, and first class service to our merchant partners. We offer free carriage for orders over £125.

One team, one goal

Our route to market is strictly plumbers merchants and builders merchants. Our focus is helping you to fulfil your customer needs through our volume stock ranges and efficient, highly personalised customer service.

Knowledge and experience you can rely on

We pride ourselves on delivering excellent customer service and support to our merchants, sharing over 54 years of expertise. We have a committed and enthusiastic team on hand to support your business; expert advice on products is ALWAYS available.

Experts in Underfloor Heating

Personalised guidance and technical support for the market leading Underfloor Heating Systems. An unrivalled reputation for the distribution of UFH.

Dedicated fleet of vehicles & drivers

Delivery is made on our own vehicles with our own dedicated driving team within two working days. Direct to site deliveries on our customers behalf are also available.

Same day collection

Convenience is key for our customers, therefore we have introduced an innovative 'first-to-market' merchant **CLICK & COLLECT service.**

Flexible orders

Single quantities are available on all of the profiles and colours that we carry volume stocks of. Ensuring convenience, accessibility and ease on all your orders.

Our brand-new online portal provides our merchants with a personalised way to order easily online and manage their account 24/7! Here a just a few of the key benefits that the merchant portal offers to our customers:

+4500 SKU's can be easily found in our **CATALOGUE** section.

Building & Plumbing Products

Consumables including our Penosil range of adhesives, foams sealants, silicones and wipes.

Search for products easily by code, keyword, description, brand, category or name, and simply add to basket with our one-click **'QUICK ADD'** feature.

LIVE stock – precise stock levels and details in real-time.

Bespoke pricing – merchants' individual costs are pulled directly from our system against your account reference.


Simply create an order by **inputting your desired quantity and adding to basket.** A couple of further steps through checkout and upon confirmation your order is automatically uploaded onto our system.

SAVED BASKETS can be made up of your fast-moving products for future PO's.

View previous orders in **MY ORDERS** and invoices on **MY ACCOUNT.**

Manufacturers price lists are available to download on **MY DOCUMENTS.**

CHECK OUT OUR BRAND NEW ONLINE MERCHANT PORTAL!



Not registered yet?

Contact our team and they will provide you with your unique merchant specific username and password: sales@etupling.co.uk.

We are extremely pleased to launch our brand-new look Plumbing & Building Products Catalogue 2023/24 to all of our valued merchant customers.



Our 2023/2024 Underfloor Heating & Renewables Brochure IS ALSO OUT NOW!

Featuring our own in-house OEM Underfloor Heating system comprising several market-leading brands including Danfoss & Murexin-UK, which together with our best-in-class design package is exclusively available to independent merchants nationwide!

To get yours, please email your contact details to ufh@etupling.co.uk specifying if you would like a digital version or a hard copy.

Contents

Our product brochure is colour coded by manufacturer, to aid your search:

CONSUMABLES

Penosil Adhesives, Foams, Sealants & Silicones	6
Grimex Industrial Wipes	11
E. Tupling Ancillaries	12

BUILDING & PLUMBING

Frankische MLC Press Pipe & Fittings	14
Climaflex Pipe Insulation	30
Armaflex Pipe Insulation	31
Surestop Remote Switches	33
E. Tupling Waste & Traps	34
E. Tupling Soil	38
E. Tupling Rainwater	40
Brett Martin Cascade, Soil & Waste	48
Fernco Flexible Adaptors	68
Tesla Rubber Lined Clips	70
FloPlast Above Ground & MDPE Fittings	71
Pipelife PB Easylay + PEX	96
Polypipe PolyMax	98
Polypipe PolyPlumb	104
Polypipe PolyFit	114
Polypipe Waste & Traps	120
Polypipe Soil	134
Polypipe Rainwater	150
Polypipe MDPE Fittings & Coils	166
Water Fit Boundary Box	169
Plasson	170

CIVILS & DRAINAGE

Brett Martin Underground	182
Naylor Land Drainage & Twinwall Duct	190
E. Tupling Underground Drainage	192

UFH

E. Tupling UFH Components	198
----------------------------------	------------

General Construction

Multipurpose Acetoxy Silicone	Volume	Box QTY	Product Code
Universal Silicone 315 White	280 ml	24	PE315WH
Universal Silicone 315 Clear	280 ml	24	PE315CL
Universal Silicone 315 Black	280 ml	24	PE315BL
Universal Silicone 315 Brown	280 ml	24	PE315BR
Universal Silicone 315 Grey	280 ml	24	PE315GR

For indoor and outdoor use • Mould resistance • Permanently elastic • UV & ageing resistant

Multipurpose Straw Foam	Volume	Box QTY	Product Code
Universal Strawfoam 265 Champagne Cream	750 ml	12	PE265CH

Good gap filling properties • No shrinkage • Excellent Insulation properties
Paintable • Low curing pressure

Multipurpose Filling Gun Foam Ex- & Interior	Volume	Box QTY	Product Code
Universal Gun Foam 146 Light Yellow	750 ml	12	PE146CH

Good gap filling properties • Summer gun foam • Yield 37l per 750ml cannister • B3 Fire Class • Application temp +5° - +30°

Sanitary

Multipurpose Sanitary Silicone	Volume	Box QTY	Product Code
Sanitary Silicone 313 White	300 ml	24	PE313WH
Sanitary Silicone 313 Clear	300 ml	24	PE313CL

Mould, UV & ageing resistant • Household chemistry resistant • Shower ready in 30 minutes • Non discolouring • Non-sagging



Multipurpose Neutral Silicone for Sanitary Application	Volume	Box QTY	Product Code
Sanitary & Food Grade Silicone 326 White	300 ml	24	PE326WH
Sanitary & Food Grade Silicone 326 Clear	300 ml	24	PE326CL

Mould, UV & ageing resistant • Household chemistry resistant • Highest sanitary class - CS1 • Non-corrosive to metals • Great workability • Non-sagging

Neutral Silicone for Cleanrooms	Volume	Box QTY	Product Code
Cleanroom Silicone 342 White	300 ml	24	PE342WH

High mould resistance • Ideal for cold-storage and clinical rooms • Adheres to wide variety of materials • Permanently flexible

Window & Door

Elastic Multipurpose Neutral Silicone	Volume	Box QTY	Product Code
Window & Door Silicone 312 White	300 ml	24	PE312WH
Window & Door Silicone 312 Clear	300 ml	24	PE312CL
Window & Door Silicone 312 Anthracite	300 ml	24	PE312AG
Window & Door Silicone 312 Mahogany	300 ml	24	PE312MA
Window & Door Silicone 312 Rosewood	300 ml	24	PE312RW
Window & Door Silicone 312 Agate Grey	300 ml	24	PE312AGG

Excellent for glazing applications • High movement capability +/- 25% • Excellent bond with most substrates • Weather and ageing resistant

Adhering - SpeedFix Seal & Bond

Transparent Hybrid Adhesive	Volume	Box QTY	Product Code
SpeedFix Seal & Bond 751 Clear Transparent	290 ml	24	PE751CL

Crystal clear bonding • Can be used on moist substrates • Silicone and solvent free • Does not cause corrosion on metals



Adhering

Elastic Hybrid Adhesive	Volume	Box QTY	Product Code
SpeedFix Seal & Bond 750 White	290 ml	24	PE750WH
SpeedFix Seal & Bond 750 Black	290 ml	24	PE750BL

Fast & strong bonding • High Initial grab • Strong adhesion with many materials • Does not need primers

Multipurpose Acrylic Adhesive	Volume	Box QTY	Product Code
SpeedFix Duragrip 617 White	280 ml	12	PE617WH

Strong initial grab • UV & moisture proof • Solvent free • Can be painted with water based paints • Adheres well to most construction and finishing materials

Fast & Strong Hybrid Adhesive	Volume	Box QTY	Product Code
Hybrid polymer TURBO-tack 701 White	290 ml	24	PE701WH
Hybrid polymer TURBO-tack 701 Clear	290 ml	24	PE701CL
Hybrid polymer TURBO-tack 701 Black	290 ml	24	PE701BL
Hybrid polymer TURBO-tack 701 Anthracite	290 ml	24	PE701AG

For indoor and outdoor use • Mould resistance • Permanently elastic • UV & ageing resistant

Instant Glue Activator	Volume	Box QTY	Product Code
SpeedFix Cyano Activator 625 Clear	200 ml	10	PE625CL

Strong initial grab • UV & moisture proof • Solvent free • Can be painted with water based paints



FireStop Silicone

Neutral Silicone For Fireproofing	Volume	Box QTY	Product Code
FireStop Silicone 331 White	300 ml	24	PE331WH

Fire resistance classification 4 hours according to EN:13501-2 • Sealing expansion joints in fire rated walls • Sealing fire-proof window and door frames, cable, duct & pipe penetrations

Intumescent Sealant For Fireproofing	Volume	Box QTY	Product Code
FireStop Intumescent 680 White	300 ml	24	PE680WH

Withstands fire for 3 hours in linear joints and 4 hours in piping • Prevents the passage of fire and hot gasses • Paintable after curing

Fire-Rated Straw Foam	Volume	Box QTY	Product Code
Fire Rated Foam B1 296 Pink	750 ml	12	PE296PK

Installing fireproof doors and windows • Sealing joints in fire rated walls • E1240 according to standard EN 13501-2:2016

Fire-Rated Gun Foam	Volume	Box QTY	Product Code
Fire Rated Gunfoam B1 187 Red	750 ml	12	PE187RD

Installing fireproof doors and windows • Sealing joints in fire rated walls • E1240 according to standard EN 13501-2:2016

Decoration

Paintable Acrylic Sealant	Volume	Box QTY	Product Code
Painters Acrylic 606 White	300 ml	24	PE606WH

Water based • Odourless • Non-sagging • Strong adhesion to most building substrates • Compatible with paints



PENOSIL

Roof & Facade

Immediately Waterproof Sealant	Volume	Box QTY	Product Code
Roof & Gutter Sealant 919 Transparent	310 ml	12	PE919CL

Used for quick repairing of openings and cracks even when it's raining • Adheres to wet and slightly oily substrates • High elasticity • Non- Sagging • Mould, UV & Weather resistant

Roofing and Flashing Silicone	Volume	Box QTY	Product Code
Lead Flashing 385 Grey	300 ml	24	PE385GR

High movement capability • Excellent adhesion to a wide range of substrates • UV, weather and ageing resistant • Non-corrosive to metals

Accessories

Foam Gun	Volume	Box QTY	Product Code
Foam Gun C1	N/A	20	PEC1GUN

Cartridge Gun	Volume	Box QTY	Product Code
Cartridge Gun SH1	N/A	24	PESH1GUN

Sealant Gun	Volume	Box QTY	Product Code
Manual Sealant Gun	N/A	24	PESTGUN

Fast Acting Solvent Cleaner	Volume	Box QTY	Product Code
Fast Acting Solvent Cleaner	1 L	12	

Sealant Gun	Volume	Box QTY	Product Code
Glass Cleaner	1 L	12	PEGC1L



grimex

The wipe that works.

Industrial Hand & Surface Wipes	Count	Box QTY	Product Code
Grimex	100	4	GRFPFL100
Grimex Mighty	40	4	GRMTYFPFL40
Grimex BIO	70	4	GRBIOFPFL70



WHICH GRIMEX WIPE WORKS FOR YOU?

grimex
THE ORIGINAL

Tried and trusted wipes for the most grimy hands, tools and surfaces.

100 TOUGH WIPES XL SIZE

40 GIANT WIPES XXL+ SIZE

grimex MIGHTY

Extremely strong and super absorbent wipes for a mighty big clean up.

grimex BIO

High performance cleaning wipes that harness the power of nature.

70 SUPERSOFT WIPES
100% BIODEGRADABLE AND SUSTAINABLE


Ancillaries

Ancillaries	Product Code
E.Tupling Solvent Cement 125ml	ETSC125
E.Tupling Solvent Cleaner 250ml	ETCF250
E.Tupling Solvent Cleaner 500ml	ETCF500
E.Tupling Lubricant Gel 1kg	ETLG1000
E.Tupling Lubricant Gel 2.5kg	ETLG2500
E.Tupling Silicone Grease 500g	ETSG500
E.Tupling Silicone Lubricant Spray 40ml	ETSL40
E.Tupling Leak Detector 500ml	ETLD500
E.Tupling Leak Detector Spray 500ml	ETLD500S



MAKING UNDERFLOOR HEATING EASY FOR PLUMBING & BUILDERS MERCHANTS!

Unrivalled distributor service and technical support.



FRÄNKISCHE

Multi-Layer Composite Pipe (MLCP)

Straight Lengths	Colour	Product Code
16 x 2mm - 5m	○	FR83516001
20 x 2mm - 5m	○	FR83520001
26 x 3mm - 5m	○	FR83526001
32 x 3mm - 5m	○	FR83532001
40 x 3.5mm - 5m	○	FR83540005
50 x 4mm - 5m	○	FR83550005
63 x 4.5mm - 5m	○	FR83563005
75 x 5mm - 5m	○	FR83575005

Coils	Colour	Product Code
16 x 2mm - 100m	○	FR83516401
16 x 2mm - 200m	○	FR83516701
20 x 2mm - 100m	○	FR83520401
26 x 3mm - 50m	○	FR83526201
32 x 3mm - 50m	○	FR83532201

Pre Insulated Pipe	Colour	Product Code
16 x 2mm - 6mm insulation - 50m	○	FR83716223
20 x 2mm - 6mm insulation - 50m	○	FR83720223
16 x 2mm - 9mm insulation - 50m	○	FR83716214
20 x 2mm - 9mm insulation - 50m	○	FR83720214
16 x 2mm - 13mm insulation - 50m	○	FR83716217
20 x 2mm - 13mm insulation - 50m	○	FR83720217
26 x 3mm - 13mm insulation - 25m	○	FR83726117
32 x 3mm - 13mm insulation - 25m	○	FR83732117



Loose Conduit	Colour	Product Code
16 x 2mm - 100m	●	FR79916200
16 x 2mm - 100m	●	FR79916201
20 x 2mm - 50m	●	FR79920200
for 20 x 2mm - 50m	●	FR79920201
25 x 2.3mm - 50m	●	FR79825103

Coils in Conduit	Colour	Product Code
6 x 2mm - 50m	●	FR83616202
16 x 2mm - 50m	●	FR83616203
20 x 2mm - 50m	●	FR83620202
20 x 2mm - 50m	●	FR83620203



FRANKISCHE

FRÄNKISCHE

alplex[®] MLCP

A multilayer composite pipe system for drinking water and heating installations



On average
30%
greater cross
sectional area

- Premium material quality - High-quality composite & lead-free brass fittings.
- 95 °C at 10 bar continuous operation - Perfect for secondary hot water return circuits.
- Leak before press function – No more accidental un-pressed joints!
- High flow rates and less restrictive fittings with 30% greater cross-sectional area.
- Jaw compatibility with the F – U – TH – H – VP contours.
- Available in straight lengths, coils or pre-insulated coils.

www.frankische.co.uk

FRÄNKISCHE

MLCP Press Fittings

90° Swept Elbows	Colour	Product Code
16mm - 16mm	○	FR86916202
20mm - 20mm	○	FR86920202
26mm - 26mm	○	FR86926202
32mm - 32mm	○	FR86932202

90° Elbows	Colour	Product Code
16mm - 16mm	○	FR88916200
20mm - 20mm	○	FR88920200
26mm - 26mm	○	FR88926200
32mm - 32mm	○	FR88932200
40mm - 40mm	○	FR88440200
50mm - 50mm	○	FR88450200
63mm - 63mm	○	FR88463200
75mm - 75mm	○	FR86775200

45° Elbows	Colour	Product Code
26mm - 26mm	○	FR88926201
32mm - 32mm	○	FR88932201
40mm - 40mm	○	FR88440201
50mm - 50mm	○	FR88450201
63mm - 63mm	○	FR88463201
75mm - 75mm	○	FR86775201



FRÄNKISCHE alpex MLCP

A multilayer composite pipe system for drinking water and heating installations in sizes 16mm - 75mm



Go with the flow

Our alpex pipes and press fittings have one of the biggest internal bores available with less restrictive fittings resulting in high flow rates.

On average
30%
greater cross sectional area

www.frankische.co.uk

FRANKISCHE

MLCP Press Fittings

Straight Couplers	Colour	Product Code
alpex F50 PROFi PPSU coupling 16mm - 16mm	○	FR88916100
alpex F50 PROFi PPSU coupling 20mm - 20mm	○	FR88920100
alpex F50 PROFi PPSU coupling 26mm - 26mm	○	FR88926100
alpex F50 PROFi PPSU coupling 32mm - 32mm	○	FR88932100

Straight Couplers	Colour	Product Code
alpex L Coupling 40mm - 40mm	○	FR88440100
alpex L Coupling 50mm - 50mm	○	FR88450100
alpex L Coupling 63mm - 63mm	○	FR88463100
alpex L Coupling 75mm - 75mm	○	FR86775100

Reducing Couplers	Colour	Product Code
alpex L PPSU Reducing Coupling 40mm - 26mm	○	FR88440160
alpex L PPSU Reducing Coupling 40mm - 32mm	○	FR88440170
alpex L PPSU Reducing Coupling 50mm - 32mm	○	FR88450170
alpex L PPSU Reducing Coupling 50mm - 40mm	○	FR88450180
alpex L PPSU Reducing Coupling 63mm - 40mm	○	FR88463180
alpex L PPSU Reducing Coupling 63mm - 50mm	○	FR88463190
alpex L PPSU Reducing Coupling 75mm - 40mm	○	FR86775180
alpex L PPSU Reducing Coupling 75mm - 50mm	○	FR86775190
alpex L PPSU Reducing Coupling 75mm - 63mm	○	FR86775195



Reducing Couplers	Colour	Product Code
alpex F50 PROFi Reducing coupling 20mm - 16mm	○	FR88920130
alpex F50 PROFi Reducing coupling 26mm - 16mm	○	FR88926130
alpex F50 PROFi Reducing coupling 26mm - 20mm	○	FR88926150
alpex F50 PROFi Reducing coupling 32mm - 20mm	○	FR88932150
alpex F50 PROFi Reducing coupling 32mm - 26mm	○	FR88932160

Equal Tee's	Colour	Product Code
alpex F50 PROFi PPSU 16mm - 16mm - 16mm	○	FR88916300
alpex F50 PROFi PPSU 20mm - 20mm - 20mm	○	FR88920300
alpex F50 PROFi PPSU 26mm - 26mm - 26mm	○	FR88926300
alpex F50 PROFi PPSU 32mm - 32mm - 32mm	○	FR88932300

Equal Tee's	Colour	Product Code
alpex L PPSU equal tee 40mm - 40mm - 40mm	○	FR88440300
alpex L PPSU equal tee 50mm - 50mm - 50mm	○	FR88450300
alpex L PPSU equal tee 63mm - 63mm - 63mm	○	FR88463300
alpex L PPSU equal tee 75mm - 75mm - 75mm	○	FR86775300

Reducing Tee's	Colour	Product Code
alpex F50 PROFi PPSU 16mm - 20mm - 16mm	○	FR88916350
alpex F50 PROFi PPSU 20mm - 16mm - 16mm	○	FR88920333
alpex F50 PROFi PPSU 20mm - 16mm - 20mm	○	FR88920330
alpex F50 PROFi PPSU 20mm - 20mm - 16mm	○	FR88920303
alpex F50 PROFi PPSU 20mm - 26mm - 20mm	○	FR88920360
alpex F50 PROFi PPSU 26mm - 16mm - 20mm	○	FR88926335
alpex F50 PROFi PPSU 26mm - 16mm - 26mm	○	FR88926330
alpex F50 PROFi PPSU 26mm - 20mm - 16mm	○	FR88926353
alpex F50 PROFi PPSU 26mm - 20mm - 20mm	○	FR88926355



MLCP Press Fittings

Reducing Tee's	Colour	Product Code
alpex F50 PROFI PPSU 26mm - 20mm - 26mm	○	FR88926350
alpex F50 PROFI PPSU 26mm - 26mm - 16mm	○	FR88926303
alpex F50 PROFI PPSU 26mm - 26mm - 20mm	○	FR88926305
alpex F50 PROFI PPSU 32mm - 16mm - 32mm	○	FR88932330
alpex F50 PROFI PPSU 32mm - 20mm - 26mm	○	FR88932356
alpex F50 PROFI PPSU 32mm - 20mm - 32mm	○	FR88932350
alpex F50 PROFI PPSU 32mm - 26mm - 26mm	○	FR88932366
alpex F50 PROFI PPSU 32mm - 26mm - 32mm	○	FR88932360

Reducing Tee's	Colour	Product Code
alpex L PPSU 40mm - 20mm - 40mm	○	FR88440350
alpex L PPSU 40mm - 26mm - 40mm	○	FR88440360
alpex L PPSU 40mm - 32mm - 40mm	○	FR88440370
alpex L PPSU 50mm - 20mm - 50mm	○	FR88450350
alpex L PPSU 50mm - 26mm - 50mm	○	FR88450360
alpex L PPSU 50mm - 32mm - 50mm	○	FR88450370
alpex L PPSU 50mm - 40mm - 50mm	○	FR88450380
alpex L PPSU 63mm - 32mm - 63mm	○	FR88463370
alpex L PPSU 63mm - 40mm - 63mm	○	FR88463380
alpex L PPSU 63mm - 50mm - 63mm	○	FR88463390
alpex L PPSU 75mm - 40mm - 75mm	○	FR86775380
alpex L PPSU 75mm - 50mm - 75mm	○	FR86775390



Male Irons	Colour	Product Code
alpex F50 PROFI adapter - 1/2" Male Thread - 16mm	○	FR86916762
alpex F50 PROFI adapter - 3/4" Male Thread - 16mm	○	FR86916763
alpex F50 PROFI adapter - 1/2" Male Thread - 20mm	○	FR86920762
alpex F50 PROFI adapter - 3/4" Male Thread - 20mm	○	FR86920763
alpex F50 PROFI adapter - 1" Male Thread - 20mm	○	FR86920764
alpex F50 PROFI adapter - 3/4" Male Thread - 26mm	○	FR86926763
alpex F50 PROFI adapter - 1" Male Thread - 26mm	○	FR86926764
alpex F50 PROFI adapter - 1" Male Thread - 32mm	○	FR86932764
alpex F50 PROFI adapter - 1 1/4" Male Thread - 32mm	○	FR86932765

Male Irons	Colour	Product Code
alpex L adapter with Male Thread 40mm-1"	○	FR86740764
alpex L adapter with Male Thread 40mm-1 1/4"	○	FR86740765
alpex L adapter with Male Thread 40mm-1 1/2"	○	FR86740766
alpex L adapter with Male Thread 50mm-1 1/2"	○	FR86750766
alpex L adapter with Male Thread 50mm-2"	○	FR86750768
alpex L adapter with Male Thread 63mm-2"	○	FR86763768
alpex L adapter with Male Thread 75mm-2 1/2"	○	FR86775769

Female Irons	Colour	Product Code
alpex F50 PROFI adapter - 1/2" 16mm	○	FR86916772
alpex F50 PROFI adapter - 1/2" 20mm	○	FR86920772
alpex F50 PROFI adapter - 3/4" 20mm	○	FR86920773
alpex F50 PROFI adapter - 3/4" 26mm	○	FR86926773
alpex F50 PROFI adapter - 1" 26mm	○	FR86926774
alpex F50 PROFI adapter - 1" 32mm	○	FR86932774
alpex F50 PROFI adapter - 1 1/4" 32mm	○	FR86932775



MLCP Press Fittings

Female Irons	Colour	Product Code
alpex L adapter with Female Thread 40mm-1"	○	FR86740774
alpex L adapter with Female Thread 40mm-1 1/4"	○	FR86740775
alpex L adapter with Female Thread 50mm-1 1/2"	○	FR86750776
alpex L adapter with Female Thread 63mm-2"	○	FR86763778

Elbow Male Irons	Colour	Product Code
alpex F50 PROFi 16mm-1/2"	○	FR86916782
alpex F50 PROFi 16mm-3/4"	○	FR86916783
alpex F50 PROFi 20mm-1/2"	○	FR86920782
alpex F50 PROFi 20mm-3/4"	○	FR86920783
alpex F50 PROFi 26mm-3/4"	○	FR86926783
alpex F50 PROFi 32mm-1"	○	FR86932784

Elbow Male Irons	Colour	Product Code
alpex L elbow with Male Thread 40mm - 1/4"	○	FR86740785
alpex L elbow with Male Thread 50mm - 1/2"	○	FR86750786

Elbow Female Irons	Colour	Product Code
alpex F50 PROFi 16mm-1/2"	○	FR86916792
alpex F50 PROFi 20mm-1/2"	○	FR86920792
alpex F50 PROFi 20mm-3/4"	○	FR86920793
alpex F50 PROFi 26mm-3/4"	○	FR86926793
alpex F50 PROFi 32mm-1"	○	FR86932794



Female Tee's	Colour	Product Code
alpex F50 PROFi T-adapter 16mm - 1/2" 16mm	○	FR86916742
alpex F50 PROFi T-adapter 20mm - 1/2" 20mm	○	FR86920742
alpex F50 PROFi T-adapter 20mm - 3/4" 20mm	○	FR86920743
alpex F50 PROFi T-adapter 26mm - 1/2" 26mm	○	FR86926742
alpex F50 PROFi T-adapter 26mm - 3/4" 26mm	○	FR86926743
alpex F50 PROFi T-adapter 32mm - 1/2" 32mm	○	FR86932742
alpex F50 PROFi T-adapter 32mm - 3/4" 32mm	○	FR86932743
alpex F50 PROFi T-adapter 32mm - 1" 32mm	○	FR86932744

Female Tee's	Colour	Product Code
alpex L tee with Female Thread 40-1/2"-40	○	FR86740742
alpex L tee with Female Thread 40-3/4"-40	○	FR86740743
alpex L tee with Female Thread 50-3/4"-50	○	FR86750743
alpex L tee with Female Thread 63-1"-63	○	FR86763744
alpex L tee with Female Thread 75-1"-75	○	FR86775744

Transition Couplings (Swivel Connectors)	Colour	Product Code
alpex F50 PROFi transition coupling 16-1/2"MS	○	FR86916672
alpex F50 PROFi transition coupling 16-3/4"MS	○	FR86916673
alpex F50 PROFi transition coupling 20-3/4"MS	○	FR86920673
alpex F50 PROFi transition coupling 20-1"MS	○	FR86920674
alpex F50 PROFi transition coupling 26-3/4"MS	○	FR86926673
alpex F50 PROFi transition coupling 26-1"MS	○	FR86926674
alpex F50 PROFi transition coupling 26-1 1/4" MS	○	FR86926675
alpex F50 PROFi transition coupling 26-1 1/2"MS	○	FR86926676



MLCP Press Fittings

Transition Couplings (Swivel Connectors)	Colour	Product Code
alpex F50 Profi Transition Coupling 32-1"Ms	○	FR86932674
alpex F50 Profi Transition Coupling 32-1 1/4"Ms	○	FR86932675
alpex F50 Profi Transition Coupling 32-1 1/2"Ms	○	FR86932676
alpex Flat Connection Coupling For Adaptor 1/2"-3/4"	○	FR85900932
alpex Flat Connection Coupling For Adaptor 3/4"-1"	○	FR85900943
alpex Flat Connection Coupling For Adaptor 1"-1 1/4"	○	FR85900954
alpex Flat Connection Coupling For Adaptor 2"-2"	○	FR85900988

Transition Couplings (Swivel Connectors)	Colour	Product Code
alpex L Transition Coupling 40-1 1/4"	○	FR86740795
alpex L Transition Coupling 40-1 1/2"	○	FR86740796
alpex L Transition Coupling 50 -1 3/4"	○	FR86750797
alpex L Transition Coupling 50-2"	○	FR86750798
alpex L Transition Coupling 63-2"	○	FR86763798
alpex L Transition Coupling 63-2 3/8"	○	FR86763799

Geberit Concealed Toilet Cisterns	Colour	Product Code
Geberit Mepla Fix 16mm-G1/2 MS straight	○	FR86916851
Geberit Mepla Fix 16mm-G1/2-16mm MS tee	○	FR86916852
Geberit Mepla Fix 20mm-G1/2-16mm MS tee	○	FR86920853
Geberit Mepla Fix 20mm-G1/2-20mm MS tee	○	FR86920852
Geberit Mepla Fix 16mm-G1/2 MS elbow	○	FR86916850



Copper Adapters	Colour	Product Code
F50 Press Copper Adapter 16-15mm	○	FR86916736
F50 Press Copper Adapter 20-18mm	○	FR86920736
F50 Press Copper Adapter 20-22mm	○	FR86920737
F50 Press Copper Adapter 26-22mm	○	FR86926736
F50 Press Copper Adapter 32-28mm	○	FR86932736
alpex F50 PROFI Push 16 - Copper 15mm	○	FR86916739
alpex F50 PROFI Push 20 - Copper 18mm	○	FR86920739
alpex F50 PROFI Radiator Connection Bend - 16mm-15mm Cu -330mm	○	FR86916733
alpex F50 PROFI Radiator Connection Bend - 20mm-15mm Cu -330mm	○	FR86920733
alpex F50 PROFI Radiator Connection Tee - 16mm-15mm Cu -330mm	○	FR86916753
alpex F50 PROFI Radiator Connection Tee - 20mm-15mm Cu -330mm	○	FR86920753

Wall Mount Elbows	Colour	Product Code
alpex F50 Profi Wall Mounting Elbow 90° 35mm-16mm - 1/2"Ms	○	FR86916720
alpex F50 Profi Wall Mounting Elbow 90° 35mm-20mm - 1/2"Ms	○	FR86920720
alpex F50 Profi Wall Mounting Elbow 90° 35mm-20mm - 3/4"Ms	○	FR86920723
alpex F50 Profi Wall Mounting Elbow 90° 35mm-26mm - 3/4"Ms	○	FR86926720
alpex F50 Profi Wall Mount Elbow 52mm 90° 16-1/2"Ms	○	FR86916722
alpex F50 Profi Wall Mount Elbow 78mm 90° 16-1/2" Ms	○	FR86916721
alpex F50 Profi Wall Mount Elbow 78mm 90° 20-1/2" Ms	○	FR86920721
Noise Absorbion Kit 1/2" For 35mm Wall Mount Elbow	○	FR84916215
Noise Absorbion Kit 3/4" For 52 / 78mm Wall Mount Elbow	○	FR84926215
Noise Absorbion Kit Long 1/2" For 52 / 78mm Wall Mount Elbow	○	FR85916211
Sealing For 1/2" Wall Mount Elbow 35 / 52 / 78mm	○	FR84916315
Sealing For 3/4" Wall Mount Elbow 35mm	○	FR84926315
alpex F50 Profi Double Wall Mount Elbow 16-1/2"Ms-16	○	FR86916750
alpex F50 Profi Double Wall Mount Elbow 20-1/2"Ms-20	○	FR86920750
alpex F50 Profi Double Wall Mount Elbow 20-1/2"Ms-16	○	FR86920751



MLCP Press Fittings

Wall Mount Elbows	Colour	Product Code
alpex F50 Profi Double Wall Mount Elbow 26-1/2"Ms-26	○	FR86926750
alpex F50 Profi Double Wall Mount Elbow 26-1/2"Ms-20	○	FR86926751
Noise Absorbtion Kit 1/2" For 35mm Double Wall Mount Elbow	○	FR84900216
Noise Absorbtion Kit 1/2" For 35mm Double Wall Mount Elbow	○	FR84926216
Sealing For 1/2" Double Wall Mount Elbow 35mm 16-20 & 26mm	○	FR84916316
Insulation Pad For All 1/2 2 & 3/4" Wall Mount Elbows	○	FR84900315

End Caps	Colour	Product Code
alpex F50 PROFi PPSU End Cap 16mm	○	FR88916820
alpex F50 PROFi PPSU End Cap 20mm	○	FR88920820
alpex F50 PROFi PPSU End Cap 26mm	○	FR88926820
alpex F50 PROFi PPSU End Cap 32mm	○	FR88932820

Ancillaries	Colour	Product Code
alpex F50 PROFi PPSU Repair Coupling 16mm - 16mm	NA	FR86916102
alpex F50 PROFi PPSU Repair Coupling 20mm - 20mm	NA	FR86920102
alpex F50 PROFi PPSU Repair Coupling 26mm - 26mm	NA	FR86926102
alpex F50 PROFi PPSU Repair Coupling 32mm - 32mm	NA	FR86932102
alpex End Plug Hygeine Seal for 16 x 2mm pipe, pack of 10	NA	FR84916815
alpex End Plug Hygeine Seal for 20 x 2mm pipe, pack of 10	NA	FR84920815
alpex End Plug Hygeine Seal for 26 x 3mm pipe, pack of 5	NA	FR84926815
alpex End Plug Hygeine Seal for 32 x 3mm pipe, pack of 5	NA	FR84932815
alpex Single Dowel Hook Length Of Dowel: 60mm	NA	FR75912114
alpex Double Dowel Hook Length Of Dowel: 60mm	NA	FR75912115



Ancillaries	Colour	Product Code
alpex Single Dowel Hook Length Of Dowel: 90mm	NA	FR75912116
alpex Double Dowel Hook Length Of Dowel: 90mm	NA	FR75912117
alpex L Replacement Pressing Sleeve With Fixation Ring 40mm	NA	FR86740505
alpex L Replacement Pressing Sleeve With Fixation Ring 50mm	NA	FR86750505
alpex L Replacement Pressing Sleeve With Fixation Ring 63mm	NA	FR86763505
alpex L Replacement Pressing Sleeve With Fixation Ring 75mm	NA	FR86775505
alpex Multilayer Composite Pipe Bridge - 16mm	NA	FR75900116
alpex Multilayer Composite Pipe Bridge - 20mm	NA	FR75900120
alpex Multilayer Composite Pipe Bridge - 26mm	NA	FR75900126
alpex L Replacement O-Ring 40 Mm	NA	FR86740510
alpex L Replacement O-Ring 50 Mm	NA	FR86750510
alpex L Replacement O-Ring 63 Mm	NA	FR86763510

Press Guns and Jaws	Colour	Product Code
REMS Mini press 22 V L-Boxx c/w extra 2.5 Ah battery package	NA	FR578014
REMS Mini Press Jaw with F-contour 16mm	NA	FR79016620
REMS Mini Press Jaw with F-contour 20mm	NA	FR79020620
REMS Mini Press Jaw with F-contour 26mm	NA	FR79026620
REMS Mini Press Jaw with F-contour 32mm	NA	FR79032620
REMS Mini Press Jaw with F-contour 40mm	NA	FR79040620
alpex Press Jaw F16 PB1	NA	FRNOVO0016
alpex Press Jaw F20 PB1	NA	FRNOVO0020
alpex Press Jaw F26 PB1	NA	FRNOVO0026
alpex Press Jaw F32 PB1	NA	FRNOVO0032
Novopress Empty Jaw Case	NA	FRNOVO0002
alpex Press Jaw F-contour 16mm	NA	FR79016600
alpex Press Jaw F-contour 20mm	NA	FR79020600
alpex Press Jaw F-contour 26mm	NA	FR79026600



MLCP Press Fittings

Press Guns and Jaws	Colour	Product Code
alpex Press Jaw F-contour 32mm	NA	FR79032600
alpex Press Jaw F-contour 40mm	NA	FR79040500
alpex Press Jaw F-contour 50mm	NA	FR79050500
alpex Press Jaw F-contour 63mm	NA	FR79063500
alpex Press Jaw F-contour 75mm	NA	FR79075500

Tools	Colour	Product Code
Installation Aid Yellow - 14 - 75	NA	FR79002208
alpex Inside/Outside Deburring Tool 14-20mm	NA	FR79002211
alpex Inside/Outside Deburring Tool 16-32mm	NA	FR79002213
alpex De-Burring Tool 40	NA	FR79040218
alpex De-Burring Tool 50	NA	FR79050218
alpex De-Burring Tool 63	NA	FR79063218
alpex De-Burring Tool 75	NA	FR79075218
Inside/Outside Deburring Tool 16-32mm	NA	FR79002250
Individual Deburrer 16	NA	FR79016250
Individual Deburrer 20	NA	FR79020250
Individual Deburrer 26	NA	FR79026250
Individual Deburrer 32	NA	FR79032250
T-Handle For Individual De-Burrer	NA	FR79000251
Box Set 16-32mm	NA	FR79000306
Box Without Contents For 16-50mm	NA	FR79000307
Pipe Cutter For Multilayer Composite Pipes 16-40mm	NA	FR79000225
Pipe Cutter For Multilayer Composite Pipes 16-75mm	NA	FR79000228



Tools	Colour	Product Code
Replacement Cutting Wheels For Pipe Cutter 16-40	NA	FR79000227
Replacement Cutting Wheels For Pipe Cutter 16-75	NA	FR79000229
Pipe Shears For Pipes Up To 20mm	NA	FR79000223
Replacement Blade For Combination Shears	NA	FR79000221
Combination Shears For Pipes Up To 20mm	NA	FR79000220
Replacement Blade For Combination/Pipe Shears	NA	FR79000221
Replacement Blade For Combination Shears	NA	FR79000222
Internal Bending Spring 16 X 2	NA	FR79116640
Internal Bending Spring 20 X 2	NA	FR79120640
External Bending Spring 16	NA	FR79116850
External Bending Spring 20	NA	FR79120850
alpex Pipe Bender Set 2x D 16-20mm	NA	FR79100630
alpex Pipe Uncoiler For Coils Up To 600m	NA	FR79200800
alpex Pipe Uncoiler Mobile For Coils Up To 600m	NA	FR79200900
alpex Pressure Test Plug 16-R1/2	NA	FR79116001
alpex Pressure Test Plug 20-R1/2	NA	FR79120001
alpex Pressure Test Plug With Vent Plug 16	NA	FR79116000
alpex Pressure Test Plug With Vent Plug 20	NA	FR79120000
alpex Pressure Test Plug With Vent Plug 26	NA	FR79126000
alpex Pressure Test Plug With Vent Plug 32	NA	FR79132000



Climaflex

Pipe Insulation	Quantity	Product Code
15mm x 9mm Insulation (2m)	380	CFLX15X9
15mm x 13mm Insulation (2m)	256	CFLX15X13
15mm x 19mm Insulation (2m)	134	CFLX15X19
15mm x 25mm Insulation (2m)	100	CFLX15X25
22mm x 9mm Insulation (2m)	250	CFLX22X9
22mm x 13mm Insulation (2m)	180	CFLX22X13
22mm x 19mm Insulation (2m)	108	CFLX22X19
22mm x 25mm Insulation (2m)	80	CFLX22X25
28mm x 9mm Insulation (2m)	190	CFLX28X9
28mm x 13mm Insulation (2m)	140	CFLX28X13
28mm x 19mm Insulation (2m)	96	CFLX28X19
28mm x 25mm Insulation (2m)	66	CFLX28X25
35mm x 13mm Insulation (2m)	120	CFLX35X13
35mm x 20mm Insulation (2m)	70	CFLX35X20
42mm x 13mm Insulation (2m)	90	CFLX42X13
42mm x 20mm Insulation (2m)	60	CFLX42X20
54mm x 13mm Insulation (2m)	66	CFLX54X13



All Climaflex products are available to order in single 2m lengths.

Armaflex

Pipe Insulation	Quantity	Product Code
Class O A/Flex 15x13 Self Seal (2m)	20	AFLX15X13S/S
Class O A/Flex 15x19 Self Seal (2m)	32	AFLX15X19S/S
Class O A/Flex 15x25 Self Seal (2m)	24	AFLX15X25S/S
Class O A/Flex 15x9 Self Seal (2m)	28	AFLX15X9S/S
Class O A/Flex 22x13 Self Seal (2m)	38	AFLX22X13S/S
Class O A/Flex 22x19 Self Seal (2m)	34	AFLX22X19S/S
Class O A/Flex 22x25 Self Seal (2m)	122	AFLX22X25S/S
Class O A/Flex 22x9 Self Seal (2m)	72	AFLX22X9S/S
Class O A/Flex 28x13 Self Seal (2m)	50	AFLX28X13S/S
Class O A/Flex 28x19 Self Seal (2m)	48	AFLX28X19S/S
Class O A/Flex 28x25 Self Seal (2m)	200	AFLX28X25S/S
Class O A/Flex 28x9 Self Seal (2m)	100	AFLX28X9S/S
Class O A/Flex 35x13 Self Seal (2m)	56	AFLX35X13S/S
Class O A/Flex 35x19 Self Seal (2m)	40	AFLX35X19S/S
Class O A/Flex 35x25 Self Seal (2m)	140	AFLX35X25S/S
Class O A/Flex 42x13 Self Seal (2m)	82	AFLX42X13S/S
Class O A/Flex 42x20 Self Seal (2m)	48	AFLX42X20S/S
Class O A/Flex 42x25 Self Seal (2m)	36	AFLX42X25S/S
Class O A/Flex 54x13 Self Seal (2m)	98	AFLX54X13S/S
Class O A/Flex 67x13 Self Seal (2m)	60	AFLX67X13S/S
Class O A/Flex 67x19 Self Seal (2m)	36	AFLX67X19S/S
Class O A/Flex Self Seal 48 X 19 (2m)	24	AFLX48X19S/S



All Armaflex products must be ordered in 2m lengths.

Merchants' PURSUIT of 6 new sales opportunities shouldn't be so TRIVIAL!

E.Tupling, the leading independent and specialist distributor, provide the complete renewable, underfloor heating and ventilation solution!



Polypipe
Underfloor Heating

To find out more about the products & services we offer visit the website or contact us.

www.etupling.co.uk | ufh@etupling.co.uk | 0161 776 0077

SureStop Plumbing

Surestop Stopcocks	Colour	Product Code
Push fit valve with 2mtr remote Switch	○	SS/15/RPL
Compression valve with 2mtr remote Switch	○	SS/15/RCL
Push Fit valve only	○	SS/15/SPL
Push fit valve with 2 mtr remote Switch	○	SS/22/RPL



SURESTOP

Control your water
At the flick of a switch

No batteries or electrics



Ancillaries, Solvent Weld Waste & Traps

32mm Solvent Waste	Colour	Product Code
E.Tupling Solvent Waste Pipe - 3m - 32mm	○ ● ●	ETSW01*
E.Tupling Solvent Waste Clip - 32mm	○ ● ●	ETSW34*
E.Tupling Solvent Waste Coupler - 32mm	○ ● ●	ETSW07*
E.Tupling Solvent Waste 90deg Bend - 32mm	○ ● ●	ETSW10*
E.Tupling Solvent Waste 92.5 Swept - 32mm	○ ● ●	ETSW14*
E.Tupling Solvent Waste 45deg Bend - 32mm	○ ● ●	ETSW18*
E.Tupling Solvent Waste Tee - 32mm	○ ● ●	ETSW22*
E.Tupling Solvent Waste Access Plug - 32mm	○ ● ●	ETSW30*
E.Tupling Solvent Waste Spigot 90deg - 32mm	○ ● ●	ETSW26*
E.Tupling Solvent Waste Spigot 45deg - 32mm	○ ● ●	ETSW76*

40mm Solvent Waste	Colour	Product Code
E.Tupling Solvent Waste Pipe - 3m - 40mm	○ ● ●	ETSW02*
E.Tupling Solvent Waste Clip - 40mm	○ ● ●	ETSW35*
E.Tupling Solvent Waste Coupler - 40mm	○ ● ●	ETSW08*
E.Tupling Solvent Waste 90deg Bend - 40mm	○ ● ●	ETSW11*
E.Tupling Solvent Waste 92.5 Swept - 40mm	○ ● ●	ETSW15*
E.Tupling Solvent Waste 45deg Bend - 40mm	○ ● ●	ETSW19*
E.Tupling Solvent Waste Tee - 40mm	○ ● ●	ETSW23*
E.Tupling Solvent Waste Access Plug - 40mm	○ ● ●	ETSW31*
E.Tupling Solvent Waste Spigot 90deg - 40mm	○ ● ●	ETSW27*
E.Tupling Solvent Waste Spigot 45deg - 40mm	○ ● ●	ETSW77*

* Please use the following suffix - B (Black), W (White), G (Grey)



50mm Solvent Waste	Colour	Product Code
E.Tupling Solvent Waste Pipe - 3m - 50mm	○ ● ●	ETSW03*
E.Tupling Solvent Waste Clip - 50mm	○ ● ●	ETSW36*
E.Tupling Solvent Waste Coupler - 50mm	○ ● ●	ETSW09*
E.Tupling Solvent Waste 90deg Bend - 50mm	○ ● ●	ETSW12*
E.Tupling Solvent Waste 92.5 Swept - 50mm	○ ● ●	ETSW16*
E.Tupling Solvent Waste 45deg Bend - 50mm	○ ● ●	ETSW20*
E.Tupling Solvent Waste Tee - 50mm	○ ● ●	ETSW24*
E.Tupling Solvent Waste Access Plug - 50mm	○ ● ●	ETSW32*
E.Tupling Solvent Waste Spigot 90deg - 50mm	○ ● ●	ETSW28*

Waste Adaptors	Colour	Product Code
E.Tupling Reducer 40-32mm	○ ● ●	ETSW38*
E.Tupling Reducer 50-32mm	○ ● ●	ETSW39*
E.Tupling Reducer 50-40mm	○ ● ●	ETSW40*

* Please use the following suffix - B (Black), W (White), G (Grey)



E. Tupling Solvent Waste Tee 40mm
ETSW23*



Ancillaries, Solvent Weld Waste & Traps

Waste Traps	Colour	Product Code
E. Tupling 32mm Bottle Trap 38mm Seal	○	ETBTP3238
E. Tupling 40mm Bottle Trap 38mm Seal	○	ETBTP4038
E. Tupling 32mm Bottle Trap 76mm Seal	○	ETBTP3276
E. Tupling 40mm Bottle Trap 76mm Seal	○	ETBTP4076
E. Tupling 32mm Bottle Trap Telescopic	○	ETBTP32T
E. Tupling 40mm Bottle Trap Telescopic	○	ETBTP40T
E. Tupling 32mm Telescopic P Trap 38mm Seal	○	ETPTP3238T
E. Tupling 40mm Telescopic P Trap 38mm Seal	○	ETPTP4038T
E. Tupling 40mm Bath Trap 20mm Seal & Eye	○	ETBTP4020
E. Tupling 40mm Washing Machine Trap with Pipe	○	ETWMTP40
E. Tupling 40mm Appliance Half Trap 76mm Seal	○	ETAPTP4076
E. Tupling Washing Machine Double Trap	○	ETWMTPDB




E. Tupling 32mm Bottle Trap 38mm Seal
ETBTP3238



OUR BRAND NEW WEBSITE & MERCHANT PORTAL ARE NOW LIVE!

Ordering your building, plumbing & underfloor heating products has never been easier!



Visit our website www.etupling.co.uk

110mm Push-Fit Soil & Pan Connectors

110mm Ring-Seal Soil	Colour	Product Code
E.Tupling Single-Socket Soil Pipe - 3m	● ● ○	ETPS3*
E.Tupling Single-Socket Soil Pipe - 4m	● ● ○	ETPS4*
E.Tupling 4" Soil Pipe Clip	● ● ○	ETPS82*
E.Tupling 4" Soil Double-Socket Coupler	● ● ○	ETPS105*
E.Tupling 4" Soil Single-Socket Coupler	● ● ○	ETPS124*
E.Tupling 4" Soil Single-Socket 90deg Bend	● ● ○	ETPS161*
E.Tupling 4" Soil Double-Socket 90deg Bend	● ● ○	ETPS561*
E.Tupling 4" Soil Single-Socket 45deg Bend	● ● ○	ETPS163*
E.Tupling 4" Soil Double-Socket 45deg Bend	● ● ○	ETPS563*
E.Tupling 4" Soil 0-90 Adjustable Bend	● ● ○	ETPS560
E.Tupling 4" Soil 90deg Branch	● ● ○	ETPS190*
E.Tupling 4" Soil Triple-Socket 90deg Branch	● ● ○	ETPS191*
E.Tupling 4" Soil 45deg Branch	● ● ○	ETPS210*
E.Tupling 4" Soil Triple-Socket 45deg Branch	● ● ○	ETPS211*
E.Tupling 4" Soil Vent Terminal (Bird Cage)	● ● ○	ETPS302*
E.Tupling 4" Soil Extract Cowl (Mushroom)	● ● ○	ETPS310*
E.Tupling 4" Soil Socket Plug	● ● ○	ETPS296*
E.Tupling 4" Soil Screwed Access Cap	● ● ○	ETPS292*
E.Tupling 4" Soil Single-Socket Access Pipe	● ● ○	ETPS274*
E.Tupling 4" Soil Manifold	● ● ○	ETPS588*

* Please use the following suffix - B (Black), W (White), G (Grey)



110mm Ring-Seal Soil	Colour	Product Code
E.Tupling Air Admittance Valve (Solvent)	● ● ○	ETAV110*
E.Tupling Reducer 110x50mm (Waste)	● ● ○	ETPS95*
E.Tupling Reducer (Boss Adaptor) 50-32mm	● ● ○	ETSW39
E.Tupling Reducer (Boss Adaptor) 50-40mm	● ● ○	ETSW40
E.Tupling 32mm Single Waste Adaptor	● ● ○	ETPSWA32*
E.Tupling 32-40mm Double Waste Adaptor	● ● ○	ETPSWA3240*
E.Tupling 40mm Single Waste Adaptor	● ● ○	ETPSWA40*

* Please use the following suffix - B (Black), W (White), G (Grey)

WC Connectors	Colour	Product Code
E. Tupling Straight Pan Connector	○	ETPCST
E. Tupling 90 Deg Bent Pan Connector	○	ETPC90B
E. Tupling Offset Pan Connector	○	ETPCOS
E. Tupling Extension Pan Connector	○	ETPCEX
E. Tupling Swan Neck Pan Connector	○	ETPCSN
E. Tupling Flexi Pan Connector	○	ETPCFL



E. Tupling Straight Pan Connector
ETPCST

Rainwater

112mm Half-Round	Colour	Product Code
E.Tupling 112mm Half-Round Gutter - 4m	● ○	ETRG4
E.Tupling 112mm Half-Round Union	● ○	ETRU1
E.Tupling 112mm Half-Round 90deg Angle	● ○	ETRA1
E.Tupling 112mm Half-Round Running Outlet	● ○	ETRO1
E.Tupling 112mm Half-Round Fascia Bracket	● ○	ETRK1
E.Tupling 112mm Half-Round External Stopend	● ○	ETRE1
E.Tupling 112mm Half-Round Internal Stopend	● ○	ETRE2

68mm Round Downpipe	Colour	Product Code
E.Tupling 68mm Round Downpipe - 2.5m	● ○	ETRP2.5
E.Tupling 68mm Round Downpipe - 4m	● ○	ETRP4
E.Tupling 68mm Round Downpipe - 5.5m	● ○	ETRP5.5
E.Tupling 68mm Offset Bend 92.5deg	● ○	ETRB1
E.Tupling 68mm Offset Bend 112.5deg	● ○	ETRB2
E.Tupling 68mm Downpipe Shoe	● ○	ETRB3
E.Tupling 68mm Downpipe Socket	● ○	ETRS1
E.Tupling 68mm Downpipe Clip	● ○	ETRC1
E.Tupling 68mm 67.5deg Branch	● ○	ETRY1
E.Tupling Hopper Head	● ○	ETRHS1


115mm Hi-Capacity Half-Round	Colour	Product Code
E.Tupling 115mm Hi-Cap Gutter - 4m	●	ETRGH4B
E.Tupling 115mm Hi-Cap Union	●	ETRUH1B
E.Tupling 115mm Hi-Cap 90deg Angle	●	ETRAH1B
E.Tupling 115mm Hi-Cap Running Outlet	●	ETROH1B



115mm Hi-Capacity Half-Round	Colour	Product Code
E.Tupling 115mm Hi-Cap Fascia Bracket	●	ETRKH1B
E.Tupling 115mm Hi-Cap External Stopend	●	ETREH1B
E.Tupling 115mm Hi-Cap Internal Stopend	●	ETREH2B

114mm Square	Colour	Product Code
E.Tupling 114mm Square Gutter - 4m	● ○	ETRGS4
E.Tupling 114mm Square Union	● ○	ETRUS1
E.Tupling 114mm Square 90deg Angle	● ○	ETRAS1
E.Tupling 114mm Square Running Outlet	● ○	ETROS1
E.Tupling 114mm Square Fascia Bracket	● ○	ETRKS1
E.Tupling 114mm Square External Stopend	● ○	ETRES1
E.Tupling 114mm Square Internal Stopend	● ○	ETRES2

65mm Square Downpipe	Colour	Product Code
E.Tupling 65mm Square Downpipe - 2.5m	● ○	ETRPS2.5
E.Tupling 65mm Square Downpipe - 4m	● ○	ETRPS4
E.Tupling 65mm Square Downpipe - 5.5m	● ○	ETRPS5.5
E.Tupling 65mm Offset Bend 92.5deg	● ○	ETRBS1
E.Tupling 65mm Offset Bend 112.5deg	● ○	ETRBS2
E.Tupling 65mm Downpipe Shoe	● ○	ETRBS3
E.Tupling Hopper Head	● ○	ETRHS1
E.Tupling 65mm Square Downpipe Clip	● ○	ETRCS1
E.Tupling 65mm Square Downpipe Socket	● ○	ETRSS1
E.Tupling Downpipe Square-Round Adaptor	● ○	ETRDS2



Cascade Prostyle 106mm

Gutters	Colour	Product Code
2m Gutter	●	BR081CI
4m Gutter	●	BR082CI

Brackets	Colour	Product Code
Fascia Bracket	●	BR083CI
Union Bracket	●	BR084CI

Outlets & Stopends	Colour	Product Code
Running Outlet	●	BR085CI
Left Hand Stopend Outlet	●	BR856LCI
Right Hand Stopend Outlet	●	BR856RCI
Left Hand External Stopend	●	BR087LCI
Right Hand External Stopend	●	BR087RCI

Gutter Angles & Clip	Colour	Product Code
Internal 90° Angle	●	BR088ICI
External 90° Angle	●	BR088ECI
Internal 135° Angle	●	BR089ICI
External 135° Angle	●	BR089ECI
External 150° Angle	●	BR088/150ECI
Fabricated Special Angle	●	BR8CI
Gutter Clip	●	BR080CI

Gutter Protector System	Colour	Product Code
Gutter Protector System 5 Metre Pack†	●	GPS1
Porcupine Bristle Gutter Protector	●	BRP16CI



Rise & Fall and Rafter Brackets	Colour	Product Code
Rise & Fall Bracket	●	BRF8CI
Rise & Fall Bracket (Galv)	●	BRF8
Rafter Top Gutter Bracket (Galv)†	●	BRT5
Rafter Side Gutter Bracket (Galv)†	●	BRS5

†Requires Fascia Bracket

Roundstyle 112mm Cast Iron Style Gutter

Gutters	Colour	Product Code
2m Gutter	●	BR041CI
4m Gutter	●	BR042CI

Brackets	Colour	Product Code
Fascia Bracket	●	BR043CI
Union Bracket	●	BR044CI

Outlets & Stopends	Colour	Product Code
Running Outlet	●	BR045CI
Internal Stopend	●	BR046CI
External Stopend	●	BR047CI
Stopend Outlet	●	BR456CI

Gutter Angles & Clip	Colour	Product Code
90° Gutter Angle	●	BR048CI
135° Gutter Angle	●	BR049CI
Fabricated Special Angle	●	BR4CI
Spare Gutter Clip	●	BR040CI

*Other colours available by special order



Roundstyle 112mm Cast Iron Style Gutter

Adaptors	Colour	Product Code
Roundstyle to Half Round Adaptor	●	BR491
Roundstyle to Ogee Adaptor RH	●	BR492
Roundstyle to Ogee Adaptor LH	●	BR493

Rise & Fall & Rafter Brackets	Colour	Product Code
Rise & Fall Bracket (Coated Black only)	●	BRF4CI
Rise & Fall Bracket 310mm Drive In Spike (Galv)	●	BRF4
Rafter Top Gutter Bracket† (Galv)	●	BRT5
Rafter Side Gutter Bracket† (Galv)	●	BRS5

†Requires Fascia Bracket

Deepstyle 115mm Cast Iron Style Gutter

Adaptors	Colour	Product Code
4m Gutter	●	BR072CI

Adaptors	Colour	Product Code
Fascia Bracket	●	BR073CI
Union Bracket	●	BR074CI

Outlets & Stopends	Colour	Product Code
Running Outlet	●	BR075CI
Internal Stopend	●	BR076CI
External Stopend	●	BR077CI



Gutter Angles & Clip	Colour	Product Code
90° Angle	●	BR078CI
135° Angle	●	BR079CI
Fabricated Gutter Angle	●	BR7CI
Spare Gutter Clip	●	BR070CI

Rise & Fall & Rafter Brackets	Colour	Product Code
Rise & Fall Bracket (Coated Black only)	●	BRF7CI
Rise & Fall Bracket 310mm Drive In Spike (Galv)	●	BRF7
Rafter Top Gutter Bracket (Galv)	●	BRT5
Rafter Side Gutter Bracket (Galv)	●	BRS5

Square 65mm Cast Iron Style Downpipe

Downpipes	Colour	Product Code
1.8m Socketed Pipe with Lugs	●	BR5018LCI
2.5m Socketed Pipe with Lugs	●	BR5025LCI

Connectors	Colour	Product Code
Pipe Coupler with Lugs	●	BR506LCI
Plain Coupler	●	BR506CI

Offsets	Colour	Product Code
75mm Offset	●	BR575CI
115mm Offset	●	BR5115CI
150mm Offset	●	BR5150CI
Adjustable Offset Kit (min offset 150mm, max 455mm)	●	BR5000CI
50mm Plinth Offset with Lugs	●	BR513LCI

*Other colours available by special order



Square 65mm Cast Iron Style Downpipe

Bends	Colour	Product Code
92½° Spigot Bend	●	BR508CI
135° Spigot Bend	●	BR519CI
112½° Spigot Bend	●	BR509CI

Branch	Colour	Product Code
112½° Branch	●	BR518CI

Shoes & Bracket	Colour	Product Code
Shoe with Lugs	●	BR516LCI
Anti-Splash Shoe with Lugs	●	BR512LCI
Downpipe Bracket	●	BR507LCI

Lug Fixing Pack & Spacer Pack	Colour	Product Code
Lug Fixing Pack	●	BRFP55CI
5mm Spacer for use with Cast Iron Style Pipework	●	BRSP1CI

Round 68mm Cast Iron Style Downpipe

Downpipes	Colour	Product Code
1.8m Socketed Pipe with Lugs	●	BR2018LCI
2.5m Socketed Pipe with Lugs	●	BR2025LCI

Connectors	Colour	Product Code
Pipe Coupler with Lugs	●	BR206LCI
Plain Coupler	●	BR206CI

*Other colours available by special order



Offsets	Colour	Product Code
75mm Offset	●	BR275CI
115mm Offset	●	BR2115CI
150mm Offset	●	BR2150CI
230mm Offset	●	BR2230CI
305mm Offset	●	BR2305CI
380mm Offset	●	BR2380CI
455mm Offset	●	BR2455CI
Adjustable Offset (250mm to 650mm)	●	BR2000CI
50mm Plinth Offset with Lugs	●	BR213LCI

Bends	Colour	Product Code
92½° Spigot Bend	●	BR208CI
135° Spigot Bend	●	BR219CI
112½° Spigot Bend	●	BR209CI
112½° Spigot Bend with Lugs L/H	●	BR221LCI
112½° Spigot Bend with Lugs R/H	●	BR221RCI

Branches	Colour	Product Code
112½° Branch	●	BR218CI
135° Branch	●	BR220CI

Shoes & Bracket	Colour	Product Code
Shoe with Lugs	●	BR216LCI
Anti-Splash Shoe with Lugs	●	BR212LCI
Handed Shoe with Lugs L/H	●	BR214LCI
Handed Shoe with Lugs R/H	●	BR214RCI
Downpipe Bracket	●	BR207LCI

Lug Fixing Pack & Spacer Pack	Colour	Product Code
Lug Fixing Pack	●	BRFP55CI
5mm Spacer for use with Cast Iron Style Pipework	●	BRSP1CI



Corner Round 68mm Cast Iron Style Downpipe

Downpipes	Colour	Product Code
1.8m Corner Socketed Pipe with Lugs	●	BR2518LCI
2.5m Corner Socketed Pipe with Lugs	●	BR2525LCI

Connector	Colour	Product Code
Coupler & Lugs	●	BR2506LCI

Shoe & Bracket	Colour	Product Code
Corner Shoe with Lugs	●	BR2516LCI
Downpipe Bracket	●	BR2507LCI

Hopper	Colour	Product Code
Corner Ogee Hopper Small	●	BRH15

Accessories

Rainwater Diverter	Colour	Product Code
Rainwater Diverter	●	BR222CI

Water Butt	Colour	Product Code
Gothic Water Butt (w730mm x d480mm x h770mm) (225 litre capacity)	●	BRGW225CI
Gothic Water Butt Stand (w730mm x d480mm x h300mm)	●	BRWS1CI



Underground

Tried and tested for over 40 years and keeps on performing...

- ✓ Comprehensive range:
 - Drain
 - Sewer
 - Duct
 - Surface water including Twinwall
 - Stormwater systems
- ✓ Fully compliant
- ✓ Easy to install



Scan the QR code to find out more



Hoppers Cast Iron Style suitable for 65mm Square & 68mm Round Downpipes

Bath & Gothic Hoppers	Colour	Product Code
Bath Hopper	●	BRH3
Gothic Hopper	●	BRH4

Long Hoppers	Colour	Product Code
Long Undated Hopper	●	BRH5
Long Hopper Dated**	●	BRH5D
Long Hopper with Lion	●	BRH5LN
Long Hopper with Tudor Rose	●	BRH5TR
Long Hopper With Four Leaf Square	●	BRH5FLS
Long Hopper with Shell	●	BRH5SL
Long Hopper with Gargoyle	●	BRH5G

*Other colours available by special order

Hoppers Cast Iron Style suitable for 65mm Square & 68mm Round Downpipes

Small Hoppers	Colour	Product Code
Small Undated Hopper	●	BRH6
Small Hopper Dated**	●	BRH6D
Small Hopper with Lion	●	BRH6LN
Small Hopper with Tudor Rose	●	BRH6TR
Small Hopper with Gargoyle	●	BRH6G
Small Hopper with Fleur De Lys	●	BRH6FDL
Small Hopper with Leaf	●	BRH6LF



Rise & Fall Brackets	Colour	Product Code
Rise & Fall Bracket (Coated Black only)	●	BRF9CI
Rise & Fall Bracket (Galv)	●	BRF9



Round 105mm Cast Iron Style Downpipe

Downpipe	Colour	Product Code
1.8m Socketed Pipe with Lugs	●	BR9018LCI



Connectors	Colour	Product Code
Pipe Coupler with Lugs	●	BR906LCI
Plain Coupler	●	BR906CI



Offsets	Colour	Product Code
115mm Offset	●	BR9115CI
150mm Offset	●	BR9150CI
230mm Offset	●	BR9230CI
305mm Offset	●	BR9305CI
380mm Offset	●	BR9380CI
455mm Offset	●	BR9455CI



Bends	Colour	Product Code
92½° Bend	●	BR908CI
112½° Bend	●	BR909CI
135° Bend	●	BR919CI



Branch	Colour	Product Code
112½° Branch	●	BR918CI

Shoe & Bracket	Colour	Product Code
Shoe with Lugs	●	BR916LCI
Downpipe Bracket	●	BR907LCI



*Other colours available by special order

Round 105mm Cast Iron Style Downpipe

Hoppers	Colour	Product Code
Long Undated Hopper	●	BRH54
Bath Hopper Plain	●	BRH55
Bath Hopper Dated**	●	BRH55D
Bath Hopper Lion	●	BRH55LN
Bath Hopper Windowed	●	BRH55WI
Small Hopper with Fleur De Lys	●	BRH6FDL
Small Hopper with Leaf	●	BRH6LF

Lug Fixing Pack & Spacer Pack	Colour	Product Code
Lug Fixing Pack	●	BRFP75CI
5mm Spacer for use with Cast Iron Style Pipework	●	BRSPICI

Rectangular 100mm x 75mm Cast Iron Style Downpipe

Downpipe	Colour	Product Code
1.8m Socketed Pipe with Lugs	●	BR8018LCI

Adaptor	Colour	Product Code
Gutter Adaptor to 100mm x 75mm	●	BR8033CI

Connector	Colour	Product Code
Coupler with Lugs	●	BR806LCI

Offsets	Colour	Product Code
Adjustable Front Projection Offset	●	BR8000CI
Adjustable Side Projection Offset	●	BR8001CI



Shoe & Bracket	Colour	Product Code
Shoe with Lugs	●	BR816LCI
Downpipe Bracket	●	BR807LCI

Bends	Colour	Product Code
112½° Spigot Bend	●	BR809CI
112½° Side Spigot Offset Bend	●	BR821CI

Branch	Colour	Product Code
112½° Branch	●	BR818CI

Hoppers	Colour	Product Code
Bath Hopper Plain	●	BRH84
Bath Hopper Dated**	●	BRH84D
Bath Hopper Lion	●	BRH84LN
Bath Hopper Windowed	●	BRH84WI

Lug Fixing Pack & Spacer Pack	Colour	Product Code
Lug Fixing Pack	●	BRFP75CI
5mm Spacer for use with Cast Iron Style Pipework	●	BRSPICI

Push-fit Soil 110mm Cast Iron Style Soil Range†

Pipe, Single Ring Seal Socket	Colour	Product Code
2.5m S/S Soil Pipe	●	BS413CI

Shrouds††	Colour	Product Code
Optional Socket Shroud with Lugs (Fit Over Clip)†	●	BSS1LCI
Optional Socket Shroud Plain (Fit Over Socket)†	●	BSS2CI

Pipe Connector & Coupling	Colour	Product Code
Double Socket Soil Pipe Connector	●	BS406CI

*Other colours available by special order



Push-fit Soil 110mm Cast Iron Style Soil Ranges

Bends & Branches	Colour	Product Code
92½° Single Socket Bend	●	BS420CI
112½° Single Socket Bend	●	BS421CI
500mm Long Offset Pipe	●	BS500CI
92½° Double Socket Bend	●	BS480CI
135° Double Socket Bend	●	BS482CI
92½° Double Socket Branch Without Bosses	●	BS417CI
92½° Double Socket Four Boss Branch	●	BS451CI

Access Fittings	Colour	Product Code
Single Socket Access Pipe	●	BS410CI
92½° Single Socket Access Bend	●	BS436CI

Boss Pipe	Colour	Product Code
Single Socket Triple Boss Pipe	●	BS445CI

Terminal Fittings	Colour	Product Code
110mm Vent Cowl	●	BS427CI
Weathering Collar	●	BS428CI

*Other colours available by special order



Brackets	Colour	Product Code
Pipe Bracket	●	BS407LCI
Pipe Bracket with Lugs	●	BS437LCI

Waste Adaptors	Colour	Product Code
32mm Rubber Waste Adaptor	●	BW1
40mm Rubber Waste Adaptor	●	BW2
50mm Rubber Waste Adaptor	●	BW3

Lubricant	Colour	Product Code
Lubricant Gel 0.5Kg	⊘	B9333



Cascade

Cast iron effect rainwater & soil systems

Achieve a heritage look



- ✓ Authentic detailing
- ✓ Affordable
- ✓ Lightweight & easy to install
- ✓ Low maintenance
- ✓ 10 year guarantee
- ✓ Up to 8 heritage colours










Download Brochure









110mm Push-Fit Soil uPVC Soil Pipe & Fittings

Pipes, Plain Ended EN 1329-1	Colour	Product Code
2.5m P/E Soil Pipe		BS402
3m P/E Soil Pipe		BS403
4m P/E Soil Pipe		BS404
6m P/E Soil Pipe		BS405



Pipes, Single Socket EN 1329-1	Colour	Product Code
2.5m S/S Soil Pipe		BS413
3m S/S Soil Pipe		BS414
4m S/S Soil Pipe		BS415
6m S/S Soil Pipe		BS430








Couplers EN 1329-1	Colour	Product Code
Double Socket Coupler		BS406
Single Socket Coupler		BS432
Double Socket Slip Coupler		BS478






Bends, Single Socket EN 1329-1	Colour	Product Code
92½° S/S Bend		BS420
112½° S/S Bend		BS421
135° S/S Bend		BS422
0°-30° S/S Adjustable Bend		BS424



Offset Bends, Single Socket EN 1329-1	Colour	Product Code
112½° S/S Offset Bend		BS408
112½° S/S Solvent Bottom Offset Bend		BS409



Bends, Double Socket EN 1329-1	Colour	Product Code
92½° D/S Bend		BS480
135° D/S Bend		BS482

Branches EN 1329-1	Colour	Product Code
92½° Double Socket Branch without Bosses		BS417
135° Double Socket Branch without Bosses		BS419
92½° Double Socket Branch with 4 Bosses		BS451
104° Double Socket Branch with 2 Bosses		BS458
92½° Triple Socket Branch without Bosses		BS457
92½° Triple Socket Double Branch		BS490
92½° Triple Socket Corner Branch		BS491









Access Fittings	Colour	Product Code
Single Socket Access Pipe		BS410
92½° Single Socket Access Bend		BS436
92½° Double Socket Access Branch		BS447
Access Plug EN 1329-1		BS431
Socket Plug EN 1329-1		BS439






Brackets	Colour	Product Code
Double Fixing Pipe Bracket EN 1329-1		BS407
Single Fixing Pipe Bracket		BS438
Metal Pipe Bracket (Galv)	NA	BR450

Fire Sleeves (4 Hour Fire Integrity)	Colour	Product Code
Fire Protection Sleeve		BFS4






110mm Push-Fit Soil uPVC Soil Pipe & Fittings




Bosses, Connectors & Manifold	Colour	Product Code
Single Socket Triple Boss Pipe		BS445
Double Solvent Short Boss Pipe EN 1329-1		BS425
50mm Strap On Boss EN 1329-1		BS426
Waste Inlet Manifold		BS435
50mm Seal Accepts Push-Fit Waste		BS441
50mm Socket Accepts Solvent Waste		BS442
160mm Drain Connector		BS423
Cast Iron & Salt Glaze Drain Connector		BS434


Terminal Fittings & Air Admittance Valve	Colour	Product Code
Vent Cowl		BS427
Weathering Collar		BS428
Weathering Slate (Alum)		BS429
Extract Cowl		BS497
Air Admittance Valve		BS487


160mm Push-Fit Soil uPVC Soil Pipe & Fittings




Pipes, Plain Ended EN 1329-1	Colour	Product Code
3m P/E Soil Pipe		BS603
4m P/E Soil Pipe		BS604
6m P/E Soil Pipe		BS605






Pipes, Single Socket EN 1329-1	Colour	Product Code
3m S/S Soil Pipe		BS623
4m S/S Soil Pipe		BS624
6m S/S Soil Pipe		BS625

Pipe Coupler, Connector & Brackets	Colour	Product Code
Double Socket Pipe Coupler		BR627
Single Socket Pipe Connector		BR607
Single Fixing Pipe Bracket		BR619
Metal Pipe Bracket (Galv)	NA	BR620

Offset Bends, Single Socket	Colour	Product Code
112½° S/S Top Offset Bend		BR630
112½° S/S Solvent Bottom Offset Bend		BR631

Bends, Single Socket	Colour	Product Code
92½° S/S Bend		BR608
112½° S/S Bend		BR609
135° S/S Bend		BR610

Branches, Double Socket	Colour	Product Code
92½° D/S Branch Without Bosses		BR615
160 / 110 x 135° D/S Branch Without Bosses		BR616
160 / 160 x 135° D/S Branch Without Bosses		BR617

Access Pipe EN 1329-1	Colour	Product Code
Single Socket Access Pipe		BS629



160mm Push-Fit Soil uPVC Soil Pipe & Fittings

Bosses & Connectors	Colour	Product Code
Drain Connector EN 1329-1		BS423
Cast Iron & Salt Glaze Drain Connector		BR621
50mm Strap On Boss		BS626

Terminal Fittings	Colour	Product Code
Vent Cowl		BS627
Weathering Collar		BS628

Fire Sleeves (4 Hour Fire Integrity)	Colour	Product Code
Fire Protection Sleeve*		BFS6

110mm Solvent Soil uPVC Soil Pipe & Fittings

Pipes, Plain Ended EN 1329-1	Colour	Product Code
2.5m P/E Soil Pipe		BS402
3m P/E Soil Pipe		BS403
4m P/E Soil Pipe		BS404

Couplers & Connector EN 1329-1	Colour	Product Code
Double Socket Coupler		BS406
Single Socket Connector		BS432
Double Socket Solvent Coupler		BS460



Soil & Waste

A complete range of solvent weld pipe and fittings manufactured to relevant industry standards

- 110mm soil
- 32mm waste (MuPVC)
- 40mm waste (MuPVC)
- 50mm waste (MuPVC)



Scan the QR code to find out more



110mm Solvent Soil uPVC Soil Pipe & Fittings

Bends EN 1329-1	Colour	Product Code
92½° Double Socket Solvent Bend	● ○ ●	BS473
135° Double Socket Solvent Bend	● ●	BS474
135° Single Socket Solvent Bend	● ●	BS484
92½° Long Spigot Solvent Bend	● ○ ●	BS479

Offset Bends, Single Socket EN 1329-1	Colour	Product Code
112½° S/S Top Offset Solvent Bend	● ○ ●	BS408
112½° S/S Bottom Offset Solvent Bend	● ○ ●	BS409

Branches, Double Socket EN 1329-1	Colour	Product Code
92½° D/S Solvent Branch without Bosses	● ●	BS461
92½° D/S Solvent Branch with 4 Bosses	● ●	BS453
104° D/S Solvent Branch with 2 Bosses	● ●	BS458

Branches, Triple Socket EN 1329-1	Colour	Product Code
92½° T/S Solvent Branch without Bosses	● ●	BS467
92½° T/S Solvent Branch with 4 Bosses	● ○ ●	BS452

Brackets	Colour	Product Code
Single Fixing Pipe Bracket EN 1329-1	● ●	BS438
Double Fixing Pipe Bracket EN 1329-1	● ○ ●	BS407
Metal Pipe Bracket (Galv)	NA	BR450

Bosses EN 1329-1	Colour	Product Code
Couplers & Connector EN 1329-1	● ○ ●	BS425
50mm Strap On Boss	● ○ ●	BS426
50mm Socket Accepts Solvent Waste	● ●	BS442



Access Fittings	Colour	Product Code
Access Plug EN 1329-1	● ○ ●	BS431
92½° Triple Socket Solvent Access Branch	● ●	BS475
92½° Double Socket Solvent Access Branch	● ●	BS476
Double Socket Solvent Access Pipe	● ●	BS477



Terminal Fittings	Colour	Product Code
Vent Cowl	● ○ ●	BS427
Weathering Collar	● ○ ●	BS428
Weathering Slate (Alum)	●	BS429



Air Admittance Valve	Colour	Product Code
110mm / 82.4mm Air Admittance Valve (Internal Use Only)	● ○ ●	BS487



Fire Sleeve	Colour	Product Code
Fire Protection Sleeve	●	BFS4



Fire Protection Sleeve
BFS4

32mm Solvent Waste MuPVC Pipes & Fittings

Solvent Waste Pipe, Plain Ended	Colour	Product Code
3m P/E Waste Pipe	● ○ ●	W1010

Connector & Coupler	Colour	Product Code
Solvent Straight Connector	● ○ ●	W1100
Solvent Expansion Coupler	● ●	W1200

Bends	Colour	Product Code
90° Solvent Knuckle Bend	● ○ ●	W1120
135° Solvent Obtuse Bend	● ○ ●	W1130
92½° Solvent Swept Bend	● ○ ●	W1140
90° Solvent Conversion Bend	● ○ ●	W1210
135° Solvent Spigot Bend	● ○ ●	W1230

Tees (Branches)	Colour	Product Code
92½° Solvent Swept Tee	● ○ ●	W1160
135° Solvent Branch	○ ●	W1170

Access Fitting, Bracket & Air Admittance Valve	Colour	Product Code
Solvent Access Plug	● ○ ●	W1190
Pipe Bracket	● ○ ● ●	W1180
Multi Fit Solvent Air Admittance Valve	○	W3137

Adaptors	Colour	Product Code
Solvent Male Iron Adaptor	○ ●	W1111
2½° Angled Adaptor	● ○ ● ●	BW4
2½° Angled Solvent Adaptor	● ● ●	BW7



40mm Solvent Waste MuPVC Pipes & Fittings

Solvent Waste Pipe, Plain Ended	Colour	Product Code
3m P/E Solvent Waste Pipe	● ○ ●	W2010

Connector, Coupler & Reducer	Colour	Product Code
Solvent Straight Connector	● ○ ●	W2100
Solvent Expansion Coupler	○ ●	W2200
40mm/32mm Solvent Socket Reducer	● ○ ●	W1110

Bends	Colour	Product Code
90° Solvent Knuckle Bend	● ○ ●	W2120
135° Solvent Obtuse Bend	● ○ ●	W2130
92½° Solvent Swept Bend	● ○ ●	W2140
90° Solvent Conversion Bend	● ○ ●	W2210
135° Solvent Spigot Bend	● ○ ●	W2230

Tees (Branches)	Colour	Product Code
92½° Solvent Swept Tee	● ○ ●	W2160
135° Solvent Branch	○ ●	W2170

Access Fitting, Bracket & Air Admittance Valve	Colour	Product Code
Solvent Access Plug	● ○ ●	W2190
Pipe Bracket	● ○ ● ●	W2180
Multi Fit Solvent Air Admittance Valve	○	W3137

Adaptors	Colour	Product Code
Solvent Male Iron Adaptor	○ ●	W2222
2½° Angled Adaptor	● ○ ● ●	BW5
2½° Angled Solvent Adaptor	● ● ●	BW8

* Please use the following suffix - B (Black), W (White), GO (Green Olive),



50mm Solvent Waste MuPVC Pipes & Fittings

Solvent Waste Pipe, Plain Ended	Colour	Product Code
3m P/E Solvent Waste Pipe	● ○ ●	W3010

Connector, Coupler & Reducers	Colour	Product Code
Solvent Straight Connector	● ○ ●	W3100
Solvent Expansion Coupler	● ○ ●	W3200
50mm/32mm Solvent Socket Reducer	● ○ ●	W2110
50mm/40mm Solvent Socket Reducer	● ○ ●	W3110

Bends	Colour	Product Code
90° Solvent Knuckle Bend	● ○ ●	W3120
135° Solvent Obtuse Bend	● ○ ●	W3130
92½° Solvent Swept Bend	● ○ ●	W3140
90° Solvent Conversion Bend	● ○ ●	W3210

Tees (Branches)	Colour	Product Code
92½° Solvent Swept Tee	● ○ ●	W3160
135° Solvent Branch	○ ●	W3170
92½° Solvent Cross Tee	○ ●	W3150

Access Fitting, Bracket & Air Admittance Valve	Colour	Product Code
Solvent Access Plug	● ○ ●	W3190
Pipe Bracket	● ○ ● ●	W3180
Multi Fit Solvent Air Admittance Valve	○	W3137

Fire Sleeve (4 Hour Fire Integrity)	Colour	Product Code
Fire Protection Sleeve	●	BFS2



Ancillary Items

Rubber Waste Adaptors (Push-Fit)	Colour	Product Code
32mm Rubber Waste Adaptor	●	BW1
40mm Rubber Waste Adaptor	●	BW2
50mm Rubber Waste Adaptor	●	BW3



2½° Angled Adaptors	Colour	Product Code
32mm Angled Adaptor	● ● ○ ●	BW4
40mm Angled Adaptor	● ● ○ ●	BW5
50mm Angled Adaptor	● ● ○ ●	BW6
32mm Solvent Adaptor	● ● ●	BW7
40mm Solvent Adaptor	● ● ●	BW8
50mm Solvent Adaptor	● ● ●	BW9



Cleaning & Cements	Colour	Product Code
Solvent Cleaner 250ml	NA	B9031
Solvent Cement 125ml	NA	B9020
Solvent Cement 250ml	NA	B9021
Solvent Cement 500ml	NA	B9022



Lubricants	Colour	Product Code
Lubricant Gel 0.5Kg	NA	B9333
Lubricant Gel 5Kg	NA	B9444
Silicone Lubricant Spray 400ml	NA	B9555



Plumbing Coupling

Straight Couplings	Colour	Product Code
PlumbQwik PVC Flexible Adaptor 30-39mm (1 1/4")	NA	PQ028
PlumbQwik PVC Flexible Adaptor 37-45mm (1 1/2")	NA	PQ038
PlumbQwik PVC Flexible Adaptor 75-86mm (3")	NA	PQ042
PlumbQwik PVC Flexible Adaptor 101-112mm (4")	NA	PQ045
PlumbQwik PVC Flexible Adaptor 127-135mm	NA	PQ050
PlumbQwik PVC Flexible Adaptor 152-162mm (6")	NA	PQ058
PlumbQwik PVC Flexible Adaptor 180-188mm	NA	PQ063

Adaptor Couplings	Colour	Product Code
PlumbQwik PVC Flexible Adaptor 40-49 / 32-41 (1 1/2" - 1 1/4")	NA	PQ050-042
PlumbQwik PVC Flexible Adaptor 50-59 / 37-46 (1 1/2" - 2")	NA	PQ058-045
PlumbQwik PVC Flexible Adaptor 75-86 / 50-59 (2" - 3")	NA	PQ085-058
PlumbQwik PVC Flexible Adaptor 100-113 / 37-46 (4" - 1 1/2")	NA	PQ112-045
PlumbQwik PVC Flexible Adaptor 100-113 / 75-85 (4" - 3")	NA	PQ112-085
PlumbQwik PVC Flexible Adaptor 113-135 / 107-115 (4" CLAY - 4" PVC)	NA	AC4000
PlumbQwik PVC Flexible Adaptor 155-163 / 101-111 (6" PVC - 4" PVC)	NA	PQ163-111
PlumbQwik PVC Flexible Adaptor 177-187 / 101-111 (6" CLAY - 4" PVC)	NA	PQ187-111
PlumbQwik PVC Flexible Adaptor 177-190 / 152-162 (6" CLAY - 6" PVC)	NA	AC6000

Universal Couplings	Colour	Product Code
Flexible Adaptor 113-135 / 107-115 (4" CLAY - 4" PVC)	NA	AC4000
Flexible Adaptor 177-190 / 152-162 (6" CLAY - 6" PVC)	NA	AC6000



Adaptor Fittings	Colour	Product Code
PlumbQwik PVC Flexible Elbow 30-38mm (1 1/4")	NA	PQE038
PlumbQwik PVC Flexible Elbow 41-48mm (1 1/2")	NA	PQE048
PlumbQwik PVC Flexible Elbow 80-89mm (3")	NA	PQE085
PlumbQwik PVC Flexible Elbow 105-116mm (4")	NA	PQE112
PlumbQwik PVC Flexible Tee 30-38mm (1 1/4")	NA	PQT038
PlumbQwik PVC Flexible Tee 41-48mm (1 1/2")	NA	PQT048
PlumbQwik PVC Flexible Tee 80-89mm (3")	NA	PQT085
PlumbQwik PVC Flexible Tee 105-116mm (4")	NA	PQT112
PlumbQwik PVC Flexible End Cap 35-47mm (1 1/4")	NA	PQC042
PlumbQwik PVC Flexible End Cap 80-89mm (3")	NA	PQC089
PlumbQwik PVC Flexible End Cap 108-114mm (4")	NA	PQC112



PlumbQwik
by Fernco

Universal Plumbing connections

for domestic or commercial applications.

Find the product you need in seconds



Manufacturer and provider of innovative and traditional plumbing materials

Rubber Lined Clips - M8/M10 dual thread	Material	Product Code
Rubber Lined Clip 14mm - 19mm	Steel	TESRLC1419
Rubber Lined Clip 20mm - 25mm	Steel	TESRLC2025
Rubber Lined Clip 26mm - 31mm	Steel	TESRLC2631
Rubber Lined Clip 32mm - 36mm	Steel	TESRLC3236
Rubber Lined Clip 38mm - 43mm	Steel	TESRLC3843
Rubber Lined Clip 47mm - 51mm	Steel	TESRLC4751
Rubber Lined Clip 53mm - 58mm	Steel	TESRLC5358
Rubber Lined Clip 81mm - 86mm	Steel	TESRLC8186
Rubber Lined Clip 99mm - 105mm	Steel	TESRLC99105
Rubber Lined Clip 109mm - 112mm	Steel	TESRLC109112
Rubber Lined Clip 159mm - 166mm	Steel	TESRLC159166


Backplates for Rubber Lined Clips	Material	Product Code
Rubber Lined Clip Backplate M8/M10	Steel	TESRLCBP
Rubber Lined Clip Backplate Male	Steel	TESRLCBPM
Zinc Studding M10 - 1m	Steel	TESMISDM10
M10 nut for rubber lined clip backplates	Steel	TESRLCN10

T-DOC	Quantity	Product Code
T-DOC Standard 15mm DOC	Standard pk 5	TESTDOCS
T-DOC Long tail 15mm DOC	Long Tail pk5	TESTDOCL
T-DOC Premium 15mm DOC	Premium ppk5	TESTDOCP




Half Round 112mm

Gutter	Colour	Product Code
2m		FLORG2
4m		FLORG4

Angle	Colour	Product Code
90°		FLORA1
135°		FLORA2

Adjustable Angle	Colour	Product Code
50° - 156°		FLORA3

Angle - Any Degree	Colour	Product Code
FloPlast will fabricate any non-standard angle to special order.		FLORA9

Running Outlet	Colour	Product Code
		FLORO1

Stopend Outlet	Colour	Product Code
		FLORO2

Stopend	Colour	Product Code
External		FLORE1
Internal		FLORE2

Fascia Bracket	Colour	Product Code
		FLORK1



Union Bracket	Colour	Product Code
		FLORU1

To Cast Iron Ogee Gutter Adaptor	Colour	Product Code
R/H		FLORD3
L/H		FLORD4

To Half Round Cast Iron Adaptor	Colour	Product Code
		FLORD5

40ml Compressed Silicone Lubricant Spray	Colour	Product Code
		FLOSL40



68mm Round Downpipe & Fittings

Pipe	Colour	Product Code
2.5m		FLORP2.5
4m		FLORP4
5.5m		FLORP5.5

Offset Bend	Colour	Product Code
92½°		FLORB1
112½°		FLORB2

Shoe	Colour	Product Code
		FLORB3
With fixing lugs		FLORB4

Pipe Socket	Colour	Product Code
		FLORS1
With fixing lugs		FLORS2



Pipe Clip	Colour	Product Code
		FLORC1
Single Fix		FLORC3
With fixing lugs		FLORC4

67½° Branch	Colour	Product Code
		FLORY1

Access Pipe	Colour	Product Code
		FLORX1

Hopper	Colour	Product Code
Connects to 65mm square & 68mm round downpipe		FLORHS1



114mm Square Line

Gutter - 2m / 4m	Colour	Product Code
2m		FLORGS2
4m		FLORGS4

Angle	Colour	Product Code
90°		FLORAS1
135°		FLORAS2

Adjustable Angle 50° - 156°	Colour	Product Code
		FLORAS3

Angle - Any Degree	Colour	Product Code
		FLORAS9



FLOPLAST

114mm Square Line

Running Outlet	Colour	Product Code
	○ ● ● ● ● A	FLOROS1

Stopend Outlet	Colour	Product Code
	○ ● ● ● ● A	FLOROS2

Stopends	Colour	Product Code
Internal	○ ● ● ● ● A	FLORES1
External	○ ● ● ● ● A	FLORES2

Fascia Bracket	Colour	Product Code
	○ ● ● ● ● A	FLORKS1

Union Bracket	Colour	Product Code
	○ ● ● ● ● A	FLORUS1

Square/Round Gutter Adaptor	Colour	Product Code
	○ ● ● ●	FLORDS1

To Cast Iron Gutter Adaptors	Colour	Product Code
Half Round	○ ●	FLORD5

* Please use the following suffix - B (Black), W (White), BR (Brown), AG, (Anthracite Grey)



Niagara Ogee 110mm

Gutter	Colour	Product Code
4m	○ ● ● ● ● A	FLORGN4

90° Angle	Colour	Product Code
Internal	○ ● ● ● ● A	FLORAN1
External	○ ● ● ● ● A	FLORAN2

135° Angle	Colour	Product Code
Internal	○ ● ● ● ● A	FLORAN3
External	○ ● ● ● ● A	FLORAN4

Angle - Any Degree	Colour	Product Code
FloPlast will fabricate any non-standard angle to special order.	○ ● ● ● ● A	FLORAN9

Running Outlet - Multi Fit	Colour	Product Code
65mm Square/68mm Round	○ ● ● ● ● A	FLORON1

Stopend Outlet - 65mm Square	Colour	Product Code
L/H	○ ● ● ● ● A	FLORON2
R/H	○ ● ● ● ● A	FLORON3

Running Outlet - 80mm Round	Colour	Product Code
	○ ● ● ●	FLORON4

Stopend Outlet - 80mm Round	Colour	Product Code
L/H	○ ● ● ●	FLORON5
R/H	○ ● ● ●	FLORON6

External Stopend	Colour	Product Code
L/H	○ ● ● ● ● A	FLOREN1
R/H	○ ● ● ● ● A	FLOREN2



Niagara Ogee 110mm

Internal Stopend	Colour	Product Code
R/H	○ ● ●	FLOREN3
L/H	○ ● ●	FLOREN4

Fascia Bracket	Colour	Product Code
	○ ● ●	FLORKN1
Top Hung	○ ● ● ● A	FLORKN2

Union Bracket	Colour	Product Code
	○ ● ● ● A	FLORUN1

Niagara to Half Round Gutter Adaptor	Colour	Product Code
R/H	○ ● ●	FLORNR3
L/H	○ ● ●	FLORNR4

Niagara to Square Line Gutter Adaptor	Colour	Product Code
R/H	○ ● ●	FLORNS3
L/H	○ ● ●	FLORNS4

* Please use the following suffix - B (Black), W (White), BR (Brown), AG, (Anthracite Grey)



Niagara to Square Line Gutter Adaptor
FLORNS3



Hi-Cap 115mm

Gutter	Colour	Product Code
4m	● ● ● ○ ● A	FLORGH4

Angle	Colour	Product Code
90°	● ● ● ○ ● A	FLORAH1
135°	● ● ● ○ ● A	FLORAH2

Angle - Any Degree	Colour	Product Code
FloPlast will fabricate any non-standard angle to special order.	● ● ● ○ ● A	FLORAH9

Running Outlet	Colour	Product Code
68mm	● ● ● ○	FLOROH1
80mm	● ● ● ○ ● A	FLOROH4

Stopend Outlet	Colour	Product Code
68mm	● ● ● ○ ● A	FLOROH2

Stopend	Colour	Product Code
External	● ● ● ○ ● A	FLOREH1
Internal	● ● ● ○ ● A	FLOREH2

Fascia Bracket	Colour	Product Code
	● ● ● ○ ● A	FLORKH1
Top Hung	○ ●	FLORKH2

























Union Bracket	Colour	Product Code
	● ● ● ○ ● A	FLORUH1

Floating Union Bracket	Colour	Product Code
	○ ●	FLORUH2

Gutter Adaptor	Colour	Product Code
Half Round	● ● ● ○	FLORHR3
Square Line	● ● ● ○	FLORHS3



XtraFlo 170mm

Gutter	Colour	Product Code
4m	  	FLORGX4
Angle	Colour	Product Code
90°	  	FLORAX1
Angle - Any Degree	Colour	Product Code
	  	FLORAX9
Running Outlet	Colour	Product Code
	  	FLOROX1
Fascia Bracket	Colour	Product Code
	  	FLORKX1
Union Bracket	Colour	Product Code
	  	FLORUX1
Stopend	Colour	Product Code
External	  	FLOREX1
Internal	  	FLOREX2






* Please use the following suffix - B (Black), W (White), BR (Brown), AG, (Anthracite Grey)













110mm Ring Seal Soil Access Bend
FLOSP169














110mm Ring Seal Soil




















Pipe-Plain Ended	Colour	Product Code
3m	   	FLOSP1
4m	 	FLOSP2



Pipe-Single Socket	Colour	Product Code
3m	   	FLOSP3
4m	  	FLOSP4

Pipe/Socket Clip	Colour	Product Code
Pipe Clip	   	FLOSP82
Socket Clip	 	FLOSP83

Socket Pipe Coupling	Colour	Product Code
Double (Can be used as Slip Coupler with removal of centre tabs.)	   	FLOSP105
Single	   	FLOSP124




Access Pipe	Colour	Product Code
Socket/Spigot	   	FLOSP274
Socket/Solvent Socket	 	FLOSP275




Bend	Colour	Product Code
92½° (87½°) Socket/Spigot	   	FLOSP161
92½° (87½°) Double Socket	   	FLOSP561
112½° (67½°) Socket/Spigot	  	FLOSP162
135° (45°) Socket/Spigot	   	FLOSP163
135° (45°) Double Socket	   	FLOSP563












Access Bend	Colour	Product Code
92½° (87½°)	   	FLOSP169







110mm Ring Seal Soil



Adjustable Bend 0-90°	Colour	Product Code
PP - do not solvent weld	   	FLOSP560

Offset Bend 135° (45°)	Colour	Product Code
Ring Seal Top Solvent Bottom	  	FLOSP440
Spigot / Solvent Socket	  	FLOSP435

Branch	Colour	Product Code
92½° (87½°)	   	FLOSP190
112½° (67½°)	  	FLOSP200
135° (45°)	   	FLOSP210

Double Branch	Colour	Product Code
92½° (87½°)	   	FLOSP230

Corner Branch <small>(Special order only)</small>	Colour	Product Code
92½° (87½°)	   	FLOSP232







Access Branch	Colour	Product Code
92½° (87½°)	  	FLOSP502


Screwed Access Cap	Colour	Product Code
	   	FLOSP292

Socket Plug	Colour	Product Code
	   	FLOSP296

Strap Boss	Colour	Product Code
	   	FLOSP319



Boss Pipe	Colour	Product Code
Socket/Spigot	  	FLOSP581
Socket/Solvent	 	FLOSP582
Short Boss	  	FLOSP583

Soil Manifold (32/40/50mm Connections)	Colour	Product Code
	 	FLOSP588











Weathering Collar	Colour	Product Code
	  	FLOSP300

Vent Terminal	Colour	Product Code
	   	FLOSP302


Extract Cowl	Colour	Product Code
	  	FLOSP310

500 x 600mm Weathering Slate	Colour	Product Code
	NA	FLOSP320

Boss Adaptor - Rubber Push-Fit	Colour	Product Code
32mm	NA	FLOSP10
40mm	NA	FLOSP11
50mm	NA	FLOSP12


Solvent Boss Adaptor	Colour	Product Code
32mm	   	FLOSP20
40mm	   	FLOSP21
50mm	  	FLOSP22

110mm Fire Protection Collar	Colour	Product Code
	NA	FLOFC110



110mm Ring Seal Soil Reducers

110mm Waste Adaptor	Colour	Product Code
To reduce to 32mm, 40mm or 50mm waste, use appropriate Boss Adaptor.		FLOSP95
110x68mm Rainwater	Colour	Product Code
		FLOSP96
110x82mm Soil	Colour	Product Code
		FLOSP97
Universal Waste Adaptor (32/40/50mm)	Colour	Product Code
		FLOD95
Drain Connector	Colour	Product Code
		FLOSP107
Universal Pipe Connector	Colour	Product Code
Adapts to soil/clay/CI/drainage		FLOSP140



110mm Waste Adaptor
FLOSP95



21.5mm Overflow Waste System

3m Overflow Pipe	Colour	Product Code
		FLOOS01
Straight Coupling	Colour	Product Code
		FLOOS10
Bend 90°	Colour	Product Code
		FLOOS11
Bend 135° (45°)	Colour	Product Code
		FLOOS12
Tee	Colour	Product Code
		FLOOS13
Straight Tank Connector	Colour	Product Code
		FLOOS14
Bent Tank Connector	Colour	Product Code
		FLOOS15
Pipe Clip	Colour	Product Code
		FLOOS16
Overflow Waste Reducer	Colour	Product Code
32mm Fits into both push-fit and solvent weld systems.		FLOOS17
40mm Fits into both push-fit and solvent weld systems.		FLOOS18



Ancillaries

40ml Compressed Silicone Lubricant Spray	Colour	Product Code
	NA	FLOSL40

800g Lubricant Gel	Colour	Product Code
	NA	FLOSG800

100g Silicone Grease	Colour	Product Code
	NA	FLOSG100

Solvent Cement	Colour	Product Code
125ml	NA	FLOSC125
250ml	NA	FLOSC250

Air Admittance Valves

Air Admittance Valve Push-Fit	Colour	Product Code
110mm/82mm		FLOAF110

Air Admittance Valve Solvent	Colour	Product Code
110mm		FLOAV110

External Air Admittance Valve	Colour	Product Code
110mm/82mm		FLOAX110

Air Admittance Valve Solvent	Colour	Product Code
32mm		FLOAF32

Air Admittance Valve Compression	Colour	Product Code
32mm		FLOAV32
40mm		FLOAV40
50mm		FLOAV50



32/40/50mm Push-Fit Waste System

3m Wastepipe	Colour	Product Code
32mm		FLOWP01
40mm		FLOWP02
50mm		FLOWP03

Straight Coupling	Colour	Product Code
32mm		FLOWP07
40mm		FLOWP08
50mm		FLOWP09

Bend 90°	Colour	Product Code
32mm		FLOWP10
40mm		FLOWP11
50mm		FLOWP12

Bend 92½° (87½°)	Colour	Product Code
32mm		FLOWP14
40mm		FLOWP15
50mm		FLOWP16

Bend 135° (45°)	Colour	Product Code
32mm		FLOWP18
40mm		FLOWP19
50mm		FLOWP20

Tee	Colour	Product Code
32mm		FLOWP22
40mm		FLOWP23
50mm		FLOWP24



32/40/50mm Push-Fit Waste System

Conversion Bend 90°	Colour	Product Code
32mm		FLOWP26
40mm		FLOWP27

Socket Plug	Colour	Product Code
32mm		FLOWP30
40mm		FLOWP31
50mm		FLOWP32

Pipe Clip	Colour	Product Code
32mm		FLOWP34
40mm		FLOWP35
50mm		FLOWP36

Reducer	Colour	Product Code
40x32mm		FLOWP38
50x32mm		FLOWP39
50x40mm		FLOWP40

Tank Connector	Colour	Product Code
32mm		FLOWP60
40mm		FLOWP61

40ml Compressed Silicone Lubricant Spray	Colour	Product Code
40ml	NA	FLOSL40



32/40/50mm ABS Solvent Weld Systems

3m Wastepipe	Colour	Product Code
32mm		FLAWS01
40mm		FLAWS02
50mm		FLAWS03

Straight Coupling	Colour	Product Code
32mm		FLAWS07
40mm		FLAWS08
50mm		FLAWS09

Bend 90°	Colour	Product Code
32mm		FLAWS10
40mm		FLAWS11
50mm		FLAWS12

Swept Bend 92½° (87½°)	Colour	Product Code
32mm		FLAWS14
40mm		FLAWS15
50mm		FLAWS16

Bend 135° (45°)	Colour	Product Code
32mm		FLAWS18
40mm		FLAWS19
50mm		FLAWS20

Tee	Colour	Product Code
32mm		FLAWS22
40mm		FLAWS23
50mm		FLAWS24



32/40/50mm ABS Solvent Weld Systems

Conversion Bend 90°	Colour	Product Code
32mm		FLAWS01
40mm		FLAWS02
50mm		FLAWS03

135°(45°) Conversion Bend	Colour	Product Code
32mm		FLAWS07
40mm		FLAWS08

Access Plug	Colour	Product Code
32mm		FLAWS10
40mm		FLAWS11
50mm		FLAWS12

Pipe Clip	Colour	Product Code
32mm		FLAWS14
40mm		FLAWS15
50mm		FLAWS16

Reducer	Colour	Product Code
40x32mm		FLAWS38
50x32mm		FLAWS39
50x40mm		FLAWS40

Branch 135° (45°)	Colour	Product Code
32mm		FLAWS42
40mm		FLAWS43



Level Invert Reducer	Colour	Product Code
40x32mm		FLAWS50

Cross Tee 92½° (87½°)	Colour	Product Code
40mm		FLAWS58

Tank Connector	Colour	Product Code
32mm		FLAWS60
40mm		FLAWS61

Male Adaptor	Colour	Product Code
32mm		FLAWS63
40mm		FLAWS64


Female Adaptor	Colour	Product Code
32mm		FLAWS66
40mm		FLAWS67




Providing an efficient means of waste water drainage and foul drainage from appliances, FloPlast's Anthracite Grey Soil & Waste range is available in 110mm Ring Seal Soil and 32/40mm ABS Solvent Weld.



Tough & Durable



Great Chemical Compatibility



Suitable for High Temp. Discharge

Anthracite Grey Soil & Waste Systems



Ring Seal Soil Pipe



Ring Seal Soil Fittings



Solvent Weld Pipe













Solvent Weld Fittings






FloPlast

MDPE Fittings




Pipe Liner	Colour	Product Code
20mm		FLO491000
25mm		FLO492000
32mm		FLO493000

Coupling	Colour	Product Code
20mm		FLO495112
25mm		FLO496112
32mm		FLO493012
50mm		FLO495012
63mm		FLO496012





90° Elbow	Colour	Product Code
20mm		FLO495115
25mm		FLO496112
32mm		FLO493015
50mm		FLO495015
63mm		FLO496015

90° Tee	Colour	Product Code
20mm		FLO495124
25mm		FLO496124
32mm		FLO493024
50mm		FLO495024
63mm		FLO496024









Terminal Cap	Colour	Product Code
20mm		FLO491006
25mm		FLO492006
32mm		FLO493006


Stopcock	Colour	Product Code
20mm		FLO495142
25mm		FLO496124
32mm		FLO493042

Universal Adaptor <small>(Fits plastic, lead, copper & zinc plated pipes)</small>	Colour	Product Code
20x15-21mm		FLO491007
25x15-21mm		FLO492007
25x21-27mm		FLO492008
25x27-34mm		FLO492009

Adaptor Kit for Copper Pipe BS EN 1057 <small>(Pull out resistant)</small>	Colour	Product Code
20x15mm Copper	NA	FLO495103
25x22mm Copper	NA	FLO496103








Reducing Coupling	Colour	Product Code
25x20mm		FLO496113
32x25mm		FLO493213
50x32mm		FLO495313








Reducing 90° Tee	Colour	Product Code
25x20x25mm		FLO492125
32x25x32mm		FLO493225
50x32x50mm		FLO495325

Wall Plate Elbow	Colour	Product Code
20mm x ½"		FLO495105
25mm x ¾"		FLO496105



MDPE Fittings

Male Adaptor	Colour	Product Code
20mm x 1/2"		FLO495102
20mm x 3/4"		FLO491202
25mm x 1/2"		FLO496102
25mm x 3/4"		FLO492202
25mm x 1"		FLO492302
32mm x 3/4"		FLO493202
32mm x 1"		FLO493302

Female Adaptor	Colour	Product Code
20mm x 1/2"		FLO495203
20mm x 3/4"		FLO491203
25mm x 1/2"		FLO496203
25mm x 3/4"		FLO492203
25mm x 1"		FLO492303
32mm x 3/4"		FLO493203
32mm x 1"		FLO493303







Female Adaptor 20mm x 3/4"
FLO491203







FloFit+ Fittings

Elbow	Colour	Product Code
10mm Elbow		FLOFB10
15mm Elbow		FLOFB15
22mm Elbow		FLOFB22
28mm Elbow		FLOFB28







Tee	Colour	Product Code
10mm Tee		FLOFT10
15mm Tee		FLOFT15
22mm Tee		FLOFT22
28mm Tee		FLOFT28







Coupling	Colour	Product Code
10mm Coupling		FLOFC10
15mm Coupling		FLOFC15
22mm Coupling		FLOFC22
28mm Coupling		FLOFC28



Stop End	Colour	Product Code
10mm Stop End		FLOFE10
15mm Stop End		FLOFE15
22mm Stop End		FLOFE22
28mm Stop End		FLOFE28



Tap Connector	Colour	Product Code
15mm x 1/2" Bent Tap Connector		FLOFBC1512
15mm x 1/2" Tap Connector		FLOFTC1512
15mm x 3/4" Tap Connector		FLOFTC1534
22mm x 3/4" Tap Connector		FLOFTC2234



FloFit+ Fittings

Reducing Tee	Colour	Product Code
15x10x10mm Reducing Tee	○	FLOFRT151010
15x15x10mm Reducing Tee	○	FLOFRT151510
15x15x22mm Reducing Tee	○	FLOFRT151522
22x15x15mm Reducing Tee	○	FLOFRT221515
22x15x22mm Reducing Tee	○	FLOFRT221522
22x22x10mm Reducing Tee	○	FLOFRT222210
22x22x15mm Reducing Tee	○	FLOFRT222215
22x22x28mm Reducing Tee	○	FLOFRT222228
28x22x22mm Reducing Tee	○	FLOFRT282222
28x22x28mm Reducing Tee	○	FLOFRT282228
28x28x15mm Reducing Tee	○	FLOFRT282815
28x28x22mm Reducing Tee	○	FLOFRT282822

Stem Elbow	Colour	Product Code
10mm Stem Elbow	○	FLOFS10
15mm Stem Elbow	○	FLOFS15
22mm Stem Elbow	○	FLOFS22

Stem Reducer	Colour	Product Code
10mm x 15mm Stem Reducer	○	FLOFSR1015
15mm x 22mm Stem Reducer	○	FLOFSR1522
15mm x 28mm Stem Reducer	○	FLOFSR1528
22mm x 28mm Stem Reducer	○	FLOFSR2228























Reducing Coupling	Colour	Product Code
15mm x 10mm Reducing Coupling	○	FLOFRC15
22mm x 15mm Reducing Coupling	○	FLOFRC22

Blue & Red Collet Clip	Colour	Product Code
10mm Blue Collet Clip (Bag of 50)	●	FLOFCB10
15mm Blue Collet Clip (Bag of 50)	●	FLOFCB15
22mm Blue Collet Clip (Bag of 50)	●	FLOFCB22
28mm Blue Collet Clip (Bag of 10)	●	FLOFCB28
10mm Red Collet Clip (Bag of 50)	●	FLORCR10
15mm Red Collet Clip (Bag of 50)	●	FLOFCR15
22mm Red Collet Clip (Bag of 50)	●	FLOFCR22
28mm Red Collet Clip (Bag of 10)	●	FLOFCR28

Flex Hose & Valve	Colour	Product Code
15mm x 1/2" x 300mm Flex Hose	○	FLOFH10
15mm x 3/4" x 300mm Flex Hose	○	FLOFH12
15mm x 15mm x 300mm Flex Hose	○	FLOFH15
22mm x 3/4" x 300mm Flex Hose	○	FLOFH20
22mm x 22mm x 300mm Flex Hose	○	FLOFH22
15mm x 15mm Chrome ISO Valve	○	FLOFV15



Pipelife Easy-Lay PB and PEX Pipe













Easy-Lay PB	Colour	Product Code
15mm x 3M	 	PL315
15mm x 25M	 	PL2515
15mm x 50M	 	PL5015
15mm x 100M	 	PL10015
22mm x 3M	 	PL322
10mm x 25M	 	PL2510
10mm x 50m	 	PL5010
10mm x 100m	 	PL10010
22mm x 25M	 	PL2522
22mm x 50M	 	PL5022

Easy-Lay PB Pipe Inserts (Bag of 100)	Colour	Product Code
10mm Plastic Insert	NA	PLS10
15mm Plastic Insert	NA	PLS15
22mm Plastic Insert	NA	PLS22

PEX Inserts (Bag of 100)	Colour	Product Code
10mm Plastic Insert	NA	PLSPEX10
15mm Plastic Insert	NA	PLSPEX15
22mm Plastic Insert	NA	PLSPEX22
28mm Plastic Insert	NA	PLSPEX28

* Please use the following suffix - W (White), G (Grey)



Pipelife PEX	Colour	Product Code
15mm X 3m Pipelife PEX		PLPEX315W
22mm X 3m Pipelife PEX		PLPEX322W
28mm X 3m Pipelife PEX		PLPEX328W
10mm X 50m Pipelife PEX		PLPEX5010W
10mm X 100m Pipelife PEX		PLPEX10010W
15mm X 25m Pipelife PEX		PLPEX2515W
15mm X 50m Pipelife PEX		PLPEX5015W
15mm X 100m Pipelife PEX		PLPEX10015W
22mm X 25m Pipelife PEX		PLPEX2522W
22mm X 50m Pipelife PEX		PLPEX5022W
28mm X 25m Pipelife PEX		PLPEX2528W
28mm X 50m Pipelife PEX		PLPEX5028W



EASY-LAY

PB BARRIER PIPE

 ✓ KITEMARKED

 ✓ GUARANTEED 50 YEARS

 ✓ WRAS APPROVED

ULTRA FLEXIBLE PIPE

INFLATION BUSTING PRICES

PIPELIFE





PolyMax Streamline Push-Fit Plumbing

Straight Coupler	Colour	Product Code
10mm	○	MAX010
15mm	○	MAX015
22mm	○	MAX022
28mm	○	MAX028

Socket Reducer	Colour	Product Code
15mm x 10mm	○	MAX1815
22mm x 15mm	○	MAX1822

Elbow	Colour	Product Code
10mm 90°	○	MAX110
15mm 90°	○	MAX115
22mm 90°	○	MAX122
28mm 90°	○	MAX128

Spigot Elbow	Colour	Product Code
10mm 90°	○	MAX1010
15mm 90°	○	MAX1015
15mm x 10mm 90°	○	MAX101510

Equal Tee	Colour	Product Code
10mm	○	MAX210
15mm	○	MAX215
22mm	○	MAX222
28mm	○	MAX222



End Reduced Tee	Colour	Product Code
22mm x 15mm x 22mm	○	MAX1422

Branch Reduced Tee	Colour	Product Code
22mm x 22mm x 15mm	○	MAX1122
22mm x 22mm x 10mm	○	MAX112210

Branch and One End Reduced Tee	Colour	Product Code
15mm x 10mm x 10mm	○	MAX1515
22mm x 15mm x 15mm	○	MAX1522

Straight Tap Connector	Colour	Product Code
15mm x 1/2inch	○	MAX715
15mm x 3/4inch	○	MAX71534
22mm x 3/4inch	○	MAX722

Hand Tighten Tap Connector	Colour	Product Code
10mm x 1/2inch	○	MAX271012
15mm x 1/2inch	○	MAX2715
15mm x 3/4inch	○	MAX271534
22mm x 3/4inch	○	MAX2722

Bent Tap Connector	Colour	Product Code
15mm X 1/2inch	○	MAX1715

Shut-Off Valve	Colour	Product Code
15mm x 15mm	○	MAX5915

Appliance Valve	Colour	Product Code
15mm x 15mm	○	MAX6115



PolyMax Streamline Push-Fit Plumbing

Service Valve	Colour	Product Code
15mm x 1/2inch	○	MAX6515

Spigot Blank Ends	Colour	Product Code
10mm	○	FIT910
15mm	○	FIT915
22mm (with reinforcing sleeve)	○	FIT922

Releaseable Stop End	Colour	Product Code
15mm	○	PP1915W
22mm	○	PP1922W

Radiator Connector	Colour	Product Code
10mm	○	PB3910
15mm	○	PB3915

Bend Former (Plastic)	Colour	Product Code
15mm	NA	PB6315
22mm	NA	PB6322

Pipe Stiffener (Plastic)	Colour	Product Code
10mm	NA	PP6410
15mm	NA	PP6415
22mm	NA	PP6422
28mm	NA	PP6428



Metal Pipe Stiffener	Colour	Product Code
10mm	○	FIT910
15mm	○	FIT915
22mm	○	FIT922

Sealed Stiffener (Plastic)	Colour	Product Code
15mm	NA	PP6415S
22mm	NA	PP6422S

Fitting Release Aid	Colour	Product Code
Set of 4 for 10mm, 15mm, 22mm and 28mm fittings	●	FITAID

Nail-In Clips - Polypropylene	Colour	Product Code
10mm	○	FIT2210
15mm	○	FIT2215
22mm	○	FIT2222
28mm	○	FIT2228



EVOLUTION

— IS IN OUR DNA —

OUR RANGE OF TRAPS HAVE EVOLVED

GRAB A FREE SAMPLE* AND SEE FOR YOURSELF






Polypipe
Building Products

Pro Straight Barrier Pipe Coil & Lengths

Barrier Polybutylene Pipe	Colour	Product Code
15mm x 3m		PB315B
15mm x 6m		PB615B
22mm x 3m		PB322B
22mm x 6m		PB622B
28mm x 3m		PB328B
28mm x 6m		PB628B

Polybutylene Barrier Pipe Coil	Colour	Product Code
10mm X 25m		PB2510B
10mm x 50m		PB5010B
10mm x 100m		PB10010B
15mm x 25m		PB2515B
15mm x 50m		PB5015B
15mm x 80m		PB8015B
15mm x 100m		PB10015B
15mm x 120m		PB12015B
15mm x 150m		PB15015B
22mm x 25m		PB2522B
22mm x 50m		PB5022B
28mm x 25m		PB2528B
28mm x 50m		PB5028B







Barrier Polybutylene Pipe	Colour	Product Code
15mm x 2m		FIT215B
15mm x 3m		FIT315B
15mm x 6m		FIT615B
22mm x 2m		FIT222B
22mm x 3m		FIT322B
22mm x 6m		FIT622B
28mm x 3m		FIT328B
28mm x 6m		FIT628B



Polybutylene Barrier Pipe Coil	Colour	Product Code
10mm x 25m		FIT2510B
10mm x 50m		FIT5010B
10mm x 100m		FIT10010B
15mm x 25m		FIT2515B
15mm x 50m		FIT5015B
15mm x 100m		FIT10015B
15mm x 150m		FIT15015B
22mm x 25m		FIT2522B
22mm x 50m		FIT5022B
28mm x 25m		FIT2528B
28mm x 50m		FIT5028B







PolyPlumb Traditional Push-Fit Plumbing

Straight Coupler	Colour	Product Code
10mm		PB010
15mm		PB015
22mm		PB022
28mm		PB028





Socket Reducer	Colour	Product Code
15mm x 10mm		PB1815
22mm x 15mm		PB1822
28mm x 22mm		PB1828





Spigot Reducer	Colour	Product Code
15mm x 10mm		PB815
22mm x 15mm		PB822
28mm x 22mm		PB828

Reducing Coupling	Colour	Product Code
22mm x 15mm		PB5822
22mm x 10mm		PB582210





Elbow	Colour	Product Code
10mm		PB110
15mm 90°		PB115
22mm 90°		PB122
28mm 90°		PB128




Spigot Elbow	Colour	Product Code
10mm		PB1010
15mm		PB1015
15mm x 10mm		PB101510
22mm		PB1022

Equal Tee	Colour	Product Code
10mm		PB210
15mm		PB215
22mm		PB222
28mm		PB228

End Reduced Tee	Colour	Product Code
15mm x 10mm x 15mm		PB1415
22mm x 15mm x 22mm		PB1422
28mm x 22mm x 28mm		PB1428

Branch Reduced Tee	Colour	Product Code
15mm x 15mm x 10mm		PB1115
22mm x 22mm x 15mm		PB1115
22mm x 22mm x 10mm		PB112210
28mm x 28mm x 22mm		PB1128

Two Ends Reduced Tee	Colour	Product Code
15mm x 15mm x 22mm		PB1622

Branch & One End Reduced Tee	Colour	Product Code
15mm x 10mm x 10mm		PB1515
22mm x 15mm x 15mm		PB1522
28mm x 22mm x 22mm		PB1528



PolyPlumb Traditional Push-Fit Plumbing

Branch Reduced Spigot Tee	Colour	Product Code
15mm x 15mm x 10mm 90°		PB1215
22mm x 22mm x 15mm		PB1222

Spigot Blank Ends	Colour	Product Code
10mm		PB910
10mm		PB915
22mm		PB922
28mm		PB928

Socket Blank Ends	Colour	Product Code
10mm		PB1910
15mm		PB1915
22mm		PB1922
28mm		PB1928

Demountable Socket Blank Ends	Colour	Product Code
10mm		PB6910
15mm		PB6915
22mm		PB6922
28mm		PB6928

Straight Tap Connector <small>(Brass Connecting Nut)</small>	Colour	Product Code
15mm x 1/2inch (1)		PB715
15mm x 3/4inch (2)		PB71534
22mm x 3/4inch (2)		PB722

(1) Complete with E.P.D.M. Sealing Washer. Spare flat seal included (tighten by hand plus a further 1/4 of a turn with a spanner)

(2) Complete with fibre sealing washer (tighten by hand plus a further 1/6 of a turn with a spanner)



Hand Tighten Tap Connector <small>(Not Suitable for Central Heating)</small>	Colour	Product Code
15mm x 1/2inch		PB2715
15mm x 3/4inch		PB271534
15mm x 3/4inch		PB2722

Complete with E.P.D.M. Sealing Washer

Bent Tap Connector <small>(Brass Connecting Nut)</small>	Colour	Product Code
15mm x 1/2inch 90°		PB1715

Complete with E.P.D.M. Sealing Washer. Spare flat seal included (tighten by hand plus a further 1/4 of a turn with a spanner)

Flexible Hose Tap Connector <small>(Not Suitable for Central Heating)</small>	Colour	Product Code
15mm x 1/2inch		PB6815
15mm x 3/4inch		PB681534
22mm x 3/4inch		PB6822

Tank Connector <small>(Cold Water Only)</small>	Colour	Product Code
15mm x 1/2inch		PB3815
22mm x 3/4inch		PB3822
28mm x 1inch		PB3828

Complete with E.P.D.M. Sealing Washer (tighten by hand)

Wall Plate Elbow <small>(Cold water only) (Use PTFE tape to seal threads)</small>	Colour	Product Code
15mm x 1/2inch		PB5315
22mm x 3/4inch		PB5322
22mm x 1/2inch		PB532212

Wall Plate Elbow <small>(Use PTFE tape to seal threads)</small>	Colour	Product Code
15mm x 1/2inch 90°		PB1315



PolyPlumb Traditional Push-Fit Plumbing

Polybutylene Double Sided Manifold	Colour	Product Code
22mm x 10mm - 2 Port (Socket/Socket)	●	PB2822
22mm x 10mm - 4 Port (Socket/Socket)	●	PB4822


Single Sided Port Manifolds	Colour	Product Code
22mm x 10mm - 4 Port(Socket/Socket)	●	PB7322104
22mm x 15mm - 3 Port (Socket/Socket)	●	PB7322153
22mm x 10mm - 4 Port (Socket/Spigot)	●	PB7622104

Manifold Bracket	Colour	Product Code
3/4inch	●	PB4634

Stopcock (Cold water only)	Colour	Product Code
15mm x 15mm	●	PB2615
22mm x 22mm	●	PB2622

MDPE Stopcock (Cold water only) (Polyfast)	Colour	Product Code
20mm x 15mm	●	PB262015
25mm x 15mm	●	PB262515
25mm x 22mm	●	PB262515

Gate Valve	Colour	Product Code
15mm	●	PB3115
22mm	●	PB3122



Shut-Off Valve (Not suitable for central heating)	Colour	Product Code
15mm x 15mm	○	PB5915

Appliance Valve (Not suitable for central heating)	Colour	Product Code
15mm x 3/4inch	○	PB6115

Straight Service Valve (Not suitable for central heating)	Colour	Product Code
15mm x 1/2inch	○	PB6515

Bent Service Valve (Not suitable for central heating)	Colour	Product Code
15mm x 1/2inch 90°	○	PB6615

Bent Service Valve (Not suitable for central heating)	Colour	Product Code
15mm x 15mm 90° (valves contain plain white index)	○	PB7915

Double Check Valve (Not suitable for central heating)	Colour	Product Code
15mm	●	PB3715
22mm	●	PB3722

Quarter Turn Ball Valve (Nickel Plated Brass)	Colour	Product Code
15mm	●	PB6715
22mm	●	PB6722
28mm	●	PB6728

Thermostatic Radiator Valve (Plated Brass)	Colour	Product Code
15mm	●	PB3315

Radiator / Lockshield Valve (Plated Brass)	Colour	Product Code
15mm	●	PB3215



PolyPlumb Traditional Push-Fit Plumbing

Radiator Connector <small>(Pipe stiffeners must be used on each end)</small>	Colour	Product Code
15mm - Bend "RCB"		PB3915

Bend Former <small>(Bend radius is 8 x Pipe diameter)</small>	Colour	Product Code
15mm 90°		PB6315
22mm 90°		PB6322

Male BSP Adaptor <small>(Taper BSP threads to BS21 only use PTFE tape to seal threads)</small>	Colour	Product Code
10mm x 3/8inch		PB431038
15mm x 1/2inch - DZR Brass Body		PB4315
15mm x 1/2inch - DZR Brass Body		PB4322
28mm x 1inch - DZR Brass Body		PB4328

Female BSP Adaptor <small>(Parallel BSP threads to BS21 only use PTFE tape to seal threads)</small>	Colour	Product Code
15mm x 1/2inch - DZR Brass Body		PB4415
15mm x 3/4inch - DZR Brass Body		PB441534
22mm x 3/4inch - DZR Brass Body		PB4422
28mm x 1inch - DZR Brass Body		PB4428

MDPE Polyfast Adaptor <small>(All include MDPE 12 Bar Plastic Pipe Stiffener) (Cold Water Only)</small>	Colour	Product Code
15mm x 20mm		PB422015
15mm x 25mm		PB422515
22mm x 32mm		PB422522
22mm x 32mm		PB423222
28mm x 32mm		PB423228



Spigot Draincock	Colour	Product Code
15mm		PB3615



Pipe Stiffener <small>(Must be used with polybutylene Pipe) (Plastic)</small>	Colour	Product Code
10mm		PP6410
15mm		PP6415
22mm		PP6422
28mm		PP6428



Pipe Stiffener	Colour	Product Code
10mm		PP6410M
15mm		PP6415M
22mm		PP6422M



Bulldog Clips - Polypropylene	Colour	Product Code
15mm		PB2115
22mm		PB2122
28mm		PB2128



Nail-In Clips - Polypropylene	Colour	Product Code
10mm		PB2210
15mm		PB2215
22mm		PB2222
28mm		PB2228



Snap-Fit Clips - Polypropylene	Colour	Product Code
10mm		PB2310
15mm		PB2315
22mm		PB2322
28mm		PB2328



PolyPlumb Traditional Push-Fit Plumbing

Pipe Clip Spacer - Polypropylene	Colour	Product Code
15mm	●	PB2415
22mm	●	PB2422
28mm	●	PB2428

Spares Component Kit	Colour	Product Code
10mm	●	PB9510
15mm	●	PB9515
22mm	●	PB9522
28mm	●	PB9528

Conical E.P.D.M. Sealing Washer (For Tap Connector with Brass Nut)	Colour	Product Code
1/2inch	●	PB9312
3/4inch	●	PB9334

Flat E.P.D.M. Sealing Washer (For Hand Tightened Tap Connector)	Colour	Product Code
1/2inch	●	PB9412
3/4inch	●	PB9434

O' Ring	Colour	Product Code
3/4inch PolyPlumb O' Ring	●	PB9034



Silicone Lubricant	Colour	Product Code
Silicone Lubricant 100gm Screw Top Jar	NA	SG100
Aerosol Lubricant	NA	SG300



All Polypipe fittings are supplied with pre-lubricated EPDM 'O' rings. If any further lubrication is required only Polypipe silicone lubricant (above) should be used.

Boiler Overflow Pipe Guard	Colour	Product Code
Boiler Overflow Pipe Guard (c/w x 2 Pipe Clips)	NA	BOPG50



Pipe Cutters Standard	Colour	Product Code
V Bladed Standard Cutter 10mm to 22mm	●	PB781



DELIVERING EXCEPTIONAL PERFORMANCE

INSIDE & OUT

POLYPIPE AIR ADMITTANCE VALVES

PolyFit Quickfix Push-Fit Plumbing

Straight Coupler	Colour	Product Code
10mm	○	FIT010
15mm	○	FIT015
22mm	○	FIT022
28mm	○	FIT028

Socket Reducer	Colour	Product Code
15mm x 10mm	○	FIT1815
22mm x 15mm (not suitable for use with compression fittings)	○	FIT1822
28mm x 15mm (not suitable for use with compression fittings)	○	FIT182815
28mm x 22mm (not suitable for use with compression fittings)	○	FIT1828

Reducing Coupler	Colour	Product Code
15mm x 10mm	○	FIT5815
22mm x 10mm	○	FIT582210
22mm x 15mm	○	FIT5822

Elbow	Colour	Product Code
10mm	○	FIT110
15mm	○	FIT115
22mm	○	FIT122
28mm	○	FIT128

Spigot Elbow	Colour	Product Code
10mm	○	FIT1010
10mm x 15mm	○	FIT101510
15mm	○	FIT1015
22mm (not suitable for use with compression fittings)	○	FIT1022



Equal Tee	Colour	Product Code
10mm	○	FIT210
15mm	○	FIT215
22mm	○	FIT222
28mm	○	FIT228

End Reduced Tee	Colour	Product Code
15mm x 10mm x 15mm	○	FIT1415
22mm x 15mm x 22mm	○	FIT1422
28mm x 22mm x 28mm	○	FIT1428

Branch Reduced Tee	Colour	Product Code
15mm x 15mm x 10mm	○	FIT1115
22mm x 22mm x 10mm	○	FIT112210
22mm x 22mm x 15mm	○	FIT1122
28mm x 28mm x 22mm	○	FIT1128

Branch and One End Reduced Tee	Colour	Product Code
15mm x 10mm x 10mm	○	FIT1515
22mm x 15mm x 15mm	○	FIT1522
28mm x 22mm x 22mm	○	FIT1528

Two Ends Reduced Tee	Colour	Product Code
15mm x 15mm x 22mm	○	FIT1622

Spigot Blank Ends (Not suitable for use with compression fittings)	Colour	Product Code
10mm	○	FIT910
15mm	○	FIT915
22mm (with reinforcing sleeve)	○	FIT922



PolyFit Quickfix Push-Fit Plumbing

Socket Blank Ends	Colour	Product Code
10mm	○	FIT1910
15mm	○	FIT1915
22mm	○	FIT1922
28mm	○	FIT1928

Straight Tap Connector <small>(Brass Connecting Nut)</small>	Colour	Product Code
15mm x 1/2" (1)	○	FIT715
15mm x 3/4" (2)	○	FIT71534
22mm x 3/4" (2)	○	FIT722

(1) Complete with E.P.D.M. Sealing Washer. Spare flat seal included (tighten by hand plus a further 1/4 of a turn with a spanner)

(2) Complete with fibre sealing washer (tighten by hand plus a further 1/6 of a turn with a spanner)

Hand Tighten Tap Connector <small>(Not suitable for central heating)</small>	Colour	Product Code
10mm x 1/2"	○	FIT271012
15mm x 1/2"	○	FIT2715
15mm x 3/4"	○	FIT271534
22mm x 3/4"	○	FIT2722

Bent Tap Connector <small>(Brass Connecting Nut)</small>	Colour	Product Code
15mm x 1/2"	○	FIT1715

Complete with E.P.D.M. Sealing Washer. Spare flat seal included (tighten by hand plus a further 1/4 of a turn with a spanner)



Tank Connector <small>(Cold water only)</small>	Colour	Product Code
15mm x 1/2"	○	FIT3815
22mm x 3/4"	○	FIT3822

Complete with E.P.D.M. Sealing Washer (tighten by hand)

Wall Plate Elbow <small>(Use PTFE tape to seal threads)</small>	Colour	Product Code
15mm x 1/2" BSP	●	FIT1315

Polybutylene Double Sided Manifold	Colour	Product Code
22mm x 10mm – 2 Port (Socket/Socket)	○	FIT2822
22mm x 10mm – 4 Port (Socket/Socket)	○	FIT4822

Polybutylene Single Sided Manifold	Colour	Product Code
22mm x 10mm – 4 Port (Socket/Socket)	○	FIT7322104
22mm x 15mm – 3 Port (Socket/Socket)	○	FIT7322153

Stopcock <small>(Cold water only)</small>	Colour	Product Code
15mm x 15mm	○	FIT2615
22mm x 22mm	○	FIT2622

Gate Valve	Colour	Product Code
22mm	○	FIT3122

Shut-Off Valve <small>(Not suitable for central heating)</small>	Colour	Product Code
15mm x 15mm Warm/Cold (contains a plain white index)	○	FIT5915

Appliance Valve <small>(Not suitable for central heating)</small>	Colour	Product Code
15mm x 3/4" Warm/Cold (contains a plain white index)	○	FIT6115

Service Valve <small>(Not suitable for central heating)</small>	Colour	Product Code
15mm x 1/2" (contains a plain white index)	○	FIT6515



PolyFit Quickfix Push-Fit Plumbing

Chrome Plated Service Valve with Tap Connector	Colour	Product Code
15mm x 1/2"		FIT8615

Male BSPT Adaptor <small>(Taper BSP threads to BS21 only use PTFE tape to seal threads)</small>	Colour	Product Code
22mm x 3/4" - DZR Brass Body		FIT4322

MDPE x PolyFit Adaptor <small>(Cold water only)</small>	Colour	Product Code
20mm x 15mm		FIT422015
25mm x 15mm		FIT422515
25mm x 22mm		FIT422522

Spigot Draincock	Colour	Product Code
15mm		FIT3615

Radiator Connector <small>(Pipe stiffeners must be used on each end)</small>	Colour	Product Code
15mm (Bend "RCB")		PB3915

Bend Former - Plastic <small>(Bend radius is 8 x pipe diameter)</small>	Colour	Product Code
15mm		PB6315
22mm		PB6322

Conical E.P.D.M. Sealing Washer <small>(For Tap Connector with Brass Nut)</small>	Colour	Product Code
1/2inch		PB9312
3/4inch		PB9334

Fitting Release Aid	Colour	Product Code
Set of 4 for 10mm, 15mm, 22mm and 28mm fittings		FITAID



Flat E.P.D.M. Sealing Washer <small>(For Hand Tightened Tap Connector)</small>	Colour	Product Code
1/2inch		PB9412
3/4inch		PB9434

O' Ring	Colour	Product Code
3/4inch PolyPlumb O' Ring		PB9034

Nail-In Clips - Polypropylene	Colour	Product Code
10mm		FIT2210
15mm		FIT2215
22mm		FIT2222
28mm		FIT2228

Pipe Stiffener - Plastic <small>(Must be used with polybutylene Pipe)</small>	Colour	Product Code
10mm		PP6410
15mm		PP6415
22mm		PP6422
28mm		PP6428

Metal Pipe Stiffener	Colour	Product Code
10mm		PP6410M
15mm		PP6415M
22mm		PP6422M

Sealed Stiffener - Plastic <small>(Not for use with PolyPlumb)</small>	Colour	Product Code
15mm		PP6415S
22mm		PP6422S

Pipe Cutters Standard	Colour	Product Code
V Bladed Standard Cutter 10mm to 22mm		PB781



Push-Fit Waste System - Polypropylene

Waste Pipe	Colour	Product Code
32mm. 3m length.		WP11
40mm. 3m length.		WP12
50mm. 3m length.		WP51

Straight Coupling	Colour	Product Code
32mm.		WP25
40mm.		WP26
50mm.		WP58

Pipe Clip	Colour	Product Code
32mm.		WP33
40mm.		WP34
50mm.		WP65

Knuckle Bend 90°	Colour	Product Code
32mm.		WP15
40mm.		WP16
50mm.		WP64

Swept Bend 91¼°	Colour	Product Code
32mm.		WP13
40mm.		WP14
50mm.		WP52

* Please use the following suffix - B (Black), W (White), G, (Grey)



Obtuse Bend 45°	Colour	Product Code
32mm.		WP17
40mm.		WP18
50mm.		WP54



Soil Boss Bend 157½°	Colour	Product Code
32mm.		WP19
40mm.		WP20



Swept Tee 91¼°	Colour	Product Code
32mm.		WP21
40mm.		WP22
50mm.		WP56



Swivel Bend 91¼°	Colour	Product Code
32mm.		WP23
40mm.		WP24
50mm.		MAN 8



Reducer	Colour	Product Code
32mm. From 40mm.		WP27
32mm. From 50mm.		WP70
40mm. From 50mm.		WP59



Threaded Coupling (BSP Female)	Colour	Product Code
32mm.		WP31
40mm.		WP32



Tank Connector	Colour	Product Code
32mm.		WP35
40mm.		WP36



Push-Fit Waste System - Polypropylene

Screwed Access Plug	Colour	Product Code
32mm.	● ● ○	WP43
40mm.	● ● ○	WP44

Socket Plug	Colour	Product Code
32mm.	● ● ○	WP29
40mm.	● ● ○	WP30
50mm.	● ●	WP72

Vent Terminal	Colour	Product Code
50mm.	● ●	WP66

Waste Pipe Shroud	Colour	Product Code
32mm.	○	WP47
40mm.	○	WP48

Universal Waste Coupler	Colour	Product Code
32mm. Fits EN1451-1 & EN1455-1. 40mm. EN1329-1 Plastic. 50mm. Metric & Copper pipe.	● ○	UWC32
32mm. Fits EN1451-1 & EN1455-1. 40mm. EN1329-1 Plastic. 50mm. Metric & Copper pipe.	● ○	UWC40
32mm. Fits EN1451-1 & EN1455-1. 40mm. EN1329-1 Plastic. 50mm. Metric & Copper pipe.	● ○	UWC50



Screwed Access Plug
WP44



Waste Systems. That just works.

Polypipe Building Products' comprehensive waste range includes three solvent weld waste systems, ABS, MuPVC & Overflow, accompanied by Push-fit, compression and Push-fit overflow products. Our updated waste range now features two new unique technologies, Fit-Rite® and BioCote® both of which are offered by Polypipe for the first time in drainage and waste products in the UK.

Available at E. Tupling – as always.



Solvent Weld Waste System A.B.S.

Waste Pipe	Colour	Product Code
32mm. 3m length.		WS11
40mm. 3m length.		WS12
50mm. 3m length.		WS51

Straight Coupling	Colour	Product Code
32mm.		WS25
40mm.		WS26
50mm.		WS58

Pipe Clip	Colour	Product Code
32mm.		WS33
40mm.		WS34
50mm.		WS65

Swept Bend 92½°	Colour	Product Code
32mm.		WS13
40mm.		WS14
50mm.		WS52

Knuckle Bend 90°	Colour	Product Code
32mm.		WS15
40mm.		WS16
50mm.		WS64

* Please use the following suffix - B (Black), W (White), G, (Grey)



Obtuse Bend 45°	Colour	Product Code
32mm.		WS17
40mm.		WS18
50mm.		WS54

Swivel Bend 92½°	Colour	Product Code
32mm.		WS23
40mm.		WS24
50mm.		WS60

Spigot Bend 45°	Colour	Product Code
32mm.		WS48
40mm.		WS49
50mm.		WS66

Swept Tee 92½°	Colour	Product Code
32mm.		WS21
40mm.		WS22
50mm.		WS56

Cross Tee 92½°	Colour	Product Code
40mm.		WS38
50mm.		WS50

Junction 45°	Colour	Product Code
32mm.		WS39
40mm.		WS40
50mm.		WS53



Solvent Weld Waste System A.B.S.

Reducer	Colour	Product Code
32mm. From 40mm.		WS28
32mm. From 50mm.		WS202
40mm. From 50mm.		WS59

Expansion Coupling	Colour	Product Code
32mm.		WS61
40mm.		WS62
50mm.		WS63

Threaded Coupling (BSP Female)	Colour	Product Code
32mm.		WS31
40mm.		WS32

Adaptor (Male Iron)	Colour	Product Code
32mm.		WS46
40mm.		WS47
50mm.		WS57

Tank Connector	Colour	Product Code
32mm.		WS35
40mm.		WS36

Screwed Access Plug	Colour	Product Code
32mm.		WS29
40mm.		WS30
50mm.		WS72



Socket Plug	Colour	Product Code
32mm.		WS44
40mm.		WS45
50mm.		WS55



Ancillaries

Silicone Grease	Colour	Product Code
100gm. Screw Top Jar.	NA	SG100

Aerosol Lubricant	Colour	Product Code
400ml.	NA	SG300

Cleaning Fluid	Colour	Product Code
250ml. Tin.	NA	CF250

Solvent Cement (BS EN 14680:2015)	Colour	Product Code
125ml. c/w Brush..	NA	SC125
250ml. c/w Brush.	NA	SC250
500ml.	NA	SC500

Gap Filling Cement	Colour	Product Code
140ml. Tube Clear.	NA	GFC100

Socket Plug 40mm
WS45



Solvent Weld Overflow System 21.5mm PVC - A.B.S.

Overflow Pipe	Colour	Product Code
3m length.	○	NS43
Pipe Clip	Colour	Product Code
Polypropylene.	○	VS53
Straight Connector	Colour	Product Code
	○	NS44
Knuckle Bend 90°	Colour	Product Code
	○	NS45
45° Bend	Colour	Product Code
	○	NS55
90° Tee	Colour	Product Code
	○	NS46
Straight Adaptor	Colour	Product Code
	○	NS47
Bent Adaptor	Colour	Product Code
	○	NS48
Straight Tank Connector	Colour	Product Code
	○	VP49
Bent Tank Connector	Colour	Product Code
	○	VP50



Universal Compression Waste - Polypropylene

Waste Pipe	Colour	Product Code
32mm. 3m length.	○●	WP11
40mm. 3m length.	○●	WP12
Straight Connector	Colour	Product Code
32mm.	○	PS32
40mm.	○	PS40
Pipe Clip	Colour	Product Code
32mm.	○●	WP33
40mm.	○●	WP34
Knuckle Bend 90°	Colour	Product Code
32mm.	○	PS15
40mm.	○	PS16
Obtuse Bend 45°	Colour	Product Code
32mm.	○	PS17
40mm.	○	PS18
Swivel Elbow 90°	Colour	Product Code
32mm.	○	SE1
40mm.	○	SE2
Swivel Bend 45°	Colour	Product Code
32mm.	○	PS19
40mm.	○	PS20



Universal Compression Waste - Polypropylene

Equal Tee 91¼°	Colour	Product Code
32mm.	○	PS21
40mm.	○	PS22

Reducer	Colour	Product Code
40mm. Reduces to 32mm.	○	PS38

Connector to Solvent - Socket ABS	Colour	Product Code
32mm.	○	WS67
40mm.	○	WS68

Waste Pipe Shroud	Colour	Product Code
32mm.	○	WP47
40mm.	○	WP48

Coupler Adaptor	Colour	Product Code
40mm. Remove nut for Adaptor.	○	WT70

Sink Traps - Bottle & Tubular

Bottle Trap	Colour	Product Code
32mm. 38mm Seal.	○	WP37
40mm. 38mm Seal.	○	WP38
32mm. 75mm Seal.	○	WP45
40mm. 75mm Seal.	○	WP46



Bottle Trap (Adjustable Telescopic)	Colour	Product Code
32mm. 75mm Seal.	○	WPT47
40mm. 75mm Seal.	○	WPT48

Resealing Bottle Trap	Colour	Product Code
40mm. 75mm Seal.	○	WP42

Bottle Trap	Colour	Product Code
32mm. 75mm Seal Anti-Syphon.	○	WP45PV
40mm. 75mm Seal Anti-Syphon.	○	WP46PV

Bottle Trap (Adjustable Telescopic)	Colour	Product Code
32mm. 75mm Seal Anti-Syphon.	○	WPT47PV
40mm. 75mm Seal Anti-Syphon.	○	WPT48PV

Tubular Swivel Trap 'P'	Colour	Product Code
32mm. 38mm Seal.	○	WT50
40mm. 38mm Seal.	○	WT51

Tubular Swivel Trap 'P' (Adjustable Telescopic)	Colour	Product Code
32mm. 75mm Seal.	○	WT64
40mm. 75mm Seal.	○	WT63

Tubular Swivel Trap 'P' (With Cleaning Eye)	Colour	Product Code
40mm. 75mm Seal.	○	WT66

Tubular Swivel Trap 'P'	Colour	Product Code
40mm. 75mm Seal Anti-Syphon.	○	WT53PV



Sink Traps - Bottle & Tubular

Tubular Swivel Trap 'P' (Adjustable Telescopic)	Colour	Product Code
32mm. 75mm Seal Anti-Syphon.	○	WT64PV

Running Trap	Colour	Product Code
32mm. 38mm Seal.	○	RT138
40mm. 38mm Seal.	○	PRT2S
32mm. 75mm Seal.	○	RT176
40mm. 75mm Seal.	○	PRT2D

Tubular Swivel Trap 'S'	Colour	Product Code
32mm. 75mm Seal.	○	WT56
40mm. 75mm Seal.	○	WT57

'P' to 'S' Trap Conversion Bends	Colour	Product Code
32mm. Universal Compression.	○	SE1
40mm. Universal Compression.	○	SE2

Straight Through Trap (75mm Seal)	Colour	Product Code
32mm x 32mm Outlet - 1 Cleaning Eye.	○	WST1
32mm x 32mm Outlet - 2 Cleaning Eyes.	○	WST2
32mm x 40mm Outlet - 2 Cleaning Eyes.	○	WST3



Anti-Syphon Units & Universal Flexible Wastes

Anti Syphon Unit	Colour	Product Code
32mm. ABS Solvent Spigot to EN1455-1.	○	PVS32
40mm. ABS Solvent Spigot to EN1455-1.	○	PVS40
50mm. ABS Solvent Spigot to EN1455-1.	○	PVS50
32mm. ABS Push Fit Spigot to EN1451-1.	○	VWP32
40mm. ABS Push Fit Spigot to EN1451-1.	○	VWP40
50mm. ABS Push Fit Spigot to EN1451-1.	○	VWP50

Condensate Drainage Traps

Condensate Discharge Soakaway Unit	Colour	Product Code
110mm. For 21.5 to 32mm Wastepipe.	●	WSA1

Condensate Waste Saddle	Colour	Product Code
21.5mm. 21.5mm Waste Saddle fits 40mm & 32mm pipe.	○	WWS1

Condensate Check Valve	Colour	Product Code
21.5mm. Check Valve, Compression & Solvent Weld Connection.	○	WCV1

Condensate Tundish Bowl	Colour	Product Code
21.5mm. Tundish Bowl, use where a visible air gap is specified.	○	OA31

Condensate Trap	Colour	Product Code
40mm. For use with 110mm Soil Pipe.	○	PV222



PolySoil® - PVCu

Plain Ended Pipe	Colour	Product Code
3in/82mm. 3.0m length	● ●	P330
4in/110mm. 3.0m length	● ● ○	P430
4in/110mm. 4.0m length	● ● ○	P440

Single Socket Pipe	Colour	Product Code
3in/82mm. 3.0m length	● ●	SP330
4in/110mm. 2.5m length	● ●	SP420
4in/110mm. 3.0m length	● ● ○	SP430
4in/110mm. 4.0m length	● ● ○	SP440
6in/160mm. 3.0m length	● ●	SP630
6in/160mm. 4.0m length	● ●	SP640

Expansion Coupler	Colour	Product Code
4in/110mm.	● ●	SX44

Double Socket	Colour	Product Code
3in/82mm. Remove centre stop for slip coupling	● ●	SH34
4in/110mm.	● ● ○	SH44
4in/110mm. Slip coupler	● ● ○	SH45
6in/160mm. Remove centre stop for slip coupler	● ●	SH644

Single Socket	Colour	Product Code
3in/82mm	● ●	SH33
4in/110mm	● ● ○	SH43
6in/160mm	● ●	SH643



Pipe Clips (Plastic)	Colour	Product Code
3in/82mm. Pipe	● ●	SC34
3in/82mm. Socket	● ●	SC35
3in/82mm. Pipe (Saddle)	● ●	SC33
4in/110mm. Pipe	● ●	SC44
4in/110mm. Socket	● ● ○	SC45
4in/110mm. Pipe (Saddle)	● ● ○	SC43
6in/160mm. Pipe	● ● ○	SC64



Pipe Clips (Metal)	Colour	Product Code
4in/110mm. Pipe or Socket (Galv.)	●	SM49
4in/110mm. Pipe (Galv.) inc. nut, bolt and backplate	●	SM48
4in/110mm. Drive in Spike (Galv.) use with SM41 & SM42	●	SM46
6in/160mm. Pipe or Socket (Galv.)	●	SM649



* Please use the following suffix - B (Black), W (White), G (Grey)

POLYPIPE

PolySoil® - PVCu

Bend (Single Socket)	Colour	Product Code
3in/82mm. 87½°	● ●	SB309
3in/82mm. 45°	● ●	SB312
4in/110mm. 87½°	● ● ○	SB409
4in/110mm. 67½°	● ●	SB411
4in/110mm. 45°	● ● ○	SB412
4in/110mm. 30°	● ● ○	SB408
4in/110mm. 15°	● ● ○	SB407
6in/160mm. 87½°	● ●	SB609
6in/160mm. 45°	● ●	SB612

Double Socket	Colour	Product Code
4in/110mm. 87½°. Double Socket	● ● ○	SB417
6in/160mm. 45°. Double Socket	●	SB603

Offset Bend 45°	Colour	Product Code
3in/82mm. Ring seal socket x solvent socket	● ●	SB303
4in/110mm. Ring seal socket x solvent socket	● ● ○	SB403
3in/82mm. Solvent socket x spigot	● ●	SB304
4in/110mm. Solvent socket x spigot	● ● ○	SB404

Adjustable Bend (Ring Seal/Spigot)	Colour	Product Code
4in/110mm. 0-30° Polypropylene	● ●	SAB30
4in/110mm. 0-90° Polypropylene	● ●	SAB90



Single Branch	Colour	Product Code
3in/82mm. 87½° Equal (2 Boss)	● ●	ST301
3in/82mm. 45° Equal	● ●	ST304
4in/110mm. 87½° Equal (2 Boss)	● ● ○	ST401
4in/110mm. 104° Equal	● ● ○	ST402
ST403 4in/110mm. 67½° Equal	● ● ○	ST403
4in/110mm. 45° Equal	● ● ○	ST404
4in/110mm. 87½° Equal (4 Boss)	● ●	ST414
6in/160mm. 87½° Equal (2 Boss)	● ●	ST601

Triple Socket Branch	Colour	Product Code
4in/110mm. 87½° Triple Socket	● ● ○	ST405


Unequal Single Branch	Colour	Product Code
6in/160mm. 87½° Unequal 160 x 160 x 110mm	●	ST604
6in/160mm. 45° Unequal 160 x 160 x 110mm	●	ST606

Double Branch	Colour	Product Code
4in/110mm. 87½° (Only use in vertical position)	● ● ○	SU420
4in/110mm. 67½° (Only use in vertical position)	● ●	SU422

Corner Branch 87½°	Colour	Product Code
4in/110mm. Triple Socket	● ● ○	STC401

Boss Pipe	Colour	Product Code
4in/110mm. Requires Boss Adaptor	● ● ○	SJ454

Short Boss Pipe	Colour	Product Code
4in/110mm. Double solvent socket requires boss adaptor	● ● ○	SJ454



PolySoil® - PVCu

Strap Boss (Requires adaptor)	Colour	Product Code
3in/82mm. Back fix nut & bolt	● ●	SG30
4in/110mm. Back fix nut & bolt	● ● ○	SG40
4in/110mm. Side fix clip requires boss adaptor	● ● ○	SG70
6in/160mm. Side fix clip requires boss adaptor	●	SG16

Boss Adaptor (Push-fit rubber)	Colour	Product Code
32mm	●	SN32
40mm	●	SN40
50mm	●	SN50

Straight Adaptor (Solvent/Compression)	Colour	Product Code
32mm	● ● ○	SN63
40mm	● ● ○	SN64
50mm	● ● ○	SN65

Angled Adaptor 87½° (Solvent/Compression)	Colour	Product Code
32mm	● ●	SN66
40mm	● ●	SN67
50mm	● ●	SN68



Solvent Adaptor for ABS/MuPVC Pipe only	Colour	Product Code
32mm	● ● ○	SW80
40mm	● ● ○	SW81
50mm	● ● ○	SW82



Access Pipe (Single Socket)	Colour	Product Code
3in/82mm. 2 Boss	● ●	SA343
4in/110mm. 3 Boss	● ● ○	SA43
6in/160mm	● ●	SA643



Access Bend 87½°	Colour	Product Code
4in/110mm. Single Socket	● ● ○	SB413
3in/82mm. Double Socket	● ●	SB313



Access Branch	Colour	Product Code
4in/110mm. 87½° (4 Boss)	● ● ○	ST410
4in/110mm. 67½°	● ●	ST412



Access Saddle	Colour	Product Code
3in/82mm	● ●	SA34
4in/110mm	● ●	SA44



Screwed Access Plug and Cap	Colour	Product Code
3in/82mm. Spigot Tail	● ●	SA52
4in/110mm. Spigot Tail	● ● ○	SA62
4in/110mm. Solvent Socket Tail	● ● ○	SA63



Access Cap	Colour	Product Code
For SA343 SA43 SB413 SB313 ST410 ST412	● ● ○	SG44



PolySoil® - PVCu

Socket Plug	Colour	Product Code
3in/82mm	● ●	SH36
4in/110mm	● ● ○	SH46
6in/160mm	●	SH666

Reducers	Colour	Product Code
3in/82mm. To 50mm Waste	● ●	SD101
4in/110mm. Waste concentric requires boss adaptor	● ● ○	SO65
4in/110mm. To 82mm Soil	● ●	SD34
4in/110mm. To 68mm Rainwater	● ● ○	SD46
6in/160mm. To 110mm Soil	●	SD664

Drain Connector	Colour	Product Code
3in/82mm. Mortar joint to clay socket	● ●	SD33
4in/110mm. Mortar joint to clay socket	● ●	SD43



PVCu Socket Plug
SH46



System 2000 Soil & Vent - PVCu

Plain End Pipe	Colour	Product Code
3in/82mm. 3.0m length.	● ●	P330
4in/110mm. 3.0m length.	● ● ○	P430
4in/110mm. 4.0m length.	● ● ○	P440

Pipe Coupler	Colour	Product Code
3in/82mm. Solvent Socket.	● ●	SWH49
4in/110mm. Solvent Socket.	● ● ○	SWH16

Single Socket	Colour	Product Code
3in/82mm	● ●	SH33
4in/110mm	● ● ○	SH43
6in/160mm	●	SH643




Double Socket (inc. Ring Seals)	Colour	Product Code
3in/82mm. Remove centre stop for slip coupling.	● ●	SH34
4in/110mm.	● ● ○	SH44
6in/160mm. Remove centre stop for slip coupler.	●	SH644
Slip coupler.	● ● ○	SH45

Pipe Clips (Plastic)	Colour	Product Code
3in/82mm. Pipe.	● ●	SC34
3in/82mm. Socket.	● ●	SC35
3in/82mm. Pipe (Saddle).	● ●	SC33
4in/110mm. Pipe.	● ● ○	SC44
4in/110mm. Socket.	● ● ○	SC45
4in/110mm. Pipe (Saddle).	● ● ○	SC43
6in/160mm. Pipe.	●	SC64















* Please use the following suffix - B (Black), W (White), SG, (Solvent Grey)





System 2000 Soil & Vent - PVCu

Pipe Clips (Metal)	Colour	Product Code
4in/110mm. Pipe or Socket (Galv.).		SM49
4in/110mm. Pipe (Coated) inc. nut, bolt and backplate.		SM47
6in/160mm. Pipe or Socket (Galv.)		SM649



Bend (Double Socket)	Colour	Product Code
3in/82mm. 87½°.	 	SWB71
3in/82mm. 45°.	 	SWB48
4in/110mm. 87½°.	  	SWB22
4in/110mm. 45°.	  	SWB18
6in/160mm. 87½°.		SWB92
6in/160mm. 45°.		SWB95











Bend (Socket/Spigot)	Colour	Product Code
3in/82mm. 45°.	 	SB304
4in/110mm. 45°.	 	SB404
4in/110mm. 90° Close Couple.	 	SWB47



Single Branch (Double Socket)	Colour	Product Code
4in/110mm. 87½° (4 Boss Shoulders).	 	SWT28



Single Branch (Triple Socket)	Colour	Product Code
3in/82mm. 87½°.	 	SWT73
4in/110mm. 87½° Short Branch.	 	SWT29
4in/110mm. 104°.	 	SWT35
4in/110mm. 87½° (4 Boss).	 	SWT26











Double Branch (Triple Socket/Spigot)	Colour	Product Code
4in/110mm. 67½° (Ring Seal, use in vertical position).	 	SU422
4in/110mm. 87½° (only use in the vertical position).	 	SWU423











Double Branch (Four Socket)	Colour	Product Code
4in/110mm. 87½° (only use in the vertical position).	 	SWU424












Single Boss Pipe	Colour	Product Code
4in/110mm. Double Socket 32mm.	 	BP420
4in/110mm. Single Socket 32mm.	 	BP421
4in/110mm. Double Socket 40mm.	 	BP422
4in/110mm. Double Socket 50mm.	 	BP424






Strap Boss - Requires Adaptor	Colour	Product Code
3in/82mm. Back fix Nut & Bolt.	 	SG30
4in/110mm. Back fix Nut & Bolt.	  	SG40
4in/110mm. Side fixing clip.	  	SG70
6in/160mm. Side fixing clip.		SG16




Boss Adaptor - Solvent (ABS/MuPVC - Pipe Only)	Colour	Product Code
32mm. EN1455-1, EN1329-1.	  	SW80
40mm. EN1455-1, EN1329-1.	  	SW81
50mm. EN1455-1, EN1329-1.	  	SW82



Boss Adaptor (Push-fit rubber)	Colour	Product Code
32mm.		SN32
40mm.		SN40
50mm.		SN50



Access Pipe	Colour	Product Code
4in/110mm. Double Socket - 4 Boss Shoulders.		SWA43



System 2000 Soil & Vent - PVCu

Short Access Pipe	Colour	Product Code
4in/110mm. Single Socket.	● ●	SWA88
4in/110mm. Double Socket.	● ●	SWA44
6in/160mm. Double Socket.	●	SWA63

Access Bend (Double Socket)	Colour	Product Code
3in/82mm. 87½°.	● ●	SWA92
4in/110mm. 87½°.	● ●	SWA87

Access Branch 87½° (Triple Socket)	Colour	Product Code
4in/110mm.	● ●	SWA09

Access Saddle	Colour	Product Code
3in/82mm.	● ●	SA34
4in/110mm.	● ● ○	SA44



Access Bend (double Socket)
SWA92



Screwed Access Plug and Cap	Colour	Product Code
3in/82mm. Spigot Tail. Plug.	● ●	SA52
4in/110mm. Spigot Tail. Plug.	● ● ○	SA62
4in/110mm. Solvent Socket Tail. Cap.	● ● ○	SA63

Reducer (Double Socket)	Colour	Product Code
4in/110mm. To 82mm.	● ●	SWD13

Socket Plug	Colour	Product Code
3in/82mm.	● ●	SH36
4in/110mm.	● ● ○	SH46
6in/160mm.	●	SH666

Reducer (Socket/Spigot)	Colour	Product Code
4in/110mm. To 82mm.	● ●	SWD96
6in/160mm. To 110mm.	●	SWD69

Access Cap	Colour	Product Code
Access Cap for SA343 SA43 SB413 SB313 ST410 ST412	● ● ○	SG44

Reducer to Waste	Colour	Product Code
4in/110mm. Waste concentric requires boss adaptor.	● ● ○	SO65



Universal Soil Fittings and Ancillaries

Soil Manifold - (Polypropylene)	Colour	Product Code
4in/110mm. Accepts up to 4x32mm or 40mm Waste. Inlets For 50mm connections, cut to template and use MAN7 seal.		MAN 5

MAN7 Seal	Colour	Product Code
50mm.		MAN 7

Push-Fit Bend	Colour	Product Code
50mm. 91¼°.		MAN 8

Vent Cowl	Colour	Product Code
4in/110mm.		SCV40

Vent Terminal	Colour	Product Code
3in/82mm. Polypropylene (do not Solvent Weld).		SV32
4in/110mm. PVC.		SV42
6in/160mm. PVC.		SV62

Weathering Apron	Colour	Product Code
3in/82mm.		SV38
4in/110mm.		SV48
6in/160mm.		SV68

Weathering Slate (Rubber and Aluminium)	Colour	Product Code
82 & 110mm. 457 x 457 Angled.	NA	SV457
82 & 110mm. 400 x 400 Flat.	NA	SH400



Air Admittance Valve	Colour	Product Code
3in/82mm. PVCu Solvent Socket. Can be used externally.		SPV82
4in/110mm. PVCu Solvent Socket. Can be used externally.		SPV110
4in/110mm. PVCu Push Fit Socket. Can be used externally.		PFV110

Fire Protection Sleeve (Metal)	Colour	Product Code
55mm. 4 Hour Fire Rating.		FPS55/4
82mm. 4 Hour Fire Rating.		FPS82/4
110mm. 4 Hour Fire Rating.		FPS110/4
160mm. 4 Hour Fire Rating.		FPS160/4

Silicone Grease	Colour	Product Code
100gm. Screw Top Jar.	NA	SG100

Aerosol Lubricant	Colour	Product Code
400ml.	NA	SG300

Cleaning Fluid	Colour	Product Code
250ml . Tin.	NA	CF250

Solvent Cement (BS EN 14680:2015)	Colour	Product Code
125ml. c/w Brush.	NA	SC125
250ml. c/w Brush.	NA	SC250
500ml.	NA	SC500

Gap Filling Cement	Colour	Product Code
140ml. Tube Clear.	NA	GFC100



WC Pan Connectors

Kwickfit Straight	Colour	Product Code
4in/110mm. Polypropylene.	○	SK40
Kwickfit 90° 'S' (225mm Leg)	Colour	Product Code
4in/110mm. Polypropylene.	○	SK42
Kwickfit Swan Neck 90° (Set-back for tight spaces)	Colour	Product Code
4in/110mm. Polypropylene.	○	SNK12
Kwickfit 14° 'P'	Colour	Product Code
4in/110mm. Polypropylene.	○	SK44
Kwickfit Swivel 0-30°	Colour	Product Code
4in/110mm. Polypropylene.	○	SK56
Kwickfit Offset (40mm)	Colour	Product Code
4in/110mm. Polypropylene.	○	SK52
Kwickfit Offset (12mm)	Colour	Product Code
4in/110mm. Polypropylene.	○	SK46
Kwickfit Extension Piece (200mm)	Colour	Product Code
4in/110mm. Polypropylene.	○	SK48
Kwickfit Long 90° 'S' (390mm Leg)	Colour	Product Code
4in/110mm. Polypropylene.	○	SK50
Kwickfit 90° Connector (110mm Leg)	Colour	Product Code
4in/110mm. 32mm boss Polypropylene.	○	SK49



PolySoil®. Stronger together.

The New PolySoil® Range.

PolySoil® is the UK's most advanced ring seal soil system for the residential market. PolySoil® incorporates our single-piece moulding technology that improves the performance and longevity of a soil system, and our Ring Lock Seal technology that stops the seal from distorting and becoming dislodged from the fitting when being installed.

Available at E. Tupling – as always.



Half Round Rainwater System 75mm & Round Downpipe 50mm - PVCu

Half Round Gutter	Colour	Product Code
75mm. 2m length.		RM300

Union	Colour	Product Code
75mm. Requires Central Fascia Bracket.		RM302

90° Angle	Colour	Product Code
75mm. Fix Fascia Brackets close to both ends.		RM303

Running Outlet	Colour	Product Code
75mm. Screw to Fascia.		RM305

Stop End Outlet	Colour	Product Code
75mm. Screw to Fascia.		RM306

Code Stop End External	Colour	Product Code
75mm. For use if gutter length is less than 300mm.		RM307

Fascia Bracket	Colour	Product Code
75mm. Fix close to both ends of angles.		RM309

Round Downpipe	Colour	Product Code
50mm. 2m length.		RM350



Pipe Connector	Colour	Product Code
50mm.		RM325



Pipe Bracket	Colour	Product Code
50mm.		RM326



Offset Bend 112½° Angle	Colour	Product Code
50mm.		RM327



Shoe	Colour	Product Code
50mm.		RM328



Shoe
RM328

Half Round Rainwater System 112mm & Round Downpipe 68mm - PVCu

Half Round Gutter	Colour	Product Code
2m length.		RR100
4m length.		RR101

Union Bracket	Colour	Product Code
Screw to Fascia.		RR102

Angle	Colour	Product Code
90°.		RR103
135°.		RR104

Running Outlet	Colour	Product Code
To 68mm Round Downpipe.		RR105

Short Stop End Outlet	Colour	Product Code
To 68mm Round Downpipe.		RR106

External Stop	Colour	Product Code
For use if gutter length is less than 300mm.		RR107

Internal Stop End	Colour	Product Code
		RR108

Fascia Bracket	Colour	Product Code
Also fix close to both ends of Angles.		RR109

Spacer Plate	Colour	Product Code
Adds 15mm for long tile overhang.		RR39



Galvanised Gutter Support Brackets	Colour	Product Code
Rise and Fall.	NA	RR111
Top Rafter.	NA	RR110
Side Rafter.	NA	RR112
Spike only for galvanised rise and fall bracket.	NA	RR113
Rise & fall bracket (fascia bracket required).	NA	RR114

Round Downpipe	Colour	Product Code
2.5m length.		RR121
4m length.		RR123
5.5m length.		RR124

Pipe Connectors	Colour	Product Code
Standard.		RR125
CI/AC.		RR131

Pipe Bracket	Colour	Product Code
		RR126

Socket Bracket	Colour	Product Code
		RR138


Pipe Clip	Colour	Product Code
Complete Unit.		RR152



92½° Offset Bend	Colour	Product Code
		RR132


112½° Offset Bend	Colour	Product Code
		RR127






Half Round Rainwater System 112mm & Round Downpipe 68mm - PVCu



Joint Cover (for cleanline offsets)	Colour	Product Code
	  	RR136


Shoe	Colour	Product Code
	  	RR128

112½° Branch	Colour	Product Code
	  	RR129

Access Pipe	Colour	Product Code
	  	RR135

Hopper Head	Colour	Product Code
Standard 204L x 130W x 130H.	  	RR130
Medium 280L x 157W x 145H.	  	RR140

Running Outlet Adaptor	Colour	Product Code
To accept 63mm pipe.	 	RY163

Adaptor Seal	Colour	Product Code
To accept 100mm Gutter (Red).		RY445



Branch
RR129



Rainwater. Comprehensive Range.

Including 6 Gutter Profiles and 7 Colours





Polypipe has the most comprehensive rainwater offer in the UK, in both profiles and colours. Our ranges are also supported by our vast range of adaptors which allow our systems to be connected to nearly all types of existing installations, including cast iron.

Polypipe Building Products in recent years has also innovated with its unique Notched Ogee gutter system, which stops gutter becoming dislodged through heat expansion and contraction.



Available at E. Tupling – as always.





Half Round Rainwater System 150mm - PVCu

Half Round Gutter	Colour	Product Code
2m length.	 	RL600
4m length.	 	RL601

Union Bracket	Colour	Product Code
Screw to Fascia.	 	RL602

90° Angle	Colour	Product Code
Band Clip can be removed and re-fitted to suit internal or external angle.	 	RL603

Running Outlet	Colour	Product Code
To 110mm Soil Pipe.	 	RL605


External Stop End	Colour	Product Code
For use if gutter length is less than 300mm.	 	RL607

Internal Stop End	Colour	Product Code
	 	RL608

Fascia Bracket	Colour	Product Code
Fix with 1 screw.	 	RL609







Galvanised Gutter Support Brackets	Colour	Product Code
Rise and Fall.	NA	RL611
Top Rafter.	NA	RL610
Side Rafter.	NA	RL612
Rise & fall bracket (fascia bracket required).	NA	RR114









Shoe	Colour	Product Code
110mm.	  	RL428

Hopper Head	Colour	Product Code
110mm. Large 280L x 157W x 145H.	  	RL140


Polyflow Deep Capacity Gutter 117mm x 75mm - PVCu

Polyflow Gutter	Colour	Product Code
3m length.	  	RD500
4m length.	  	RD501

Union Bracket	Colour	Product Code
	  	RD502

Angle	Colour	Product Code
90°. Fix Fascia Brackets adjacent to both ends.	  	RD503
135°. Fix Fascia Brackets adjacent to both ends.	  	RD504

Running Outlet	Colour	Product Code
Fix to Fascia with 2 screws.	  	RD505

External Stop End	Colour	Product Code
For use if gutter length is less than 300mm.	  	RD507

Internal Stop End	Colour	Product Code
	  	RD508

Fascia Bracket	Colour	Product Code
3 Screw Holes	  	RD509



Polyflow Deep Capacity Gutter 117mm x 75mm - PVCu

Galvanised Gutter Support Brackets	Colour	Product Code
Rise and Fall.	NA	RL611
Top Rafter.	NA	RL610
Side Rafter.	NA	RL612
Spike only for galvanised rise and fall bracket.	NA	RR113
Rise & fall bracket (fascia bracket required).	NA	RR114

Square Rainwater System 112mm & Square Downpipe 65mm - PVCu

Square Gutter	Colour	Product Code
2m length.	● ○	RS200
4m length.	● ○	RS201

Union Bracket	Colour	Product Code
Fix to Fascia with 1 screw.	● ○	RS202

Angle	Colour	Product Code
90°. Fix Fascia Brackets adjacent to both ends.	● ○	RS203
135°. Fix Fascia Brackets adjacent to both ends.	● ○	RS204
150°. Fix Fascia Brackets adjacent to both ends.	● ○	RS215

Running Outlet	Colour	Product Code
Fix to Fascia with 2 Screws.	● ○	RS205

Short Stop End Outlet	Colour	Product Code
Fix to Fascia with 1 Screw.	● ○	RS206



External Stop End	Colour	Product Code
For use if gutter length is less than 300mm.	● ○	RS207

Internal Stop End	Colour	Product Code
	● ○	RS208

Fascia Bracket	Colour	Product Code
Also fix close to both ends of Angle.	● ○	RS209

Galvanised Gutter Support Brackets	Colour	Product Code
Rise and Fall.	NA	RS211
Top Rafter.	NA	RS210
Side Rafter.	NA	RS212
Spike only for galvanised rise and fall bracket.	NA	RR113
Rise & fall bracket (fascia bracket required).	NA	RR114

Pipe Adaptor	Colour	Product Code
Square to Round.	● ○	RS231

Square Downpipe	Colour	Product Code
2.5m length.	● ○	RS221
4.0m length.	● ○	RS223
5.5m length.	● ○	RS224

Connectors	Colour	Product Code
Plain.	● ○	RS225
Offset inc. Bracket.	● ○	RS233
Flush inc. Bracket.	● ○	RS234

Pipe Bracket	Colour	Product Code
	● ○	RS226



RS211



RR114



Square Rainwater System 112mm & Square Downpipe 65mm - PVCu

Flush Pipe Bracket	Colour	Product Code
	● ○	RS236
Pipe Clips	Colour	Product Code
Complete.	● ○	RS252
92½° Offset Bend	Colour	Product Code
	● ○	RS232
112½° Offset Bend	Colour	Product Code
	● ○	RS227
Adjustable Offset	Colour	Product Code
25 to 67mm.	● ○	RS237
Shoe	Colour	Product Code
	● ○	RS228
112½° Branch	Colour	Product Code
	● ○	RS229
Access Pipe	Colour	Product Code
	● ○	RS235
Hopper Head	Colour	Product Code
Standard 204L x 130W x 130H.	● ○	RR130
Medium 280L x 157W x 145H.	● ○	RR140



**HELPING BRITAIN
BUILD BETTER HOMES**



POLYPIPE

Sovereign High Capacity Gutter 117mm x 75mm - PVCu

Sovereign Gutter	Colour	Product Code
2m length.	● ○	RH700
4m length.	● ○	RH701

Union Bracket	Colour	Product Code
Fix to Fascia with 1 screw.	● ○	RH702

90° Angle	Colour	Product Code
External.	● ○	RH703
Internal.	● ○	RH713

120° Angle	Colour	Product Code
External.	● ○	RH706
Internal.	● ○	RH716

135° Angle	Colour	Product Code
External.	● ○	RH704
Internal.	● ○	RH714

Running Outlet	Colour	Product Code
Fix to Fascia with 2 screws.	● ○	RH705

External Stop End	Colour	Product Code
Left Hand. For use if gutter length is less than 300mm.	● ○	RH707
Right Hand. For use if gutter length is less than 300mm.	● ○	RH717



Internal Stop End	Colour	Product Code
Left Hand.	● ○	RH708
Right Hand.	● ○	RH718

Profiled External Stop End	Colour	Product Code
Left Hand. For use if gutter length is less than 300mm.	● ○	RH721
Right Hand. For use if gutter length is less than 300mm.	● ○	RH719

Profiled Internal Stop End	Colour	Product Code
Left Hand.	● ○	RH731
Right Hand.	● ○	RH729

Fascia Bracket	Colour	Product Code
Fix at max 1.0m centres. 3 Screw holes	● ○	RH709

Top Hang Fascia Bracket	Colour	Product Code
Fix at max 1.0m centres.	● ○	RH725

Pipe Adaptor	Colour	Product Code
Square to Round.	● ○	RS231

Galvanised Gutter Support Brackets	Colour	Product Code
Rise and Fall.	NA	RH711
Top Rafter.	NA	RH710
Side Rafter.	NA	RH712
Spike only for galvanised rise and fall bracket.	NA	RR113
Rise & fall bracket (fascia bracket required).	NA	RR114

* Please use the following suffix - B (Black), W (White)



Ogee Extra Capacity Gutter 130mm x 70mm - PVCu

Ogee Gutter	Colour	Product Code
2m length.	● ○	ROG00
4m length.	● ○	ROG01

Union Bracket	Colour	Product Code
Fix to Fascia with 2 screws.	● ○	ROG02

External & Internal Angle	Colour	Product Code
External 90° Fix to fascia with 2 screws.	● ○	ROG03
Internal 90° Fix to fascia with 2 screws.	● ○	ROG13
External 120° Fix to fascia with 2 screws.	● ○	ROG06
Internal 120° Fix to fascia with 2 screws.	● ○	ROG16
External 135° Fix to fascia with 2 screws.	● ○	ROG04
Internal 135° Fix to fascia with 2 screws.	● ○	ROG14
External 150° Fix to fascia with 2 screws.	● ○	ROG21

Running Outlet	Colour	Product Code
Fix to Fascia with 2 screws.	● ○	ROG05

External Stop End	Colour	Product Code
Left Hand . For use if gutter length is less than 300mm.	● ○	ROG07
Right Hand. For use if gutter length is less than 300mm.	● ○	ROG17

Internal Stop End	Colour	Product Code
Left Hand.	● ○	ROG08
Right Hand.	● ○	ROG18

* Please use the following suffix - B (Black), W (White)



Fascia Bracket	Colour	Product Code
Fix at max 1.0m centres. 3 Screw holes	● ○	ROG09

Top Hang Fascia Bracket	Colour	Product Code
Fix at max 1.0m centres.	● ○	ROG25

Connector to CI Ogee	Colour	Product Code
Left Hand.	● ○	ROG15
Right Hand.	● ○	ROG19

Galvanised Gutter Support Brackets	Colour	Product Code
Rise and Fall.	NA	ROG11
Top Rafter.	NA	ROG10
Side Rafter.	NA	ROG12
Spike only for galvanised rise and fall bracket.	NA	RR113
Rise & fall bracket (fascia bracket required).	NA	RR114

Rainwater Fittings and Adaptors

Downpipe Spacer	Colour	Product Code
30mm Long.	●	PA20

Plastic to Metal Gutter Adaptors	Colour	Product Code
Half Round to Half Round.	● ● ○	RR116
Half Round to Ogee Left Hand.	● ● ○	RR117
Half Round to Ogee Right Hand.	● ● ○	RR118
Square to Half Round.	● ● ○	RS216
Square to Ogee Left Hand.	● ● ○	RS217
Square to Ogee Right Hand.	● ● ○	RS218

Half Round to Square Union Adaptor	Colour	Product Code
Half Round to Square.	●	RR216



MDPE Pipe Fittings

Reducing Coupler	Colour	Product Code
25mm x 20mm		40625
32mm x 20mm		4063220
32mm x 25mm		40632
40mm x 32mm		40640
50mm x 32mm		4065032

Copper/ Polybutylene Adaptor	Colour	Product Code
20mm x 15mm (½").		47820
25mm x 15mm (½").		4782515
25mm x 22mm (¾").		47825
32mm x 22mm (¾").		4783222
32mm x 28mm (1").		47832

Female Adaptor	Colour	Product Code
20mm x ½" BSP.		40320
25mm x ½" BSP.		4032512
25mm x ¾" BSP.		40325
32mm x 1" BSP.		40332
63mm x 2" BSP.		40363

Reducing Elbow	Colour	Product Code
25mm. 25mm x 20mm 90° Reducing.		4012520



Male Adaptor	Colour	Product Code
20mm x ½" BSP.		40420
25mm x ½" BSP.		4042512
25mm x ¾" BSP.		40425
32mm x 1" BSP.		40432
63mm x 2" BSP.		40463

Elbow	Colour	Product Code
20mm.		40120
25mm.		40125
32mm.		40132
40mm.		40140
50mm.		40150
63mm.		40163

Female Elbow Adaptor	Colour	Product Code
20mm x ½" BSP Female.		42120
25mm x ¾" BSP Female.		42125
32mm x 1" BSP Female.		42132
50mm x 1½" BSP Female.		42150
63mm x 2" BSP Female.		42163

Tank Connector	Colour	Product Code
25mm x ¾" BSP.		42525



Coils of MDPE Pipe

Polyguard Barrier Pipe	Colour	Product Code
25mm. Polyguard pipe x 50m coil	NA	PGP2550
32mm. Polyguard pipe x 50m coil	NA	PGP3250

Water Service Pipes MDPE PE80





MDPE PE80 12 Bar Pressure Pipe	Colour	Product Code
20mm x 25m Coil. 0.13kg/m, 2.3mm.	NA	2025
20mm x 50m Coil. 0.13kg/m, 2.3mm.	NA	2050
20mm x 100m Coil. 0.13kg/m, 2.3mm.	NA	20100
25mm x 25m Coil. 0.17kg/m, 2.3mm.	NA	2525
25mm x 50m Coil. 0.17kg/m, 2.3mm.	NA	2550
25mm x 100m Coil. 0.17kg/m, 2.3mm.	NA	25100
32mm x 25m Coil. 0.28kg/m, 3.0mm.	NA	3225
32mm x 50m Coil. 0.28kg/m, 3.0mm.	NA	3250
32mm x 100m Coil. 0.28kg/m, 3.0mm.	NA	32100
50mm x 25m Coil. 0.67kg/m, 4.6mm.	NA	5025
50mm x 50m Coil. 0.67kg/m, 4.6mm.	NA	5050
63mm x 25m Coil. 1.05kg/m, 5.8mm.	NA	6325
63mm x 50m Coil. 1.05kg/m, 5.8mm.	NA	6350
63mm x 100m Coil. 1.05kg/m, 5.8mm.	NA	63100



Meter Boxes

Land Drainage Coils	Colour	Product Code
Waterfit Meter Box - 25mm - 800mm Rigid Tube		NPLD6025
Waterfit Meter Box - 25mm - Telescopic (450-750mm)		NPLD6050
Waterfit Meter Box Polymer Lid		NPLD60150
Waterfit Meter Box Cast Iron Lid		NPLD8025
Waterfit 1 1/2" Barrier M/Box - 800mm Tube - 3/4" Gun Metal		NPLD8050
Waterfit 25mm Mdpe Multi-Strap - 90-125mm		NPLD80100



MDPE Fittings

Coupler	Colour	Product Code
Coupler - 20 x 20mm		PNSC20
Coupler - 25 x 25mm		PNSC25
Coupler - 32 x 32mm		PNSC32
Coupler - 50 x 50mm		PNSC50
Coupler - 63 x 63mm		PNSC63



Reducing Coupler	Colour	Product Code
Reducing Coupler - 25 x 20mm		PNRC2520
Reducing Coupler - 32 x 20mm		PNRC3220
Reducing Coupler - 32 x 25mm		PNRC3225
Reducing Coupler - 50 x 25mm		PNRC5025
Reducing Coupler - 50 x 32mm		PNRC5032
Reducing Coupler - 63 x 25mm		PNRC6325
Reducing Coupler - 63 x 32mm		PNRC6332
Reducing Coupler - 63 x 50mm		PNRC6350












End Plug	Colour	Product Code
End Plug - 20mm		PNEP20
End Plug - 25mm		PNEP25
End Plug - 32mm		PNEP32







Plug Adaptor	Colour	Product Code
Plug Adaptor - 20mm		PNPA20
Plug Adaptor - 25mm		PNPA25








Male Adaptor	Colour	Product Code
Male Adaptor - 20mm x 1/2"		PNMA2012
Male Adaptor - 20mm x 3/4"		PNMA2034
Male Adaptor - 25mm x 1"		PNMA2501
Male Adaptor - 25mm x 1/2"		PNMA2512
Male Adaptor - 25mm x 3/4"		PNMA2534
Male Adaptor - 32mm x 1"		PNMA3201
Male Adaptor - 50mm x 1 1/2"		PNMA50112
Male Adaptor - 50mm x 2"		PNMA5002
Male Adaptor - 63mm x 2"		PNMA6302



Female Adaptor	Colour	Product Code
Female Adaptor - 20mm x 1/2"		PNFA2012
Female Adaptor - 20mm x 3/4"		PNFA2034
Female Adaptor - 25mm x 3/4"		PNFA2534
Female Adaptor - 32mm x 1"		PNFA3201






90° Tee	Colour	Product Code
90° Tee - 20 x 20 x 20mm		PNTE20
90° Tee - 25 x 25 x 25mm		PNTE25
90° Tee - 32 x 32 x 32mm		PNTE32
90° Tee - 50 x 50 x 50mm		PNTE50
90° Tee - 63 x 63 x 63mm		PNTE63






90° Reducing Tee	Colour	Product Code
90° Reducing Tee - 25 x 20 x 25mm		PNRT252025
90° Reducing Tee - 63 x 32 x 63mm		PNRT633263










MDPE Fittings

90° Elbow	Colour	Product Code
90° Elbow - 20 x 20mm		PNEL20
90° Elbow - 25 x 25mm		PNEL25
90° Elbow - 32 x 32mm		PNEL32
90° Elbow - 50 x 50mm		PNEL50
90° Elbow - 63 x 63mm		PNEL63




Wall Plate Elbow (PP)	Colour	Product Code
Wall Plate Elbow (PP) - 20mm x 1/2"		PNWE2012PP
Wall Plate Elbow (PP) - 25mm x 3/4"		PNWE2534PP

Wall Plate Elbow (DZR)	Colour	Product Code
Wall Plate Elbow (DZR) - 20mm x 1/2"		PNWE2012DZ
Wall Plate Elbow (DZR) - 25mm x 3/4"		PNWE2534DZ








Wall Plate Elbow (Pushfit)	Colour	Product Code
Wall Plate Elbow (Pushfit) - 20mm x 1/2"		PNPWE2012
Wall Plate Elbow (Pushfit) - 25mm x 1/2"		PNWE2512PP
Wall Plate Elbow (Pushfit) - 25mm x 3/4"		PNPWE2534

90° Elbow Female Offtake	Colour	Product Code
Elbow-Female Offtake - 20mm x 1/2"		PNFO2012
Elbow-Female Offtake - 25mm x 1/2"		PNFO2512
Elbow-Female Offtake - 25mm x 3/4"		PNFO2534
Elbow-Female Offtake - 32mm x 1"		PNFO3201





90° Elbow Male Offtake	Colour	Product Code
Elbow-Male Offtake - 25mm x 3/4"		PNMO2534
Elbow-Male Offtake - 25mm x 1"		PNFO2512
Elbow-Male Offtake - 63mm x 2"		PNELMO6302








Universal Slip Coupler	Colour	Product Code
Universal Slip Coupler - 14-18mm		PNUC1418
Universal Slip Coupler - 19-22mm		PNUC1922
Universal Slip Coupler - 24-28mm		PNUC2428
Universal Slip Coupler - 31-35mm		PNUC3135
Universal Slip Coupler - 40-43mm		PNUC4043
Universal Slip Coupler - 48-51mm		PNUC4851
Universal Slip Coupler - 60-64mm		PNUC6064



Pushfit Universal	Colour	Product Code
Pushfit Universal - 25 x 14-18mm		PNUC251418
Pushfit Universal - 25 x 19-22mm		PNUC251922
Pushfit Universal - 25 x 24-28mm		PNUC252428
Pushfit Universal - 25 x 31-35mm		PNUC253135





Coupler Plass4	Colour	Product Code
Coupler Plass4 - 25 x 15-22mm		PNP4251522
Coupler Plass4 - 25 x 20-27mm		PNP4252027
Coupler Plass4 - 25 x 27-35mm		PNP4252735
Coupler Plass4 - 32 x 27-35mm		PNP4322735
Coupler Plass4 - 50 x 35-50mm		PNP4503550








Pushfit Universal Cu/PB/PEX x Universal	Colour	Product Code
Pushfit Univ. 22 Cu/pex/pb - 14-18mm		PNUC221418
Pushfit Univ. 22 Cu/pex/pb - 19-22mm		PNUC221922
Pushfit Univ. 22 Cu/pex/pb - 24-28mm		PNUC222428






MDPE Fittings






Pushfit Coupler PE x Cu/PB/PEX	Colour	Product Code
Pushfit cu/pb/pex - 20 x 15mm		PNUC2015
Pushfit cu/pb/pex - 25 x 15mm		PNUC2515
Pushfit cu/pb/pex - 25 x 22mm		PNUC2522
Pushfit cu/pb/pex - 32 x 28mm		PNUC3228

Coupler Imperial/Metric	Colour	Product Code
Imp/Metric Coupler - 1/2" x 20mm		PNSC1220
Imp/Metric Coupler - 1/2" x 25mm		PNSC1225
Imp/Metric Coupler - 3/4" x 25mm		PNSC3425
Imp/Metric Coupler - 3/8" x 20mm		PNSC3820

Copper Adaptor	Colour	Product Code
Copper Adaptor - 20 x 15mm		PNCA2015
Copper Adaptor - 25 x 15mm		PNCA2515
Copper Adaptor - 25 x 22mm		PNCA2522
Copper Adaptor - 32 x 28mm		PNCA3228

Reducing Set	Colour	Product Code
Reducing Set - 25 x 20mm		PNRS2520
Reducing Set - 32 x 20mm		PNRS3220
Reducing Set - 32 x 25mm		PNRS3225



Pipe Liner	Colour	Product Code
Pipe Liner - 20mm		PNPL20
Pipe Liner - 25mm		PNPL25
Pipe Liner - 32mm		PNPL32
Pipe Liner - 50mm		PNPL50
Pipe Liner - 63mm		PNPL63










Fittings for Water Pipe








www.plasson.co.uk




Barrier Fittings




Male Adaptor Barrier	Colour	Product Code
Male Adaptor Barrier - 25mm x 3/4"		PNMA2534B
Male Adaptor Barrier - 32mm x 3/4"		PNBMA3234
Male Adaptor Barrier - 32mm x 1"		PNBMA3201
Male Adaptor Barrier - 63mm x 1½"		PNBMA63112
Male Adaptor Barrier - 63mm x 2"		PNMA6302B




Female Adaptor Barrier	Colour	Product Code
Female Adaptor Barrier - 25mm x 3/4"		PNBFA2534
Female Adaptor Barrier - 25mm x 1"		PNBFA2501
Female Adaptor Barrier - 32mm x 3/4"		PNBFA3234
Female Adaptor Barrier - 32mm x 1"		PNBFA3201
Female Adaptor Barrier - 63mm x 1½"		PNBFA63112
Female Adaptor Barrier - 63mm x 2"		PNBFA6302




Coupler Barrier	Colour	Product Code
Coupler Barrier - 25 x 25mm		PNBSC25
Coupler Barrier - 32 x 32mm		PNBSC32
Coupler Barrier - 63 x 63mm		PNBSC63


Coupler Barrier x Metric PE	Colour	Product Code
Coupler 25mm Barrier x 25mm Metric PE		PNBSC25MET
Coupler 32mm Barrier x 32mm Metric PE		PNBSC32MET
Coupler 63mm Barrier x 63mm Metric PE		PNBSC63MET









Coupler Barrier x Copper	Colour	Product Code
Coupler 25mm Barrier x 22mm Copper		PNRC2522B
Coupler 32mm Barrier x 28mm Copper		PNBRC3228
Coupler 63mm Barrier x 54mm Copper		PNRC6354B




Reducing Coupler Barrier	Colour	Product Code
Reducing Coupler Barrier - 32 x 25mm		PNBRC3225
Reducing Coupler Barrier - 63 x 25mm		PNBRC6325
Reducing Coupler Barrier - 63 x 32mm		PNBRC6332

90° Elbow Barrier	Colour	Product Code
90° Elbow Barrier - 25 x 25mm		PNBEL25
90° Elbow Barrier - 32 x 32mm		PNBEL32
90° Elbow Barrier - 63 x 63mm		PNBEL63

45° Elbow Barrier	Colour	Product Code
45° Elbow Barrier - 63 x 63mm		PNBOEL63



90° Elbow Female Adaptor Barrier	Colour	Product Code
90° Elbow Female Adaptor Barrier - 25mm x 3/4"		PNBELFO2534
90° Elbow Female Adaptor Barrier - 32mm x 1"		PNBELFO3201
90° Elbow Female Adaptor Barrier - 63mm x 2"		PNBELFO6302




End Plug Barrier	Colour	Product Code
End Plug Barrier - 25mm		PNBEP25
End Plug Barrier - 32mm		PNBEP32
End Plug Barrier - 63mm		PNBEP63

90° Tee Barrier	Colour	Product Code
90° Tee Barrier - 25 x 25 x 25mm		PNBTE25
90° Tee Barrier - 32 x 32 x 32mm		PNBTE32
90° Tee Barrier - 63 x 63 x 63mm		PNBTE63



Barrier Fittings

Reducing 90° Tee Barrier	Colour	Product Code
Reducing Tee Barrier - 32 x 25 x 32mm		PNBRTE3225
Reducing Tee Barrier - 63 x 32 x 63mm		PNBRTE6332

Adaptor Kit Barrier	Colour	Product Code
Adaptor Kit Barrier - 25mm		PNAK25B
Adaptor Kit Barrier - 32mm		PNAK32B
Adaptor Kit Barrier - 63mm		PNAK63B






The UK's first range of fittings with approval on multiple manufacturers barrier pipes, 25mm, 32mm and 63mm.

- UK Water Reg 4 approved
- Conforms to BS6920
- Independent test certification for permeation testing in accordance with BS8588 on all the leading brands of barrier pipe, compatible with:
 - GPS - Protectaline
 - egeplast - SLA
 - Radius - Puriton 2
 - Polypipe - Polyguard



MDPE Fittings

Stop Tap Chamber With plastic lid	Colour	Product Code
Stop Tap Chamber + Plastic Lid		PNSTC

Stop Tap (PP) Above and below ground	Colour	Product Code
Stop Tap (PP) - 20 x 20mm		PNST20
Stop Tap (PP) - 25 x 25mm		PNST25
Stop Tap (PP) - 32 x 32mm		PNST32

Mains Stop Valve Above and below ground	Colour	Product Code
Mains Stop Valve FI x FI - 1 1/2"		PNSVFI112
Mains Stop Valve FI x FI - 2"		PNSVFI02

Mains Stop Valve Above and below ground	Colour	Product Code
Mains Stop Valve FI x FI - 50mm		PNMSV5050
Mains Stop Valve FI x FI - 63mm		PNMSV63

Meter Mount Kit	Colour	Product Code
Meter Mount Kit (Below Ground) - 25mm		PNMMK



Stop Tap Above & Below Ground
PNST20



MCP System

MCP For multi-occupancy buildings	Colour	Product Code
MCP 3/4" BSPP x 3/4" BSPP		PNMCP3434BSPP

MCP For multi-occupancy buildings	Colour	Product Code
MCP 3/4" BSPP x 22mm Cu/PB/PEX		PNMCP3422BSPPPF
MCP 3/4" BSPP x 28mm Cu/PB/PEX		PNMCP2834BSPPPF

MCP For multi-occupancy buildings	Colour	Product Code
MCP 25mm PE x 3/4" BSPP		PNMCP3425BSPP
MCP 32mm PE x 3/4" BSPP		PNMCP3234BSPP



MCP For single meter connection	Colour	Product Code
MCP 25mm PE x 15mm Cu/PB/PEX		PNMCP2515
MCP 25mm PE x 22mm Cu/PB/PEX		PNMCP2522



MCP For single meter connection	Colour	Product Code
MCP 22mm Cu/PB/PEX x 22mm Cu/PB/PEX		PNMCP2222



MCP For single meter connection	Colour	Product Code
MCP 25mm Barrier x 22mm Cu/PB/PEX		PNMCPB2522




PLASSON® Multiport Manifolds

The PLASSON Multiport Manifold system is designed to connect incoming water mains and enable separation into individual supply pipes for connection of multiple dwellings.

An extensive range of one piece construction manifolds are available with between 2 and 16 outlets. There are two options for connecting the incoming supply, and outlets at either 130mm centres, allowing meter faces to line up, or 90mm centres alternately staggered, both meeting the water utility companies installation requirements for water meters.

- One piece construction from PP-RCT
- 3 outlet to 16 outlet ports from 63mm header
- End Supply and Centre Supply options
- Plain end for connection with PLASSON fitting or 2" MI BSP connection
- 130mm straight or 90mm staggered centres to allow meter installation position as per Water Utility company requirements
- Specifically designed to work with the PLASSON MCP Meter connection point
- Available with or without drain port



PLASSON



www.plasson.co.uk

Introducing

PLASSON® MCP System

Say hello to our cutting-edge system that combines mains isolation, meter connection, drain point and backflow prevention into a compact one-piece unit for apartment buildings.









Revolutionising water meter installations in multi-occupancy dwellings. Integrating seamlessly with our bespoke manifolds, this system connects incoming water mains and allows for individual supply pipes to multiple dwellings.








Choose from a range of incoming and outgoing connections and one piece construction manifolds with varying outlet options to suit your needs. With UK Water Reg4 approval.

Available at E. Tupling - as always.
















110mm Underground Drainage

Pipes	Colour	Product Code
110mm x 3m Plain End Pipe		B4001
110mm x 6m Plain End Pipe		B4011
110mm x 3m Single Socket Pipe		B4403
110mm x 6m Single Socket Pipe		B4406
160mm x 3m Plain End Pipe		B6001
160mm x 6m Plain End Pipe		B6011
160mm x 3m Single Socket Pipe		B6603
160mm x 6m Single Socket Pipe		B6606

Couplers	Colour	Product Code
110mm Double Socket PVC (BS) Coupler		B5001
110mm Double Socket PVC Slip Coupler		B5001S
110mm Single Socket Coupler		B5011
160mm Single Socket Coupler		B7011
160mm Double Socket PVC (BS) Coupler		B7001
160mm Double Socket PVC Slip Coupler		B7001S
160mm Double Socket Polypropylene Coupler		B6021



























Single Socket Bends	Colour	Product Code
110mm x 87 1/2° Single Socket Bend		B5041
110mm x 67 1/2° Single Socket Bend		B5051
110mm x 45° Single Socket Bend		B5061
110mm x 22 1/2° Single Socket Bend		B5071
110mm x 11 1/4° Single Socket Bend		B5081
110mm x 0°-30° Adjustable Single Socket Bend		B5030
160mm x 87 1/2° Single Socket Bend		B7041
160mm x 67 1/2° Single Socket Bend		B7051
160mm x 45° Single Socket Bend		B7061
160mm x 22 1/2° Single Socket Bend		B7171
160mm x 11 1/4° Single Socket Bend		B7181

Double Socket Bends	Colour	Product Code
110mm x 87 1/2° Double Socket Bend		B4031
110mm x 87 1/2° D/S Rest Bend (Long Radius)		B4131
110mm x 67 1/2° Double Socket Bend		B4071
110mm x 45° Double Socket Bend		B4041
110mm x 22 1/2° Double Socket Bend		B4051
110mm x 11 1/4° Double Socket Bend		B4061
110mm x 0°-90° Adjustable Double Socket Bend		B4029
110mm x 0°-30° Adjustable Double Socket Bend		B4030
160mm x 87 1/2° Double Socket Bend		B6031
160mm x 67 1/2° Double Socket Bend		B6071
160mm x 45° Double Socket Bend		B6041
160mm x 22 1/2° Double Socket Bend		B6051
160mm x 11 1/4° Double Socket Bend		B6061



























110mm Underground Drainage

Long Radius Bends	Colour	Product Code
110mm x 87½° Long Radius Plain End Bend		B5031
110mm x 45° Long Radius Plain End Bend		B5032
110mm x 22½° Long Radius Plain End Bend		B5033
110mm x 11¼° Long Radius Plain End Bend		B5034
110mm x 87½° Long Radius Single Socket Bend		B5930
110mm x 45° Long Radius Single Socket Bend		B5931
110mm x 22½° Long Radius Single Socket Bend		B5932
110mm x 11¼° Long Radius Single Socket Bend		B5933
160mm x 87½° Long Radius Plain End Bend		B7021
160mm x 45° Long Radius Plain End Bend		B7022
160mm x 22½° Long Radius Plain End Bend		B7023
160mm x 87½° Long Radius Single Socket Bend		B7921

Branches	Colour	Product Code
110mm x 87½° Double Socket Branch		B5101
110mm x 45° Double Socket Branch		B5111
110mm x 87½° Triple Socket Branch		B4081
110mm x 45° Triple Socket Branch		B4091
160mm x 110mm x 87½° Double Socket Branch		B7091
160mm x 110mm x 45° Double Socket Branch		B7101
160mm x 110mm x 87½° Triple Socket Branch		B7092
160mm x 110mm x 45° Triple Socket Branch		B7102
160mm x 160mm x 87½° Double Socket Branch		B7111
160mm x 160mm x 45° Double Socket Branch		B7121
160mm x 160mm x 87½° Triple Socket Branch		B6081
160mm x 160mm x 45° Triple Socket Branch		B6091



Saddle Branches	Colour	Product Code
110mm x 87 ½° Solvent Weld Branch		B7007
110mm x 45° Solvent Weld Branch		B7002
160mm x 110mm x 87 ½° Solvent Weld Branch		B7008
160mm x 160mm x 87 ½° Solvent Weld Branch		B7009
160mm x 110mm x 45° Solvent Weld Branch		B7003
160mm x 160mm x 45° Solvent Weld Branch		B7004








Adaptors & Plugs	Colour	Product Code
110mm Salt Glaze Socket Adaptor		B5131
110mm Salt Glaze Spigot Adaptor		B5141
110mm uPVC To Standard Clay Adaptor		B3500
110mm uPVC To Super Clay Adaptor		B3510
110mm Plug (Temporary)		B5120
110mm Plug (Permanent)		B5122
110mm Socket Plug		B5121
110mm x 50mm - Seal Accepts Push-Fit Waste		B4301
110mm x 50mm - Seal Accepts MuPVC Waste		B4501
110mm x 32mm x 32mm Seals Accept MuPVC Waste		B4601
110mm x 32mm x 40mm Seals Accept MuPVC Waste		B4701
110mm Single Socket Level Invert Taper		B7131
160mm Salt Glaze Socket Adaptor		B7161
160mm Salt Glaze Spigot Adaptor		B7151
160mm Socket Plug		B7141
110mm Universal Adaptor (Pipe)**		B4801
110mm Universal Adaptor (Socket)**		B4901
110mm x 68mm Rainwater Pipe Adaptor		BR223

**Use Rainwater Adaptor BR517 to connect to square pipe.



110mm Underground Drainage

Bottle Gullies <small>(Pedestrian Areas Only)</small>	Colour	Product Code
Back Inlet Roddable Gully 90° Outlet Round Grid	NA	B1001
Back Inlet Roddable Gully 90° Outlet Rectangular Grid	NA	B1002
Back Inlet Roddable Gully 90° Outlet Square Grid*	NA	B1003
90° Outlet Roddable Gully Round Grid	NA	B1101
90° Outlet Roddable Gully Rectangular Grid	NA	B1102
90° Outlet Roddable Gully Square Grid	NA	B1103
Spare Round Hopper And Grid	NA	B1004
Spare Rectangular Hopper And Grid	NA	B1005
Spare Square Hopper And Grid	NA	B1006
Back Inlet Gully Raising Piece	NA	B1007
Paving Collar (Use With Square Hopper, Code B1006)	NA	B1008


Tubular Gullies/Hoppers <small>(including Grid)</small>	Colour	Product Code
110mm Low Level P Trap Gully		B1300
110mm Low Trapped Gully		B1013
110mm Integral Rectangular Hopper		B1031
160mm x 160mm Square Hopper with 110mm Solvent Socket		B1061
110mm Square Hopper Riser		B1078
200mm x 110mm Round Hopper		B1021
160mm x 110mm Square Hopper		B1071

Hoppers <small>(with Horizontal Socket Inlet)</small>	Colour	Product Code
Round Hopper (200mm with 110mm Inlet)	NA	B1022
Square Hopper (160mm with 110mm Inlet)	NA	B1077



Grids/Sealing Plates	Colour	Product Code
160mm Square Alloy Grid	NA	B9131
160mm Square Plastic Grid	NA	B9141
160mm Square Hinged Alloy Grid	NA	B6666
160mm Square Alloy Sealing Plate	NA	B9201
200mm Round Alloy Grid	NA	B9151
200mm Round Plastic Grid	NA	B9171
200mm Round Sealing Plate	NA	B9221

Yard Gully	Colour	Product Code
300mm Dia. x 600mm Invert Trapped Yard Gully x 110mm	NA	B6300
Aluminium Silt Bucket	NA	B6301
Heavy Duty Grating To BS EN 124 Class C250kN	NA	B6302

Trapped Road Gullies	Colour	Product Code
750mm Invert x 450mm Dia Road Gully		B7450
900mm Invert x 450mm Dia Road Gully	NA	B9450
450mm x 450mm Heavy Duty Hinged Gully Grating	NA	B9302



Low Level P Trap Gully 110mm
B1300



Access & Inspection

280mm Shallow Access Chamber (3 Inlets)	Colour	Product Code
280mm Dia. Shallow Access Chamber (205mm Invert) inc. 2 Socket Plugs		B2800
280mm Dia. 90° Chamber Base (205mm Invert)		B2803
280mm Dia. Shallow Access Riser (185mm Invert)		B2801
280mm Dia. Shallow Access Chamber Square Double Seal Lid (Pedestrian)		B2802

Base & 2 Risers & Lid & Frame - maximum allowable invert of 600mm

315mm Shallow Access Chambers (5 Inlets)	Colour	Product Code
315mm Dia. Shallow Access Chamber Base 190mm Invert (Inc. 2 Socket Plugs)		B3150
315mm Dia Shallow Access Chamber Riser (185mm Invert)		B3151
315mm Dia. Shallow Access Chamber Sealed Lid (Pedestrian)		B3153
315mm Dia. Shallow Access Chamber Sealed Lid (Driveway) 35kN*		B3154

315mm Shallow Access Chamber EN 13598-1	Colour	Product Code
315mm Chamber Base 190mm Invert (Inc. 2 Socket Plugs)		B3156
315mm Chamber Riser 185mm Invert (Inc. Seal)		B3157
315mm Chamber Seal		B3158

Base & 2 Risers & Lid & Frame - maximum allowable invert of 600mm.

450mm Inspection Chamber (5 Inlets) EN 13598-1	Colour	Product Code
450mm x 110mm Chamber Base (225mm Invert) (Inc. 3 Socket Plugs)		B4500
450mm x 160mm Chamber Base (255mm Invert) (Inc. 3 Socket Plugs)		B4506
450mm Chamber Riser (300mm Invert) (Inc. Seal)		B4502
450mm Chamber Seal		B4503



450mm Inspection Chambers (5 Inlets)	Colour	Product Code
450mm Dia. Chamber Base (225mm Invert) (Inc. 3 Socket Plugs) 110mm		B5494
450mm Dia. Chamber Base (225mm Invert) (Inc. 3 Socket Plugs) 160mm		B5696
450mm Dia. Chamber Riser (315mm Invert)†		B5397
450mm Sealing Ring (For Use With B5397)†		B5398
450mm Dia. Secured Plastic Cover for Driveways 50kN*		B6255
450mm Dia. Secured Square Plastic Cover for Driveways 50kN*		B6260
450mm x 350mm Reducer (Invert Over 1.2m) EN124		B6350
110mm Spare Plug (Chamber)		B5000
160mm Spare Plug (Chamber)		B5100

† Optional sealing ring available (item BS398). *For use in driveways - recommend bedding frame in concrete.

Access Fittings	Colour	Product Code
110mm x 87½° Access Bend		B1839
110mm Single Socket Access Pipe		B5104
110mm Rodding Point Socketed And Sealed		B5592
110mm Oval Rodding Point		B5591
110mm Screw Access Cover		B5091
160mm Single Socket Access Pipe		B7104
160mm Rodding Point Socketed And Sealed		B6691
160mm Screw Access Cover		B7071



Chamber Base 315mm, 190mm Invert
B3156

Land Drainage Coils

Land Drainage Coils	Colour	Product Code
Perforated Land Drainage - 60mm X 25m	●	NPLD6025
Perforated Land Drainage - 60mm X 50m	●	NPLD6050
Perforated Land Drainage - 60mm X 150m	●	NPLD60150
Perforated Land Drainage - 80mm X 25m	●	NPLD8025
Perforated Land Drainage - 80mm X 50m	●	NPLD8050
Perforated Land Drainage - 80mm X 100m		NPLD80100
Perforated Land Drainage - 100mm X 25m		NPLD10025
Perforated Land Drainage - 100mm X 50m		NPLD10050
Perforated Land Drainage - 100mm X 100m		NPLD100100
Perforated Land Drainage - 160mm X 25m		NPLD16050

Fittings	Colour	Product Code
60mm Land Drainage Connector	●	NLDCONN60
80mm Land Drainage Connector	●	NLDCONN80
100mm Land Drainage Connector	●	NLDCONN100
160mm Land Drainage Connector	●	NLDCONN160
60mm Land Drainage End Cap	●	NLDEC60
80mm Land Drainage End Cap		NLDEC80
100mm Land Drainage End Cap		NLDEC100
160mm Land Drainage End Cap		NLDEC160
100mm Land Drainage Multi-Junction		NLDY100
160mm Land Drainage Multi-Junction		NLDY160

Twinwall Ducting

50/63mm Twinwall Ducting	Colour	Product Code
(Electrical) Twinwall Ducting - 50/63mm X 50m	●	NTW6350BL
(Water) Twinwall Ducting - 50/63mm X 50m	●	NTW6350BU
(Gas) Twinwall Ducting - 50/63mm X 50m	●	NTW6350YE

50/63mm Twinwall Ducting	Colour	Product Code
(Electrical) Twinwall Ducting - 94/110mm X 50m	●	NTW11050BL
(Water) Twinwall Ducting - 94/110mm X 50m	●	NTW11050BU
(Gas) Twinwall Ducting - 94/110mm X 50m	●	NTW11050YE

4" / 110mm Underground Drainage System

Pipe & Couplers	Colour	Product Code
3M Pipe - Plain Ended	●	FLOD043
3M Pipe - Single Socket	●	FLOD143
6M Pipe - Single Socket - special order only	●	FLOD146
Coupler - Double Socket	●	ETUG105
Coupler - Single Socket	●	FLOD124

Bends	Colour	Product Code
15 Degree Bend - Single Socket	●	ETUG167
30 Degree Bend - Single Socket	●	ETUG164
45 Degree Bend - Single Socket	●	ETUG163
90 Degree Bend - Single Socket	●	ETUG161
15 Degree Bend - Double Socket	●	ETUG567
30 Degree Bend - Double Socket	●	ETUG564
45 Degree Bend - Double Socket	●	ETUG563
90 Degree Bend - Double Socket	●	ETUG561
87.5 Degree Rest Bend - Double Socket	●	ETUG571
87.5 Degree Long Radius Bend - Plain End	●	ETUG281
45 Degree Long Radius Bend - Plain End	●	ETUG283
0-90 Degree Adjustable Bend	●	ETUG560

Branches	Colour	Product Code
87.5 Degree Branch - Double Socket	●	ETUG190
87.5 Degree Branch - Triple Socket	●	ETUG191
45 Degree Branch - Double Socket	●	ETUG210
45 Degree Branch - Triple Socket	●	ETUG211



Gully Range & Access Fittings	Colour	Product Code
Low Back 'P' Trap	●	ETUG501
Hopper including Grid	●	ETUG504
Rectangular Hopper including Grid	●	ETUG506
Universal Gully Trap (Socket/Spigot 45 Degree)	●	FLOD500
Bottle Gully - Circular Lid	●	FLOD510
Bottle Gully - Square Lid	●	FLOD515
Bottle Gully - Rectangular Lid	●	FLOD520
Back Inlet Bottle Gully - Rectangular Lid	●	FLOD530
Back Inlet Bottle Gully - Circular Lid	●	FLOD540
Gully Trap Riser 200mm	●	FLOD505
87.5 Degree Access Bend - Single Socket	●	FLOD169
Screwed Access Cap	●	ETUG292
Oval Rodding Eye	●	PD881
PVC Oval Rodding Point (Spigot)	●	FLOD881
PVC Oval Rodding Point (Socket)	●	FLOD882
PVC Square Rodding Point (Spigot)	●	FLOD883
PVC Square Rodding Point (Socket)	●	FLOD884

Chamers, Risers & Lids	Colour	Product Code
320mm Chamber Base - 226mm effective height	●	PD810
320mm Chamber Riser - 158mm effective height	●	PD820
320mm Round Cover & Frame (includes Seal)	●	PD830
320mm Square Cover & Frame (includes Seal)	●	PD840
450mm Chamber Base - 238mm effective height	●	PD910
450mm Chamber Riser - 235mm effective height	●	PD915
450mm Sealing Ring to be used with PD915 Riser	●	PD935
450mm Round Cover & Frame	●	PD930
450mm Square Cover & Frame	●	PD940















4" / 110mm Underground Drainage System

Adaptors & Plugs	Colour	Product Code
Socket Plug		ETUG296
32/40/50mm Universal Waste Adaptor - Rubber		FL0D95
Square/Round Universal Rainwater Adaptor - Rubber		FL0D96




Shallow Channel Drain - Plastic Cover A15 EN:1433	Colour	Product Code
Shallow Channel Drain 1M		PSCD1000
Shallow Quad		PSCDQ
Shallow End Cap		PSCDEC
Shallow End Cap Outlet		PSCDEO
Shallow Body Outlet		PSCDBO






Perforated Land Drainage	Colour	Product Code
60mm x 50m COIL C/W Conn		PLD6050B
60mm x 150m COIL C/W Conn		PLD60150B
80mm x 25m COIL C/W Conn		PLD8025B
80mm x 50m COIL C/W Conn		PLD8050B
80mm x 100m COIL C/W Conn		PLD80100B
100mm x 25m COIL C/W Conn		PLD10025B
100mm x 50m COIL C/W Conn		PLD10050B
100mm x 100m COIL C/W Conn		PLD100100B
160mm x 35m COIL C/W Conn		PLD16035B
160mm x 50m COIL C/W Conn		PLD16050B
100mm Multi Y Junction		PLDY100
160mm Multi Y Junction		PLDY160



















Non-Return Valves	Colour	Product Code
110mm		FSBWV110/1



6" / 160mm Underground Drainage System

Pipe & Couplers	Colour	Product Code
3M Pipe - Single Socket		FLO6D143
6M Pipe - Single Socket		FLO6D146
Coupler - Double Socket		ETUG6D105



Bends & Couplers	Colour	Product Code
15 Degree Bend - Single Socket		ETUG6D167
30 Degree Bend - Single Socket		ETUG6D164
45 Degree Bend - Single Socket		ETUG6D163
90 Degree Bend - Single Socket		ETUG6D161
30 Degree Bend - Double Socket		ETUG6D564
15 Degree Bend - Double Socket		ETUG6D567
90 Degree Bend - Double Socket		ETUG6D561
45 Degree Bend - Double Socket		ETUG6D563
87.5 Degree Branch - 160mm X 110mm - Double Socket		ETUG6D198
45 Degree Branch - 160mm X 110mm - Double Socket		ETUG6D218
90 Degree Branch - 160mm X 160mm - Double Socket		ETUG6D190
45 Degree Branch - 160mm X 160mm - Double Socket		ETUG6D210
87.5 Degree Branch - 160mm X 110mm - Triple Socket		ETUG6D199
45 Degree Branch - 160mm X 110mm - Triple Socket		ETUG6D219
90 Degree Branch - 160mm X 160mm - Triple Socket		ETUG6D191
45 Degree Branch - 160mm X 160mm - Triple Socket		ETUG6D211

Access Fittings	Colour	Product Code
Oval Rodding Point (Galvanised)		BMB6691
Single Socket Access Pipe		BMB7104




6" / 160mm Underground Drainage System

Chambers, Risers & Lids	Colour	Product Code
450mm Chamber Base (160mm) - 305mm effective height	●	PD6D910
450mm Chamber Riser - 235mm effective height	●	PD915
450mm Sealing Ring to be used with each PD915 Riser	●	PD935
450mm Round Cover & Frame	●	PD930
450mm Square Cover & Frame	●	PD940

Adaptors & Etugs	Colour	Product Code
Level Invert Reducer 160mmx110mm	●	ETUG6D99
Socket	●	ETUG6D296

Non-Return Valves	Colour	Product Code
160mm	●	FSBWW160/1

Attenuation/Soakaway Crates	Colour	Product Code
Hydrocell Crate	●	PDHCC60



Hydrocell Crate
PDHCC60

THE LEADING DISTRIBUTOR TO INDEPENDENT MERCHANTS

The Complete Renewable & Underfloor Heating Solution

Underfloor heating and air source heat pump enquiries have never been easier for merchants with the use of E.Tupling's simple, yet sophisticated, **INSTANT QUOTE APP!**

DOWNLOAD NOW



Desktop version also available at app.etupling.co.uk/home



Underfloor Heating

Maincor PE-RT Pipe	Product Code
Maincor 12 x 1.3mm PE-RT Pipe 80m Coil	MC53120038080
Maincor 12 x 1.3mm PE-RT Pipe 200m Coil	MC53120038200
Maincor 12 x 1.3mm PE-RT Pipe 240m Coil	MC53120038240
Maincor 16 x 2mm PE-RT Pipe 100m Coil	MC50160034100
Maincor 16 x 2mm PE-RT Pipe 150m Coil	MC50160674150
Maincor 16 x 2mm PE-RT Pipe 200m Coil	MC50160674200
Maincor 16 x 2mm PE-RT Pipe 300m Coil	MC50160674300

Maincor PE-RT pipe is a 5 layer barrier pipe, which has an EVOH oxygen barrier layer which complies with ISO17455. Available in 12 and 16mm options.

Multi-Layer Composite PE-RT / Aluminium / PE-RT Barrier Pipe	Product Code
Frankische 16 x 2mm profitherm MLC Pipe 100m Coil	FR73516400
Frankische 16 x 2mm profitherm MLC Pipe 200m Coil	FR73516700
Frankische 16 x 2mm profitherm MLC Pipe 400m Coil	FR73516801
Frankische 16 x 2mm profitherm MLC Pipe 600m Coil	FR73516900

High quality MLC Pipe, 16mm premium PE-RT / AL / PE-RT pipe, suitable for underfloor heating. This easy-to-use pipe holds its shape when bent and is marked every metre for simple installation. It has an aluminium core, this thin layer of overlap welded aluminium protects against corrosion and creates a 100% oxygen barrier. Continuous upper temperature resistance of 70 degrees celsius.

Solid Floor Fixing Accessories	Product Code
60mm Staples (Box of 300)	ETSTP60
40mm Staples (Box of 300)	ETSTP40
Staple Gun	ETSTPLR
Edge Foam 150mm x 25m Roll	ETEF25M
Self Adhesive Fixing Clip Rail	ETCRIM



Solid Floor Fixing Accessories	Product Code
Profix Plus Castellated Panel 20 x 600 x 1200mm	PROFIXPLUS
Frankische 19mm Split Conduit 25m	FR79919123

Retrofit Fixing Panels	Product Code
Aluminium Spreader Plate 2 Groove (200mm Centres)	ETSP200
Aluminium Spreader Plate 3 Groove (133mm Centres)	ETSP133
Foiled Grooved Chipboard 22 x 600 x 2400mm	ETCHIPFOIL

High Density Lightweight XPS Extruded Routed Insulation Panel	Product Code
18mm UFH Panel	XPS18




High density lightweight XPS extruded routed insulation panel. High output & low profile. Dimensions: 1200mm x 600mm, 0.72sqm coverage per floor panel. Radius bend integral, no end return required, allows greater surface area for heat conductivity. 18mm panel for 12mm pipe at 150mm centres. Suitable for new build and retro-fit, compressive strength at 10% deflection - 300k Pa. Thermal conductivity - 0.033w/mK. 100% recyclable, raw material manufactured in accordance with BSEN13164, fire class according to EN13501-01.

High Density Lightweight XPS Extruded Routed Insulation Panel	Product Code
20mm UFH Panel with Aluminium Diffuser	XPSALU20

High density lightweight XPS extruded routed insulation panel with aluminium diffuser. High output & low profile. Dimensions: 1200mm x 600mm, 0.72sqm coverage per floor panel. Radius bend integral, no end return required, allows greater surface area for heat conductivity. 20mm panel for 16mm pipe at 150mm centres. 100 micron soft tempered aluminium to panel and pipe channel. Suitable for new build and retro-fit, compressive strength at 10% deflection - 300k Pa. Thermal conductivity - 0.033w/mK. 100% recyclable, raw material manufactured in accordance with BSEN13164, fire class according to EN13501-01.

Low Profile 18mm Gypsum Fibre Board	Product Code
Gypsum Overlay panel with End Returns 18 x 600 x 800mm	OLGYP18
310ml Tube Rapid Set Adhesive	ETMSP1K

Low profile high-density gypsum fibre board manufactured from Fermacell® with a heat output of over 100W/m2. Designed with built-in end returns and pipe spacing of 150mm for 12mm pipe. Allows underfloor heating to be installed into existing rooms quickly which can be laid over solid or timber floors. To be installed with ETMSP1K adhesive.



Floor Preparation & Performance

Unitop Decoupling Panel	Product Code
MulitiTop 4mm Decoupling Panel 4 x 600 x 1200mm	MXUNITOP4MM

Stress reducing underlay. Displaces load across floor area, reduces impact noise. Durable decoupling mat, offers protection to the XPS system beneath. Safer on problematic substrates, very low emission - EC1-PLUS. Suitable for most floor coverings. Scan the QR code to see the product installation video or data sheet.

Thermo-Top Boards	Product Code
ThermoTop 2mm Heat Transfer Panel 2 x 600 x 1200mm	MXTHERMOTOP2MM

Thermo-Top delivers rapid, even, heat distribution due to a fleece lined aluminium panel. Ideal for lower water temperature renewable heat sources, element of thermal mass spreads heat laterally. Stress relieving, decoupling system, safer on problematic surfaces, easy to install. Suitable for most floor coverings.

Primer	Product Code
10kg Floor Primer Tub	MXDX9

Available in 10kg tubs. Rapid drying. Ready to use, adhesion enhancing, solvent free. Effective for priming floors prior to UFH system installation. After observing the drying times a slightly tacky surface is achieved, which is ready for laying immediately. Multi-purpose, virtually all substrates.

MS Adhesive	Product Code
16kg Tub	MXMSK509

Single component MS adhesive, solvent free, long working time. Multi purpose adhesive that is used to bond XPS, Thermo-Top, Unitop and wooden floors. Scan the QR code to see the product installation video or data sheet.

High Performance UFH Smoothing Compound	Product Code
13kg Smoothing Compound	MXM61

Heat retaining specialist smoothing compound, energy savings of up to 12% are possible, high yield (up to 27% more). Specifically designed for UFH systems as it dissipates heat across its surface and enhances heat transfer. Especially suitable for air & ground source heating systems. There is no market rival.



THERE IS NO MARKET RIVAL IN THE UK!



RESULTS IN ENERGY SAVINGS OF UP TO 12%!

Fibre Reinforced Smoothing Compound	Product Code
25kg Fibre Reinforced Smoothing Compound	MXST215

Excellent flow smoothing compound. Ideally suited to pre smooth uneven substrates. NOTE: It is recommended that the floorcovering is applied within 48 hours to avoid surface crazing and contamination of the floor. Any longer than 48 hours, the surface should be covered until the floorcovering is laid.

Deep Fill Smoothing Compound	Product Code
25kg Fibre Reinforced 25kg Smoothing Compound	MXST25

Low tension smoothing compound which provides a cost-effective solution for your UFH projects. The highly plasticised compound can be applied to a depth of 35mm. NOTE: It is recommended that the floorcovering is applied within 48 hours to avoid surface crazing and contamination of the floor. Any longer than 48 hours, the surface should be covered until the floorcovering is laid.

Deep Fill Smoothing Compound	Product Code
25kg Fibre Reinforced 25kg Smoothing Compound	MXST25

Low tension smoothing compound which provides a cost-effective solution for your UFH projects. The highly plasticised compound can be applied to a depth of 35mm. NOTE: It is recommended that the floorcovering is applied within 48 hours to avoid surface crazing and contamination of the floor. Any longer than 48 hours, the surface should be covered until the floorcovering is laid.



Manifolds, Valves, Pumps & Stats


Manifolds	Product Code
Danfoss 2 Port SSM 2+2 Manifold Set	DF088U0652
Danfoss 3 Port SSM 3+3 Manifold Set	DF088U0653
Danfoss 4 Port SSM 4+4 Manifold Set	DF088U0654
Danfoss 5 Port SSM 5+5 Manifold Set	DF088U0655
Danfoss 6 Port SSM 6+6 Manifold Set	DF088U0656
Danfoss 7 Port SSM 7+7 Manifold Set	DF088U0657
Danfoss 8 Port SSM 8+8 Manifold Set	DF088U0658
Danfoss 9 Port SSM 9+9 Manifold Set	DF088U0659
Danfoss 10 Port SSM 10+10 Manifold Set	DF088U0660
Danfoss 11 Port SSM 11+11 Manifold Set	DF088U0661
Danfoss 12 Port SSM 12+12 Manifold Set	DF088U0662

Includes 16mm eurocones, fill and drain valves, colour coded isolation valves, flow metres and brackets

Manifold Connections	Product Code
12mm Eurocone connector	ETEC12MM
16mm Eurocone connector	ETEC16MM

Pump Sets	Product Code
Danfoss FHM-C1 Mixing Shunt with Grundfos UPM3 Pump	DF088U0094
Danfoss Midi Shunt with Grundfos UPM3 Pump	DF088U0851

Actuators & Valves	Product Code
Danfoss HP22 2 Port Zone Valve	DF087N6609
Danfoss Thermal Actuator 230V	DF088H3112
Danfoss Thermal Actuator 24V	DF088H3110



Thermostats and Controls - 230V	Product Code
Danfoss BasicPlus ² WT-P Programmable Thermostat	DF088U0625
Danfoss BasicPlus ² FH-CWF Floor sensor 3m	DF088U0610
Danfoss Icon Wiring Center 230v 8 Channels	DF088U1042

BasicPlus ² Thermostats and Controls	Product Code
Danfoss BasicPlus ² WT-P Programmable Thermostat	DF088U0625
Danfoss BasicPlus ² FH-CWF Floor sensor 3m	DF088U0610

BasicPlus ² Thermostats and Controls	Product Code
Danfoss Icon ² Thermostat, On-wall	DF088U2128
Danfoss Icon ² Wireless Thermostat	DF088U2121
Danfoss Icon ² Featured RF Thermostat with IR Sensor	DF088U2122
Danfoss Icon ² Wiring Center 230v 8 Channels	DF088U1042
Danfoss Icon ² Master Controller - 15 Channels	DF088U2102
Danfoss Icon ² Floor Sensor for 24V and 230V	DF088U1110

Icon Modules and Add Ons	Product Code
Heatmiser Slimline Digital Thermostat	HMSLIMLINE
Heatmiser Slimline RF Digital Thermostat	HMSLIMLINERF
Heatmiser Neostat White	HMNEOSTATWHITE
Heatmiser Neostat Black	HMNEOSTATBLACK
Heatmiser Neo Air Thermostat White	HMNEOAIRWHITE
Heatmiser Neo Air Thermostat Black	HMNEOAIRBLACK
Heatmiser Neo Air Thermostat Stand	HMNEOAIRSTAND
Heatmiser Neostat 12V White	HMNEOSTAT12VWHT
Heatmiser Neohub 2nd Generation	HMNEOHUBGEN2
Heatmiser Neo Plug	HMNEOPLUG
Heatmiser Wireless RF Air Temp Sensor	HMRFSENSOR
Heatmiser RF Switch Wireless Receiver	HMRFSWITCHV2
Heatmiser Neostat Wifi White	HMNEOSTATWIFIW



Manifolds, Valves, Pumps & Stats

Icon Modules and Add Ons	Product Code
Heatmiser Floor Probe	HMFPROBE
Heatmiser Thimble Sensor	HMTHIMBLE
Heatmiser UH4 4 Zone Wiring Centre	HMUH4WIRINGCENTR
Heatmiser UH6 6 Zone Wiring Centre	HMUH6WIRINGCENTR
Heatmiser UH8 8 Zone Wiring Centre	HMUH8WIRINGCENTR
Heatmiser UH8 RF Wireless Wiring Centre	HMUH8RF
Heatmiser UH8-N 12V Wiring Centre	HMUH8NWIRCENTRE


Ally Smart eTRV system and Wifi Gateway	Product Code
Danfoss Ally eTRV	DF014G2420
Danfoss Ally Wifi Gateway	DF014G2400



A quick look around the new Icon2™ system



Fully digital setup-up, commissioning and handover via Danfoss Icon2™ Commissioning app



3 new Wireless Thermostat variants – Sensor, RT Display, RT Featured Display



Wired 24V Icon thermostats in on-wall and in-wall versions

Luxury Vinyl Tile (Lvt) & Engineered Wood Flooring

5mm Click Stone Designs	Product Code
Makalu Click Stone 5mm	LTCLS3007-300-5
Schwarzhorn Click Stone 5mm	LTCLS3008-300-5



5mm Wood Plank Designs	Product Code
Belluno Wood 5mm	LTCLW2111-172
Redwood Wood 5mm	LTCLW2101-172
Taiga Wood 5mm	LTCLW2115-172
Whinfell Wood 5mm	LTCLW2004-172




5mm Click Herringbone Designs	Product Code
Belluno Left	LTCHW2111L120
Belluno Right	LTCHW2111R120
Redwood Left	LTCHW2101L120
Redwood Right	LTCHW2101R120
Taigo Left	LTCHW2115L120
Taigo Right	LTCHW2115R120
Whinfell Left	LTCHW2004L120
Whinfell Right	LTCHW2004R120



ORDER EQUAL LEFT & RIGHT!

2.5mm Dry Back Herringbone Designs	Product Code
Whinfell 2.5mm	LTDBW2004-102
Redwood 2.5mm	LTDBW2101-102



Air Source Heat Pumps

L-Series All in One	Product Code
PAN 5KW R290 AQUAREA ALL IN ONE L-GEN 1PH ASHP	KIT-ADC05L3E5UK
PAN 7KW R290 AQUAREA ALL IN ONE L-GEN 1PH ASHP	KIT-ADC07L3E5UK
PAN 9KW R290 AQUAREA ALL IN ONE L-GEN 1PH ASHP	KIT-ADC09L3E5UK

NEW Aquarea High Performance Hydro-Split All in One L Generation Single phase. Heating and Cooling - R290 Wi-Fi adapter included. Indoor unit (H x W x D): 1 642 x 599 x 602 mm. Operation range down to -25 °C in heating.

J Gen - Monoblocs	Product Code
PAN 5KW R32 AQUAREA MONO J-GEN 1PH ASHP	KIT-MDC05J3E5
PAN 7KW R32 AQUAREA MONO J-GEN 1PH ASHP	KIT-MDC07J3E5
PAN 9KW R32 AQUAREA MONO J-GEN 1PH ASHP	KIT-MDC09J3E5

Aquarea High Performance Monobloc J Generation Single phase. Heating and Cooling - MDC - R32 Energy efficiency: A+++ in heating at 35 °C / "A" water pump with variable speed / Built-in flow meter. Flexibility: Built-in magnetic water filter / Built-in 6L expansion vessel. Comfort: Operating range and heating curve down to -20 °C / 60 °C water outlet temperature / Cooling mode down to +10 °C. Control: Additional functions with optional PCB (2 zone control, bivalent control, Smart Grid contact and more). Connectivity: Optional Aquarea Smart and Service Cloud and integration into BMS projects.

H Gen - Monoblocs	Product Code
PAN 12KW R410A AQUAREA MONO H-GEN ASHP	WH-MDC12H6E5
PAN 16KW R410A AQUAREA MONO H-GEN ASHP	WH-MDC16H6E5

Aquarea T-CAP Monobloc J Generation Single phase / Three phase. Heating and Cooling - MXC - R32 Energy efficiency: A+++ in heating at 35 °C / "A" water pump with variable speed / Built-in flow meter. Flexibility: Built-in magnetic water filter. Comfort: Constant capacity and operating range down to -20 °C / 65 °C water outlet temperature. Control: Additional functions with optional PCB (2 zone control, bivalent control, Smart Grid contact and more). Connectivity: Optional Aquarea Smart and Service Cloud and integration into BMS projects.



J Gen - Monoblocs TCAP	Product Code
PAN 9KW R32 AQUAREA TCAP MONO J GEN ASHP	MXC09J3E5
PAN 12KW R32 AQUAREA TCAP MONO JGEN ASHP	MXC12J6E5
PAN 16KW R32 AQUAREA TCAP MONO HGEN ASHP	MXC16J9E8



Aquarea T-CAP Monobloc J Generation Single phase / Three phase. Heating and Cooling - MXC - R32 Energy efficiency: A+++ in heating at 35 °C / "A" water pump with variable speed / Built-in flow meter. Flexibility: Built-in magnetic water filter. Comfort: Constant capacity and operating range down to -20 °C / 65 °C water outlet temperature. Control: Additional functions with optional PCB (2 zone control, bivalent control, Smart Grid contact and more). Connectivity: Optional Aquarea Smart and Service Cloud and integration into BMS projects.



New Aquarea L Generation heat pump

A revolution in design, efficiency, connectivity and sustainability.

Year-round comfort
Aquarea heat pumps provide heating, cooling and hot water for the whole house.

Green future
Aquarea L Generation air to water heat pump is engineered with natural refrigerant R290 with GWP 3.

High performance
Innovative hydraulic split heat pump, with 75 °C water outlet down to -10 °C outside, and operation down to -25 °C.

Harmony at home
Compact design blends into indoor and outdoor spaces. The heat pump's quiet operation brings harmony between technology and the home.

Smart control
Wi-Fi included for smart control, advanced monitoring and servicing.

E.TUPLING

THE LEADING DISTRIBUTOR TO INDEPENDENT MERCHANTS

E. Tupling

☎ 0161 776 0077

✉ sales@etupling.co.uk

📍 Calver Road, Winwick
Quay, Warrington,
WA2 8UD

📄 0161 776 0078

Opening Times

Mon - Fri: 7AM - 5PM

Sat - Sun: Closed



Find us on:     

www.etupling.co.uk

